

*Assured Quality. Better Price.*

**hepo**

hepo

*Catalogue cum Price List*  
*effective September 2022*



# Index

| Furniture Fittings                      | Page No. |
|-----------------------------------------|----------|
| Hinges                                  |          |
| Auto Closing Slide-on Regular Hinges    | 5        |
| Auto Closing Slide-on Soft Close Hinges | 5        |
| Auto Closing Clip-on Soft Close Hinges  | 6-7      |
| Flap Hinges                             | 8        |
| Drawer Channels                         |          |
| Telescopic Channel (Regular)            | 10       |
| Telescopic Channel (Silent)             | 10       |
| Under Mount Channel                     | 11       |
| Double Walled Drawer System             |          |
| Classic Box                             | 13-14    |
| Stainless Steel Wire Products           |          |
| Wire Baskets                            | 16       |
| Kitchen Accessories                     | 17       |
| Bathroom Accessories                    | 18-19    |
| Furniture Locks                         |          |
| Multipurpose Locks                      | 21       |
| Espagnolette Locks                      | 22       |
| Lift-Ups                                |          |
| Bi-Fold Lift-Up                         | 24       |
| Gas Pumps                               | 25-26    |
| Bed Fittings                            | 28       |
| Special Application Fitting             |          |
| Turn Table                              | 29       |
| Aluminum Profiles                       | 31-34    |
| Handles                                 | 36-37    |

| Furniture Fittings                                   | Page No. |
|------------------------------------------------------|----------|
| Connecting Fittings                                  |          |
| Cam, Steel Dowel & Socket                            | 39       |
| Wooden Dowel                                         | 40       |
| L-Bracket                                            | 40       |
| D- Nut (Steel), Hex Metal Socket, T-Nut & Barrel Nut | 41       |
| Leveller Screws                                      | 42       |
| JCBC Bolt, Allen Bolt/ Socket Head Bolt & HEX Bolt   | 43       |
| Door Hardware                                        |          |
| Butt Hinges                                          | 45       |
| Door Closer                                          | 46       |
| Tower Bolts                                          | 47       |
| Screws & Fasteners                                   |          |
| Stainless Steel Screws                               |          |
| CSK Saw Thread Magnetic & Non-Magnetic Screw         | 51       |
| CSK Regular Thread Non-magnetic Screw                | 51       |
| Chip Board Screws                                    |          |
| CSK Head Saw Thread & Regular Thread Screw           | 52       |
| Blackodised CSK                                      | 52       |
| PAN Head Saw Thread & Regular Thread Screw           | 53       |
| PAN Head Chipboard Screw                             | 53       |
| Self Drilling Screw with Ribs                        | 54       |
| Hexagonal Head Self Drilling Screw with Washer       | 54       |
| Handle Fixing Screw                                  | 55       |
| Black Screws                                         |          |
| Drywall Screw                                        | 55       |
| Truss Head Screw                                     | 55       |
| Accessories                                          |          |
| Drive Bit & Screw Driver                             | 56       |



Hepo India Private Limited is a subsidiary of Hepo Investments NL B.V. Netherlands and is primarily in the business of manufacturing and marketing Furniture Fittings and Screws & Fasteners. Within a few years of its operation, it has become one of the fastest growing brand in the Furniture Fittings category and a force to reckon with. Its core brand proposition of 'Assured Quality. Better Price.' is re-defining the value proposition in the fittings industry.

Hepo has an impressive product portfolio consisting of Furniture Fittings, Door Hardware and Screws & Fasteners, thereby providing holistic solutions for all hardware needs.

Assured Quality. Better Price.



Furniture Fittings form the backbone of the furniture. They essentially lend aesthetic versatility and convenience with their endless permutations and combinations creating trendy & innovative furniture. Hepo India offers Value for Money Furniture Fittings that provide assured quality at a better price. The range includes Telescopic Runners, Hinges, Furniture locks, Bed Fitting Mechanism, Screws, Lift-ups, Handles and many more, thereby providing fitting solutions for all spaces.



Hepo offers a range of hinges for cabinet doors, room doors & windows for a wide range of shutter thickness, different closing options & for various door materials. Functional quality of the hinges are certified as per European norms and material quality is certified against rusting.

# Auto Closing Slide-on Hinges

Regular & Soft Closing



## Auto Closing Slide-on Hinges



- Technical Specification:**
- ▶ Concealed hinge with slide on assembly
  - ▶ Available in regular & soft closing options
  - ▶ For door thickness 14 - 25 mm
  - ▶ Opening angle: 105°
  - ▶ Cup diameter 35 mm
  - ▶ Cup depth 11.5 mm
  - ▶ Integrated overlay adjustment + 0.5 mm / - 2.5 mm
  - ▶ Integrated depth adjustment + 2 mm / - 2 mm
  - ▶ Height adjustment at mounting plate
  - ▶ Hinge arm material: Steel, Nickel plated

- Quality Assurance:**
- ▶ **Quality classification under EN 15570, Level 1**
  - ▶ Tested & Certified for 20,000 Cycles

| Cup<br>Distance C | Door thickness |      |      |      |      |      |      |      |      |      |      |      |
|-------------------|----------------|------|------|------|------|------|------|------|------|------|------|------|
|                   | 14             | 15   | 16   | 17   | 18   | 19   | 20   | 21   | 22   | 23   | 24   | 25   |
| 3                 | 0.04           | 0.12 | 0.23 | 0.38 | 0.59 | 0.85 | 1.18 | 1.61 | 2.22 | 2.96 | 3.76 | 4.6  |
| 4                 | 0.04           | 0.11 | 0.22 | 0.37 | 0.56 | 0.81 | 1.11 | 1.49 | 1.99 | 2.63 | 3.36 | 4.15 |
| 4.5               | 0.04           | 0.11 | 0.22 | 0.36 | 0.55 | 0.79 | 1.08 | 1.45 | 1.91 | 2.5  | 3.2  | 3.96 |
| 5                 | 0.04           | 0.11 | 0.21 | 0.36 | 0.54 | 0.77 | 1.06 | 1.41 | 1.84 | 2.39 | 3.04 | 3.77 |
| 6                 | 0.04           | 0.1  | 0.2  | 0.34 | 0.52 | 0.74 | 1.01 | 1.33 | 1.73 | 2.21 | 2.79 | 3.46 |
| 7                 | 0.04           | 0.1  | 0.2  | 0.33 | 0.5  | 0.71 | 0.97 | 1.27 | 1.64 | 2.07 | 2.59 | 3.2  |



## Auto Closing Slide-on Regular Hinges

| Description (Retail Packing)                 | Unit | Article no.      | PU  | MRP/Pair |
|----------------------------------------------|------|------------------|-----|----------|
| 0 Crank hinge with Mounting Plate (2 hole)   | Pc   | 9284697+9284813  | 100 | 97       |
| 9.5 Crank hinge with Mounting Plate (2 hole) | Pc   | 9284698+9284813  | 100 | 102      |
| 16 Crank hinge with Mounting Plate (2 hole)  | Pc   | 9284809+9284813  | 100 | 107      |
| 0 Crank hinge with Mounting Plate (4 hole)   | Pc   | 9284697+ 9284814 | 100 | 99       |
| 9.5 Crank hinge with Mounting Plate (4 hole) | Pc   | 9284698+ 9284814 | 100 | 104      |
| 16 Crank hinge with Mounting Plate (4 hole)  | Pc   | 9284809+ 9284814 | 100 | 109      |

## Auto Closing Slide-on Soft Closing Hinges

| Description (Retail Packing)                 | Unit | Article no.     | PU  | MRP/Pair |
|----------------------------------------------|------|-----------------|-----|----------|
| 0 Crank hinge with Mounting Plate (2 hole)   | Pc   | 9284810+9284813 | 100 | 175      |
| 9.5 Crank hinge with Mounting Plate (2 hole) | Pc   | 9284811+9284813 | 100 | 180      |
| 16 Crank hinge with Mounting Plate (2 hole)  | Pc   | 9284812+9284813 | 100 | 185      |
| 0 Crank hinge with Mounting Plate (4 hole)   | Pc   | 9284810+9284814 | 100 | 177      |
| 9.5 Crank hinge with Mounting Plate (4 hole) | Pc   | 9284811+9284814 | 100 | 182      |
| 16 Crank hinge with Mounting Plate (4 hole)  | Pc   | 9284812+9284814 | 100 | 187      |

**\*Note:**

- ▶ Article no mentioned for 1 pc of products.
- ▶ Order 2 Hinges & 2 Mounting Plates



Auto Closing Clip-on Soft Close Hinges



- Technical Specification:**
- ▶ Concealed hinge with Clip on assembly
  - ▶ Available with integrated soft closing option
  - ▶ For door thickness: 16- 24 mm
  - ▶ Opening angle: up to 105 °
  - ▶ Cup diameter: 35 mm
  - ▶ Cup depth: 11.5 mm
  - ▶ Mounting plate available with 2 holes, 4 holes & with Eccentric screw
  - ▶ Material: Steel Nickel plated
- Quality Assurance:**
- ▶ **Quality Classification under EN 15570, Level 1**
  - ▶ Tested for 20,000 functional cycles

| C-<br>value | Door Thickness |     |     |     |     |     |     |     |     |     |
|-------------|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|             | B              | 16  | 17  | 18  | 19  | 20  | 21  | 22  | 23  | 24  |
| 3           |                | 0.4 | 0.6 | 0.8 | 1.2 | 1.6 | 2.2 | 2.9 | 3.7 | 4.6 |
| 4           |                | 0.4 | 0.6 | 0.8 | 1.1 | 1.5 | 2.0 | 2.6 | 3.3 | 4.1 |
| 5           |                | 0.4 | 0.6 | 0.8 | 1.1 | 1.4 | 1.8 | 2.4 | 3.0 | 3.8 |
| 6           |                | 0.4 | 0.5 | 0.7 | 1.0 | 1.3 | 1.7 | 2.2 | 2.8 | 3.5 |
| 7           |                | 0.3 | 0.5 | 0.7 | 1.0 | 1.3 | 1.6 | 2.1 | 2.6 | 3.2 |



| Description (Retail Packing)                            | Unit | Article no.     | PU  | MRP/Pair |
|---------------------------------------------------------|------|-----------------|-----|----------|
| 0 Crank hinge with Damper, Mounting Plate (2 Hole)      | Pc   | 9290745+9290750 | 100 | 231      |
| 9.5 Crank hinge with Damper, Mounting Plate (2 Hole)    | Pc   | 9290746+9290750 | 100 | 237      |
| 16 Crank hinge with Damper, Mounting Plate (2 Hole)     | Pc   | 9290747+9290750 | 100 | 243      |
| 0 Crank hinge with Damper, Mounting Plate (4 Hole)      | Pc   | 9290745+9290751 | 100 | 233      |
| 9.5 Crank hinge with Damper, Mounting Plate (4 Hole)    | Pc   | 9290746+9290751 | 100 | 239      |
| 16 Crank hinge with Damper, Mounting Plate (4 Hole)     | Pc   | 9290747+9290751 | 100 | 245      |
| 0 Crank hinge with Damper, Mounting Plate (Eccentric)   | Pc   | 9290745+9290752 | 100 | 270      |
| 9.5 Crank hinge with Damper, Mounting Plate (Eccentric) | Pc   | 9290746+9290752 | 100 | 276      |
| 16 Crank hinge with Damper, Mounting Plate (Eccentric)  | Pc   | 9290747+9290752 | 100 | 282      |
| 0 Crank with hepo logo                                  | Pc   | 9294814         | 100 | 5        |
| 9.5 / 16 Crank with hepo logo                           | Pc   | 9294815         | 100 | 5        |

\*Note:

- ▶ Article no mentioned for 1 pc of products.
- ▶ Order 2 Hinges, 2 Mounting Plates & 2 Cover Caps separately.



# Auto Closing Clip-on Soft Close Hinges

For Thick Doors



## Auto Closing Clip-on Soft Close Hinges



- Technical Specification:**
- ▶ Concealed hinge with Clip on assembly
  - ▶ Available with integrated soft closing option
  - ▶ For door thickness: 16- 40 mm
  - ▶ Opening angle: up to 95°
  - ▶ Cup diameter: 40 mm
  - ▶ Cup depth: 12.9 mm
  - ▶ Mounting plate available with 2 holes, 4 holes & with Eccentric screw
  - ▶ Material: Steel Nickel plated
- Quality Assurance:**
- ▶ **Quality Classification under EN 15570, Level 1**
  - ▶ Tested for 20,000 functional cycles

| C-Value |    |     |     |     | Door Thickness |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |    |    |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---------|----|-----|-----|-----|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|         | 16 | 17  | 18  | 19  | 20             | 21  | 22  | 23  | 24  | 25  | 26  | 27  | 28  | 29  | 30  | 31  | 32  | 33  | 34  | 35  | 36  | 37  | 38  | 39 | 40 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3       | 0  | 0.2 | 0.3 | 0.4 | 0.5            | 0.6 | 0.8 | 0.9 | 1.1 | 1.3 | 1.6 | 1.8 | 2.5 | 3.5 | 4.5 | 5.4 | 6.4 | 7.4 | 8.3 | 9.3 | 10  | 11  | 12  | 13 | 14 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4       | 0  | 0.1 | 0.3 | 0.4 | 0.5            | 0.6 | 0.8 | 0.9 | 1.1 | 1.3 | 1.5 | 1.8 | 2.5 | 2.9 | 3.8 | 4.7 | 5.7 | 6.7 | 7.7 | 8.6 | 9.6 | 11  | 12  | 13 | 14 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 5       | 0  | 0.1 | 0.2 | 0.3 | 0.5            | 0.6 | 0.7 | 0.9 | 1.1 | 1.3 | 1.5 | 1.7 | 2   | 2.3 | 3.2 | 4.1 | 5.1 | 6.1 | 7   | 7.8 | 8.7 | 9.7 | 11  | 12 | 13 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 6       | 0  | 0.1 | 0.2 | 0.3 | 0.4            | 0.5 | 0.7 | 0.9 | 1   | 1.2 | 1.5 | 1.7 | 2   | 2.3 | 2.7 | 3.6 | 4.4 | 5.3 | 6.3 | 7.2 | 8.1 | 9.1 | 10  | 11 | 12 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 7       | 0  | 0.1 | 0.2 | 0.3 | 0.4            | 0.5 | 0.7 | 0.9 | 1   | 1.2 | 1.4 | 1.7 | 2   | 2.1 | 2.5 | 3.1 | 4   | 4.9 | 5.7 | 6.6 | 7.5 | 8.5 | 9.4 | 10 | 11 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |



| Description (Retail Packing)                            | Unit | Article no.     | PU  | MRP/Pair |
|---------------------------------------------------------|------|-----------------|-----|----------|
| 0 Crank hinge with Damper, Mounting Plate (2 Hole)      | Pc   | 9312221+9290750 | 100 | 301      |
| 9.5 Crank hinge with Damper, Mounting Plate (2 Hole)    | Pc   | 9312222+9290750 | 100 | 311      |
| 16 Crank hinge with Damper, Mounting Plate (2 Hole)     | Pc   | 9312223+9290750 | 100 | 321      |
| 0 Crank hinge with Damper, Mounting Plate (4 Hole)      | Pc   | 9312221+9290751 | 100 | 303      |
| 9.5 Crank hinge with Damper, Mounting Plate (4 Hole)    | Pc   | 9312222+9290751 | 100 | 313      |
| 16 Crank hinge with Damper, Mounting Plate (4 Hole)     | Pc   | 9312223+9290751 | 100 | 323      |
| 0 Crank hinge with Damper, Mounting Plate (Eccentric)   | Pc   | 9312221+9290752 | 100 | 340      |
| 9.5 Crank hinge with Damper, Mounting Plate (Eccentric) | Pc   | 9312222+9290752 | 100 | 350      |
| 16 Crank hinge with Damper, Mounting Plate (Eccentric)  | Pc   | 9312223+9290752 | 100 | 360      |
| 0 Crank with hepo logo                                  | Pc   | 9294814         | 100 | 5        |
| 9.5 / 16 Crank with hepo logo                           | Pc   | 9294815         | 100 | 5        |

\*Note:


- ▶ Article no mentioned for 1 pc of products.
- ▶ Order 2 Hinges, 2 Mounting Plates & 2 Cover Caps separately.

Flap Hinges



- Technical Specification:**
- ▶ Flap hinge for overlay flaps
  - ▶ Separate installation of bottom panel and flap element
  - ▶ Flap alignment through adjustment of height, sides & depth
  - ▶ Same drilling sizes in bottom panel and flap elements
  - ▶ Hole drilling concealed by rim on both parts
  - ▶ Bottom panel and flap are flush on the inside when opened without adjusting height
  - ▶ Can only be used in conjunction with flap stays
  - ▶ Material Used: Zinc Alloy, nickel plated

**Set Includes:** 1 Flap Hinge with 6 Screws(M3\*15)



| Description     | Unit | Article No. | PU  | MRP/Pc |
|-----------------|------|-------------|-----|--------|
| Hepo Flap Hinge | Pc   | 9297879     | 200 | 249    |



Hepo drawer channels are full extension runners used to run drawers & wire baskets in kitchen & wardrobe cabinets smoothly and silently. Hepo offers ball bearing channels with better designed tracks for heavy weight carrying capacity and guaranteed up to 50,000 functional cycles. Available in Zinc & Black finish & also in silent closing option.

# Heavy Duty Telescopic Channel

## Regular & Silent Closing



### Telescopic Channel



**Technical Specification:**

- ▶ Full extension ball bearing runner with normal & silent closing
- ▶ Better designed tracks creates ease of operation & better dynamic load behaviour
- ▶ Installation width required for regular telescopic runner: 12.5 mm
- ▶ Installation width required for silent telescopic runner: 12.7 mm
- ▶ Available channel height for regular telescopic runner: 45 mm
- ▶ Available channel height for silent telescopic runner: 45.6 mm
- ▶ Available regular channel length: 250 mm – 550 mm (Zinc)  
250 mm – 550 mm (Black)
- ▶ Available silent channel length: 300 mm – 550 mm (Zinc)
- ▶ Material used: Steel
- ▶ Finish: Zinc plated / Black

**Quality Assurance:**

- ▶ Guaranteed up to 30,000 functional cycles
- ▶ 48 hrs Salt spray tested against rusting for regular telescopic channel

| Description                       |                                                                                    | Size        | Unit | Article no | PU | MRP / Pair |
|-----------------------------------|------------------------------------------------------------------------------------|-------------|------|------------|----|------------|
| Regular Telescopic channel - Zinc |  | 10"- 250 mm | Pair | 9298666    | 10 | 369        |
| Regular Telescopic channel - Zinc |                                                                                    | 12"- 300 mm | Pair | 9298668    | 10 | 409        |
| Regular Telescopic channel - Zinc |                                                                                    | 14"- 350 mm | Pair | 9298669    | 10 | 449        |
| Regular Telescopic channel - Zinc |                                                                                    | 16"- 400 mm | Pair | 9298670    | 10 | 489        |
| Regular Telescopic channel - Zinc |                                                                                    | 18"- 450 mm | Pair | 9298701    | 10 | 549        |
| Regular Telescopic channel - Zinc |                                                                                    | 20"- 500 mm | Pair | 9298702    | 10 | 599        |
| Regular Telescopic channel - Zinc |                                                                                    | 22"- 550 mm | Pair | 9298703    | 10 | 669        |

| Description                        |                                                                                     | Size        | Unit | Article no | PU | MRP / Pair |
|------------------------------------|-------------------------------------------------------------------------------------|-------------|------|------------|----|------------|
| Regular Telescopic channel - Black |  | 10"- 250 mm | Pair | 9300364    | 10 | 369        |
| Regular Telescopic channel - Black |                                                                                     | 12"- 300 mm | Pair | 9300365    | 10 | 409        |
| Regular Telescopic channel - Black |                                                                                     | 14"- 350 mm | Pair | 9300366    | 10 | 449        |
| Regular Telescopic channel - Black |                                                                                     | 16"- 400 mm | Pair | 9300367    | 10 | 489        |
| Regular Telescopic channel - Black |                                                                                     | 18"- 450 mm | Pair | 9300368    | 10 | 549        |
| Regular Telescopic channel - Black |                                                                                     | 20"- 500 mm | Pair | 9300369    | 10 | 599        |
| Regular Telescopic channel - Black |                                                                                     | 22"- 550 mm | Pair | 9300370    | 10 | 669        |

| Description                      |                                                                                     | Size   | Unit | Article no | PU | MRP / Pair |
|----------------------------------|-------------------------------------------------------------------------------------|--------|------|------------|----|------------|
| Silent Telescopic Channel - Zinc |  | 300 mm | Pair | 9293951    | 10 | 759        |
| Silent Telescopic Channel - Zinc |                                                                                     | 350 mm | Pair | 9293903    | 10 | 819        |
| Silent Telescopic Channel - Zinc |                                                                                     | 400 mm | Pair | 9293904    | 10 | 879        |
| Silent Telescopic Channel - Zinc |                                                                                     | 450 mm | Pair | 9293905    | 10 | 939        |
| Silent Telescopic Channel - Zinc |                                                                                     | 500 mm | Pair | 9293906    | 10 | 999        |
| Silent Telescopic Channel - Zinc |                                                                                     | 550 mm | Pair | 9295964    | 10 | 1,149      |


Under Mount Drawer Channel




- Technical Specification:**
- ▶ Full extension drawer runner with soft closing features
  - ▶ For Wooden drawers & Wire basket (≤W600 mm)
  - ▶ Slide on installation with catches and tool-less height adjustment
  - ▶ Weight capacity 30 Kg
  - ▶ Available channel length: 250-550 mm
  - ▶ Suitable for drawers with a side profile thickness of up to 16 mm
  - ▶ Installation width 20 mm
  - ▶ Material: Steel, Galvanized
- Set Includes:**
- ▶ 2 PCs drawer channels & 2 PCs catch
- Quality Assurance:**
- ▶ 50,000 functional cycles tested

| S.No. | Description                                    | Nominal Length (mm) | Unit | Article No. | PU | MRP/ Pair |
|-------|------------------------------------------------|---------------------|------|-------------|----|-----------|
| 1     | Under Mount Drawer Channel/250-10" Silent 30Kg | 250                 | Pair | 9322081     | 10 | 1,290     |
| 2     | Under Mount Drawer Channel/300-12" Silent 30Kg | 300                 | Pair | 9322082     | 10 | 1,340     |
| 3     | Under Mount Drawer Channel/350-14" Silent 30Kg | 350                 | Pair | 9322083     | 10 | 1,390     |
| 4     | Under Mount Drawer Channel/400-16" Silent 30Kg | 400                 | Pair | 9322084     | 10 | 1,440     |
| 5     | Under Mount Drawer Channel/450-18" Silent 30Kg | 450                 | Pair | 9322085     | 10 | 1,490     |
| 6     | Under Mount Drawer Channel/500-20" Silent 30Kg | 500                 | Pair | 9322086     | 10 | 1,540     |
| 7     | Under Mount Drawer Channel/550-22" Silent 30Kg | 550                 | Pair | 9322087     | 10 | 1,590     |

Installation Diagram & Drilling Pattern





Hepo Double Walled Drawer System with concealed runners provides a high degree of stability and durability to the furniture. It is designed to suit any type of furniture, be it the kitchen, bathroom, bedroom, living room or office. These soft close drawer systems are convenient, space saving, sturdy, smooth running and attractive.




# Double Walled Drawer System

## Classic Box



### Classic Box (H84 mm)




**Technical Specification**


- ▶ Drawer height 84/167/199 mm
- ▶ Nominal Length: 500 mm
- ▶ Weight capacity: 35 Kg
- ▶ Available with height & width adjustment  $\pm 1.5$  mm
- ▶ Finish: Dark Grey

| Description          | Unit | Article no | PU | MRP / Set |
|----------------------|------|------------|----|-----------|
| Classic Box- H84 mm  | Set  | 9322455    | 1  | 2,990     |
| Classic Box- H167 mm | Set  | 9322469    | 1  | 3,490     |
| Classic Box- H199 mm | Set  | 9322476    | 1  | 3,990     |


### Set Components



### Space Required



### Installation Dimensions








# Double Walled Drawer System


## Classic Box



### Installation Dimensions



### Cutting Dimensions for Back & Bottom Panel





Hepo Wire products are made of Stainless Steel that impart a sense of style and convenience. The range consists of a number of accessories that help to organise storage perfectly in kitchen & bathroom.

The accessories not only add on style to your bathroom but also enhance the level of convenience.

# Stainless Steel Wire Products

## Wire Baskets

hepo



### Plain Basket

- Unique sleek elegant design
- 30 kg weight carrying capacity
- Convenient to store different size packs of your kitchen



| Article No. | Size (WxDxH)* | Unit | PU | MRP/Pc |
|-------------|---------------|------|----|--------|
| 9280319     | 380x500x100   | Pc   | 6  | 2,059  |
| 9280320     | 380x500x150   | Pc   | 4  | 2,496  |
| 9280351     | 380x500x200   | Pc   | 3  | 2,841  |
| 9280354     | 430x500x100   | Pc   | 6  | 2,151  |
| 9280355     | 430x500x150   | Pc   | 4  | 2,542  |
| 9280356     | 430x500x200   | Pc   | 3  | 3,105  |
| 9280359     | 480x500x100   | Pc   | 6  | 2,266  |
| 9280360     | 480x500x150   | Pc   | 4  | 2,737  |
| 9280361     | 480x500x200   | Pc   | 3  | 3,243  |
| 9280364     | 530x500x100   | Pc   | 6  | 2,185  |
| 9280365     | 530x500x150   | Pc   | 4  | 2,622  |
| 9280366     | 530x500x200   | Pc   | 3  | 3,059  |

### Cup & Saucer Basket

- Recommended shutter height min. 180 mm
- 500 mm depth can hold 18 no. of saucers, 380 mm width can hold 8 no. of cups & 530 mm can hold 16 no. of cups respectively



| Article No. | Size (WxDxH)* | Unit | PU | MRP/Pc |
|-------------|---------------|------|----|--------|
| 9280352     | 380x500x100   | Pc   | 6  | 2,358  |
| 9280357     | 430x500x100   | Pc   | 6  | 2,519  |
| 9280362     | 480x500x100   | Pc   | 6  | 3,059  |
| 9280367     | 530x500x100   | Pc   | 6  | 3,209  |

### Thali Basket

- Recommended shutter height min. 360 mm
- 500 mm depth can hold 11 no. of thalis



| Article No. | Size (WxDxH)* | Unit | PU | MRP/Pc |
|-------------|---------------|------|----|--------|
| 9280353     | 380x500x150   | Pc   | 4  | 2,573  |
| 9303976     | 380x500x200   | Pc   | 4  | 3,148  |
| 9280358     | 430x500x150   | Pc   | 4  | 2,789  |
| 9303977     | 430x500x200   | Pc   | 4  | 3,433  |
| 9280363     | 480x500x150   | Pc   | 4  | 3,036  |
| 9303978     | 480x500x200   | Pc   | 4  | 3,692  |
| 9280368     | 530x500x150   | Pc   | 4  | 3,103  |
| 9303979     | 530x500x200   | Pc   | 4  | 3,795  |

\*Sizes in mm





Spice Pull-out

- ▶ Three tier pull-out storage system for spice containers
- ▶ Suitable for cabinet widths 150 mm, 200 mm & 300 mm
- ▶ Available Pull-out dimensions W94xD500xH575 mm, W134xD500xH575 mm, W234xD500xH575 mm
- ▶ Suitable for mounting on left/right side (W94 & W134 only) & diagonally (W134 & W234 only)
- ▶ Weight carrying capacity up to 22.5 Kg (W94), 26.5 Kg (W134) & 30 Kg (W234) with KA telescopic runner
- ▶ Package Contain: 1 Wire Basket, 4 Fascia Clamps, 8 Fascia Screws
- ▶ Material: Stainless Steel
- ▶ Finish: Chrome Plated
- ▶ Available with Food grade certification for wire basket

| Article No. | Size (WxDxH)* | Unit | PU | MRP/Pc |
|-------------|---------------|------|----|--------|
| 9292096     | 94x500x575    | Pc   | 6  | 2,811  |
| 9292097     | 134x500x575   | Pc   | 4  | 3,146  |
| 9292098     | 234x500x575   | Pc   | 2  | 4,008  |



Bottle Pull-out

- ▶ Two tier pull-out storage system for Bottles in kitchen
- ▶ Suitable for cabinet widths 150 mm, 200 mm & 300 mm
- ▶ Available Pull-out dimensions W94xD500xH460mm, W134xD500xH460mm, W234xD500xH460mm
- ▶ Suitable for mounting on the left/right side (W94 & W134 only) & diagonally (W134 & W234 only)
- ▶ Weight carrying capacity up to 22.5 Kg (W94), 26.5 Kg (W134) & 30 Kg (W234) with KA telescopic runner
- ▶ Package Contain: 1 Wire Basket, 4 Fascia Clamps, 8 Fascia Screws
- ▶ Material: Stainless Steel
- ▶ Finish: Chrome Plated
- ▶ Available with Food grade certification for wire basket

| Article No. | Size (WxDxH)* | Unit | PU | MRP/Pc |
|-------------|---------------|------|----|--------|
| 9292100     | 94x500x460    | Pc   | 6  | 1,977  |
| 9292101     | 134x500x460   | Pc   | 4  | 2,200  |
| 9292102     | 234x500x460   | Pc   | 2  | 2,761  |



Cutlery Basket

- ▶ Convenient for storing various cutleries in kitchen
- ▶ Suitable for cabinet widths 450 mm, 500 mm, 550 mm & 600 mm
- ▶ Available basket dimensions W383XD500XH100, W436xD500xH100, W486xD500xH100 mm, W536xD500xH100
- ▶ Compatible with KA telescopic only
- ▶ Available with front panel adjustment
- ▶ Material: Stainless Steel
- ▶ Finish: Chrome Plated
- ▶ Available with Food grade certification for wire basket

| Article No. | Size (WxDxH)* | Unit | PU | MRP/Pc |
|-------------|---------------|------|----|--------|
| 9303980     | 383X500X100   | Pc   | 1  | 2,379  |
| 9303991     | 436X500X100   | Pc   | 1  | 2,977  |
| 9303992     | 486X500X100   | Pc   | 1  | 2,409  |
| 9303994     | 536X500X100   | Pc   | 1  | 2,579  |

\*Sizes in mm



### Towel Rail



It's a cool practical home edition that keeps your towel dry & keeps the sick humid stink at bay.

- Package contains 1 towel rail, 2 cover caps & 5 wall fixing screws
- Can hold 2 hand towels

| Description         | Article No. | Size (WxDxH) mm | Unit | PU | MRP/Pc |
|---------------------|-------------|-----------------|------|----|--------|
| Towel Rail - 350 mm | 9280378     | 350x100x100     | Pc   | 8  | 852    |

### Towel Rack



It's lets you stack your towels neatly on to it which looks good, gives you great comfort & keeps your bathroom hygienic too.

- Package contains 1 towel rack, 2 cover caps & 5 wall fixing screws
- Can hold 3 folded towels on the surface & 3 towels or clothes can be hung

| Description       | Article No. | Size (WxDxH) mm | Unit | PU | MRP/Pc |
|-------------------|-------------|-----------------|------|----|--------|
| Towel Rack- 450mm | 9280377     | 450x250x150     | Pc   | 1  | 2,466  |

### Clothes Hook



The product puts an end to the unsightly picture of used & unused cloths clothes lying around in the bathroom by giving a compact place to hang them.

- Package contains 1 cloth hook, 2 cover caps & 5 wall fixing screws
- Can hold 9 nos of clothes or full size towels

| Description  | Article No. | Size (WxDxH) mm | Unit | PU | MRP/Pc |
|--------------|-------------|-----------------|------|----|--------|
| Clothes Hook | 9280371     | 447x55x133      | Pc   | 10 | 1,138  |

### Accessory Shelf



Hepo Accessory Shelf has been modelled to hold daily use assortments.

- Package contains 1 accessory shelf, 1 plastic tray, 2 cover caps & 5 wall fixing screws
- Can hold a variety in bottles of different sizes

| Description            | Article No. | Size (WxDxH) mm | Unit | PU | MRP/Pc |
|------------------------|-------------|-----------------|------|----|--------|
| Accessory Shelf - W300 | 9280369     | 300x100x120     | Pc   | 8  | 1,043  |
| Accessory Shelf - W450 | 9280370     | 450x100x120     | Pc   | 6  | 1,232  |

### Corner Shelf



Hepo corner Shelf is a sleek corner unit that can hold multiple essential stuff.

- Package contains 1 corner shelf, 1 plastic tray, 2 cover caps & 5 wall fixing screws
- Can hold a variety of bottles in different sizes with other articles as well

| Description  | Article No. | Size (WxDxH) mm | Unit | PU | MRP/Pc |
|--------------|-------------|-----------------|------|----|--------|
| Corner Shelf | 9280372     | 300x300x120     | Pc   | 1  | 1,328  |



Hand Towel Holder



The product helps to retain a high level hygiene factor in the bathroom by keeping towels dry & gives a pleasant contemporary twist to bathroom land scape.

- Package contains 1 hand towel holder, 1 cover cap & 3 wall fixing screws
- Can hold 2 hand towels

| Description                | Article No. | Size (WxDxH) mm | Unit | PU | MRP/Pc |
|----------------------------|-------------|-----------------|------|----|--------|
| Hand Towel Holder - 220 mm | 9280373     | 220x70x100      | Pc   | 10 | 568    |

Tooth Brush Holder



Tooth brush holders save unnecessary utilization of space by toothbrush containers on the basin.

- Package contains 1 tooth brush holder, 1 plastic tray, 1 cover cap & 3 wall fixing screws
- Can hold 4-6 toothbrushes, tongue cleaner & 1 toothpaste tube / mouth freshener

| Description        | Article No. | Size (WxDxH) mm | Unit | PU | MRP/Pc |
|--------------------|-------------|-----------------|------|----|--------|
| Tooth Brush Holder | 9280376     | 150x100x70      | Pc   | 15 | 757    |

Soap & Shampoo Holder



Hepo Soap & Shampoo Holder allows you to place your favourite shampoo & soap in a conveniently accessible way.

- Package contains 1 soap holder, 1 plastic tray, 1 cover cap & 3 wall fixing screws
- Can hold 1 soap and 1 shampoo bottle or shower gel bottom hook can be hold loofah or bath scrubber

| Description           | Article No. | Size (WxDxH) mm | Unit | PU | MRP/Pc |
|-----------------------|-------------|-----------------|------|----|--------|
| Soap & Shampoo Holder | 9280374     | 200x115x125     | Pc   | 10 | 948    |


Tissue Roll Holder



Hepo Tissue Roll Holder with plastic tray is a suave product that maintain elite factor besides maintaining hygiene. It rolls the tissues well that comes out with ease while in use.

- Package contains 1 tissue roll holder, 1 plastic tray, 1 cover cap & 3 wall fixing screws
- Can hold 1 tissue roll and some other articles on plastic tray

| Description        | Article No. | Size (WxDxH) mm | Unit | PU | MRP/Pc |
|--------------------|-------------|-----------------|------|----|--------|
| Tissue Roll Holder | 9280375     | 200x105x110     | Pc   | 12 | 1,138  |



Ideal locking solution for Home & Office environments for locking drawers, wardrobes. These locks are adjustable for both left/right hand operation and are available with 120 key combinations.



# Furniture Locks


## Economic Multipurpose Locks



### Economic Multipurpose Locks


Multipurpose locks throw a bolt / tongue out allowing the door to be locked when closed. This locks can be used in a number of applications particularly in any cabinet & drawer construction. It can secure the cabinet door and requires a key for the cabinet to be opened. These locks are ideal for office environments as they allow to lock private & confidential papers securely. In addition to this, they are also suitable for homes & can keep valuables, private & confidential papers or snacks locked securely in your cupboard out of reach of young children!

- Technical Specification:**
- ▶ Adjustable for left/right-hand operation
  - ▶ Available for 22 mm / 32 mm panel thickness
  - ▶ Complete with rosette
  - ▶ Available with max. 120 Key Combinations
  - ▶ Available with 2 iron keys
  - ▶ Tested for 30000 functional cycles
  - ▶ Material: Zinc & Steel



#### Set Comprises

| Sr No: | Description          | Quantity |
|--------|----------------------|----------|
| 1      | Based Cover          | 1        |
| 2      | Front Cover          | 1        |
| 3      | Bolt                 | 1        |
| 4      | Cylinder Cover       | 1        |
| 5      | Cylinder             | 1        |
| 6      | Cylinder Front Cover | 1        |
| 7      | Ring                 | 1        |



| Description                    | Unit | Article no | PU  | MRP/ PC |
|--------------------------------|------|------------|-----|---------|
| Economic MP Lock 120 KC, 22 mm | Pc   | 9287295    | 120 | 142     |
| Economic MP Lock 120 KC, 32 mm | Pc   | 9291595    | 120 | 166     |


Espagnolette Locks



- Technical Specification:**
- ▶ Three-way locking system for cabinet doors
  - ▶ Usable for both left & right
  - ▶ Used for 20 mm door thickness
  - ▶ Available with rosette
  - ▶ Barrel dia.: 16.5 mm
  - ▶ Available rod length: 1000 mm & 1500 mm
- Set contains:**
- ▶ 1 espagnolette lock, for left / right -hand operation
  - ▶ 1 rosette
  - ▶ 1 pair of locking hooks, left / right
  - ▶ 2 rod saddles
  - ▶ 2 stop pin
  - ▶ 2 keys

Note: Order rods as per cabinet height

Installation Diagram



| Product description                   | Unit | Article no. | PU | MRP/Unit |
|---------------------------------------|------|-------------|----|----------|
| Espagnolette Lock D16/20              | Set  | 9299249     | 10 | 633      |
| Espagnolette Lock Rod 6/5 1m Nickel   | Pc   | 9299283     | 10 | 224      |
| Espagnolette Lock Rod 6/5 1.5m Nickel | Pc   | 9299284     | 10 | 364      |



Ergonomically functional Lift-up solutions are used for creating storage space for all the extra stuffs that needs to be stored along with the convenience of access.

# Advanced Lift-up

## Bi-Fold Lift-up




### Bi-Fold Lift-up




- Technical Specification:**
- ▶ Bi-fold lift-up for overhead cabinets with high performance & smooth operation
  - ▶ Recommended for wooden front panel or Aluminium profile with 55 mm width
  - ▶ Stops at any opening position
  - ▶ Available with silent opening & closing system
  - ▶ Available with three dimensional front panel adjustment
  - ▶ Recommended to use with concealed furniture hinges with 110° opening angle
  - ▶ Recommended cabinet outer to outer height: 600-850 mm
  - ▶ Recommended maximum cabinet width: ≤ 700, ≤ 900 & ≤ 1200 mm
  - ▶ Recommended front panel thickness: 16-18 mm
  - ▶ Front panel will sprung open if fingers get caught between two panels
  - ▶ No protruding parts
  - ▶ Reliable & smooth performance within a wide temperature range of 0°C to 40 °C
  - ▶ Materials used: Zinc alloy, Plastic & Iron
  - ▶ Finish: Nickel plating & Chrome plating

### Set Contains



### Installation Drawing



| Description (Retail Packing)               | Cabinet size (H x W) mm | Unit | Article no. | PU | MRP/Set |
|--------------------------------------------|-------------------------|------|-------------|----|---------|
| Hepo Bi-fold Lift-up Version 5, Max 5 kg   | H 600 x W (600 - 700)   | Set  | 9320383     | 1  | 7,839   |
| Hepo Bi-fold Lift-up Version 7, Max 7 kg   | H 600 x W (800 - 900)   | Set  | 9320384     | 1  | 7,839   |
| Hepo Bi-fold Lift-up Version 9, Max 9 kg   | H 600 x W (1000 - 1200) | Set  | 9320385     | 1  | 8,100   |
| Hepo Bi-fold Lift-up Version 8, Max 8 kg   | H 700 x W (900)         | Set  | 9299178     | 1  | 7,839   |
| Hepo Bi-fold Lift-up Version 10, Max 10 kg | H 700 x W (1200)        | Set  | 9299179     | 1  | 7,839   |

# Gas Pumps

Guaranteed for 50,000 cycles



## Gas Pumps




**Technical Specification:**

- Suitable for wooden or aluminum framed shutter
- Needs auto-closing hinges fitted in the shutter for operation
- Flap weight (including handle) carrying capacity: 3.2 Kg to 35 kg
- Force of pump: 80N-350N
- Gas Pumps dimension: 9 inch (270 mm) / 12 inch (301 mm)
- Performance temperature range of +45°C to -25°C

**Quality Assurance:**

- Tested for 50,000 cycles by SGS, Switzerland



**Installation Diagram**

| Gas Pump dimension : 9 inch |  |  |  |  | Gas Pump dimension : 12 inch |  |  |  |  |
|-----------------------------|--|--|--|--|------------------------------|--|--|--|--|
|                             |  |  |  |  |                              |  |  |  |  |

**Maximum Door Weight**

| H<br>(mm)<br>(kg) | 75°    |        |        |        | 90°    |         |        |        | 100°   |        |        |        |
|-------------------|--------|--------|--------|--------|--------|---------|--------|--------|--------|--------|--------|--------|
|                   | 300    | 400    | 500    | 600    | 300    | 400     | 500    | 600    | 300    | 400    | 500    | 600    |
| 60N               | 3. 3kg | 2. 8kg | 2kg    | 1. 8kg | 3. 1kg | 2. 6kg  | 1. 8kg | 1. 4kg | 2. 9kg | 2. 4kg | 1. 6kg | 1. 2kg |
| 80N               | 4. 3kg | 3. 5kg | 2. 6kg | 2kg    | 4. 1kg | 3. 3kg  | 2. 4kg | 1. 8kg | 3. 9kg | 3. 1kg | 2. 2kg | 1. 6kg |
| 100N              | 5kg    | 4. 1kg | 3. 2kg | 2. 5kg | 4. 8kg | 4kg     | 3kg    | 2. 3kg | 4. 6kg | 3. 8kg | 2. 8kg | 2kg    |
| 120N              | 5. 7kg | 4. 7kg | 3. 8kg | 3kg    | 5. 5kg | 4. 5kg  | 3. 4kg | 2. 8kg | 5. 3kg | 4. 3kg | 3. 3kg | 2. 6kg |
| 150N              | 6. 5kg | 5. 5kg | 4. 7kg | 3. 7kg | 6. 2kg | 5. 3kg  | 4. 5kg | 3. 5kg | 6kg    | 5. 1kg | 4. 3kg | 3. 3kg |
| 200N              | 9. 3kg | 7. 5kg | 5. 5kg | 4. 8kg | 9. 1kg | 7. 3kg  | 5. 3kg | 4. 6kg | 8. 9kg | 7. 1kg | 5. 1kg | 4. 4kg |
| 250N              |        | 9. 7kg | 8kg    | 5. 5kg |        | 9. 5kg  | 7. 8kg | 5. 3kg |        | 9. 3kg | 7. 6kg | 5. 1kg |
| 300N              |        | 12.2kg | 9. 3kg | 7. 7kg |        | 12kg    | 9. 1kg | 7. 5kg |        | 11.8kg | 8. 9kg | 7. 3kg |
| 350N              |        | 15.8kg | 10kg   | 9. 2kg |        | 15. 6kg | 9. 8kg | 9kg    |        | 15.3kg | 9. 6kg | 8. 7kg |

| Gas Pumps for Overheads - 9 inch   | Unit | Article No. | PU | MRP/ Pair |
|------------------------------------|------|-------------|----|-----------|
| Gas Pump Capacity - 8 KG / 9 inch  | Pair | 9289456     | 1  | 311       |
| Gas Pump Capacity -10 KG / 9 inch  | Pair | 9289457     | 1  | 311       |
| Gas Pump Capacity - 12 KG / 9 inch | Pair | 9289458     | 1  | 311       |
| Gas Pump Capacity - 15 KG / 9 inch | Pair | 9289469     | 1  | 311       |
| Gas Pump Capacity - 20 KG / 9 inch | Pair | 9289470     | 1  | 311       |
| Gas Pump Capacity - 25 KG / 9 inch | Pair | 9289471     | 1  | 311       |
| Gas Pump Capacity - 30 KG / 9 inch | Pair | 9289472     | 1  | 311       |
| Gas Pump Capacity - 35 KG / 9 inch | Pair | 9289473     | 1  | 311       |

| Gas Pumps for Overheads - 12 inch   | Unit | Article No. | PU | MRP/ Pair |
|-------------------------------------|------|-------------|----|-----------|
| Gas Pump Capacity - 8 KG /12 inch   | Pair | 9289474     | 1  | 379       |
| Gas Pump Capacity -10 KG / 12 inch  | Pair | 9289475     | 1  | 379       |
| Gas Pump Capacity -12 KG / 12 inch  | Pair | 9289476     | 1  | 379       |
| Gas Pump Capacity -15 KG / 12 inch  | Pair | 9289477     | 1  | 379       |
| Gas Pump Capacity - 20 KG / 12 inch | Pair | 9289478     | 1  | 379       |
| Gas Pump Capacity - 25 KG / 12 inch | Pair | 9289479     | 1  | 379       |
| Gas Pump Capacity - 30 KG / 12 inch | Pair | 9289481     | 1  | 379       |
| Gas Pump Capacity - 35 KG / 12 inch | Pair | 9289482     | 1  | 379       |



# Gas Pumps

Guaranteed for 30,000 cycles



## Gas Pumps




- Technical Specification:**
- ▶ Suitable for wooden shutter
  - ▶ Needs auto-closing hinges fitted in the shutter for operation
  - ▶ Flap weight (including handle) carrying capacity: 15 Kg to 30 kg
  - ▶ Force of pump: 150N-300N
  - ▶ Gas Pumps dimension: 12 inch
  - ▶ Performance temperature range of +45°C to -25°C

- Quality Assurance:**
- ▶ Tested for 30,000 cycles
  - ▶ 6 hrs. salt spray tested against rusting

- Package contains:**
- ▶ 2 pcs gas pump
  - ▶ 4 pcs fixing part
  - ▶ 14 pcs screws
  - ▶ 4 screw nuts

### Installation Diagram

#### Gas Pump dimension : 12 inch



### Maximum Door Weight

| H (mm)<br>(kg) | 75°    |         |         |         | 90°    |         |         |         | 100°   |         |         |         |
|----------------|--------|---------|---------|---------|--------|---------|---------|---------|--------|---------|---------|---------|
|                | 300    | 400     | 500     | 600     | 300    | 400     | 500     | 600     | 300    | 400     | 500     | 600     |
| 60N            | 3. 3kg | 2. 8kg  | 2kg     | 1. 8kg  | 3. 1kg | 2. 6kg  | 1. 8kg  | 1. 4kg  | 2. 9kg | 2. 4kg  | 1. 6kg  | 1. 2kg  |
| 80N            | 4. 3kg | 3. 5kg  | 2. 6kg  | 2kg     | 4. 1kg | 3. 3kg  | 2. 4kg  | 1. 8kg  | 3. 9kg | 3. 1kg  | 2. 2kg  | 1. 6kg  |
| 100N           | 5kg    | 4. 1kg  | 3. 2kg  | 2. 5kg  | 4. 8kg | 4kg     | 3kg     | 2. 3kg  | 4. 6kg | 3. 8kg  | 2. 8kg  | 2kg     |
| 120N           | 5. 7kg | 4. 7kg  | 3. 8kg  | 3kg     | 5. 5kg | 4. 5kg  | 3. 4kg  | 2. 8kg  | 5. 3kg | 4. 3kg  | 3. 3kg  | 2. 6kg  |
| 150N           | 6. 5kg | 5. 5kg  | 4. 7kg  | 3. 7kg  | 6. 2kg | 5. 3kg  | 4. 5kg  | 3. 5kg  | 6kg    | 5. 1kg  | 4. 3kg  | 3. 3kg  |
| 200N           | 9. 3kg | 7. 5kg  | 5. 5kg  | 4. 8kg  | 9. 1kg | 7. 3kg  | 5. 3kg  | 4. 6kg  | 8. 9kg | 7. 1kg  | 5. 1kg  | 4. 4kg  |
| 250N           |        | 9. 7kg  | 8kg     | 5. 5kg  |        | 9. 5kg  | 7. 8kg  | 5. 3kg  |        | 9. 3kg  | 7. 6kg  | 5. 1kg  |
| 300N           |        | 12.2kg  | 9. 3kg  | 7. 7kg  |        | 12kg    | 9. 1kg  | 7. 5kg  |        | 11.8kg  | 8. 9kg  | 7. 3kg  |
| 350N           |        | 15.8kg  | 10kg    | 9. 2kg  |        | 15. 6kg | 9. 8kg  | 9kg     |        | 15.3kg  | 9. 6kg  | 8. 7kg  |
| 500N           |        | 18. 7kg | 15. 1kg | 10. 8kg |        | 18. 3kg | 14. 9kg | 10. 6kg |        | 18. 1kg | 14. 7kg | 10. 4kg |

| Gas Pumps for Overheads - 12 inch           | Unit | Article No. | PU | MRP/Pair |
|---------------------------------------------|------|-------------|----|----------|
| Gas Pump Capacity -15 KG / 12 inch / Black  | Pair | 9320017     | 1  | 825      |
| Gas Pump Capacity - 20 KG / 12 inch / Black | Pair | 9320018     | 1  | 825      |
| Gas Pump Capacity - 25 KG / 12 inch / Black | Pair | 9320019     | 1  | 825      |
| Gas Pump Capacity - 30 KG / 12 inch / Black | Pair | 9320020     | 1  | 825      |



Hepo's range of Bed Storage Systems addresses the need of space efficiency. It offers a complete and effective solution for accessing the storage spaces below the heavy mattresses with ease. Most Indian households store bed linen, pillows & blankets which are required for seasonal purposes underneath their mattresses in the bed storage.

Bed Fittings



- Technical Specification:**
- ▶ Perfect Storage & Space saving
  - ▶ Large opening for easy access under the bed
  - ▶ Opening from the side or foot of the bed is workable
  - ▶ Convenience of use
  - ▶ Noiseless and effortless operation
  - ▶ International quality mechanism
  - ▶ Black Powder Coated finish
  - ▶ Backed by Hepo assurance
  - ▶ Gas Pumps: Passed SGS Test Reliable
  - ▶ Quality Effortless Operation
  - ▶ Frame Material : Q235
  - ▶ Frame Thickness: 4 mm
  - ▶ Length of Gas Pumps: 340 mm
  - ▶ Weight carrying capacity of Gas Pumps: 70kg/ 100kg/ 120kg/ 150kg/ 200kg
  - ▶ Gas Pumps Material: Steel
  - ▶ Finish: Powder Coated Black color
- Set includes:**
- ▶ 1 pair of Bed lift mechanism,
  - ▶ Mounting screws & nuts pack
  - ▶ 1 installation manual

Bed Fitting Frames & Gas Pumps



| Description                 | Article no. | Unit | PU | MRP/Set |
|-----------------------------|-------------|------|----|---------|
| Bed Fitting Frame - 520 mm  | 9315515     | Set  | 1  | 2,090   |
| Bed Fitting Frame - 1100 mm | 9304139     | Set  | 1  | 3,300   |
| Bed Fitting Frame - 1500 mm | 9304140     | Set  | 1  | 3,900   |
| Gas Pump 340 mm / 70Kg      | 9282630     | Set  | 1  | 788     |
| Gas Pump 340 mm / 100Kg     | 9282631     | Set  | 1  | 788     |
| Gas Pump 340 mm / 120Kg     | 9282633     | Set  | 1  | 788     |
| Gas Pump 340 mm / 150Kg     | 9296534     | Set  | 1  | 1,362   |
| Gas Pump 340 mm / 200Kg     | 9319824     | Set  | 1  | 1,362   |


\* Gas Pumps set to be ordered as per required weight capacity  
\* Note: MRP are subject to change any time without prior notice.

Turn Table Mechanism\*



- Technical Specification:**
- Suitable for turning table or swivel unit
  - 360° rotating ball bearing system for long lasting smooth rotation
  - Available in three sizes for different loads
  - Finish: Black

Product Dimension:



t= thickness of plate

| Description           | Size (mm)                   | Load Capacity (Kg) | Ball Dia | No of balls | Unit | Article no | PU | MRP / Pc |
|-----------------------|-----------------------------|--------------------|----------|-------------|------|------------|----|----------|
| Turn Table Mechanism* | 150 x 150 x 21.5, 1.8 (t)   | 50-75              | Ø8       | 46          | Pc   | -          | -  | -        |
|                       | 197 x 197 x 22.5, 1.8 (t)   | 80-100             | Ø8       | 58          | Pc   | -          | -  | -        |
|                       | 245.5 x 245.5 x 22.5, 2 (t) | 150-250            | Ø8       | 62          | Pc   | -          | -  | -        |
|                       | 146 x146 x 14, 0.8 (t)      | 30-50              | Ø8       | 46          | Pc   | -          | -  | -        |

\*Available soon



Aluminium profiles are primarily used for increasing the aesthetic value of furniture.

Shutter profiles are beautifully finished aluminium sections available with & without handle option along with various finishes used to manufacture doors with glass or any chosen material. It offers various design opportunities to design wardrobe doors & kitchen shutters.



# Aluminium Profiles

## Silver Anodized Aluminium Profiles for Furniture Fronts









| Product                                                                 | Product Section | Glass Thickness | Width | Length  | Finish | Article No. | Unit | PU | MRP/Pc |
|-------------------------------------------------------------------------|-----------------|-----------------|-------|---------|--------|-------------|------|----|--------|
| 19 mm / 45 mm Aluminium Profiles                                        |                 |                 |       |         |        |             |      |    |        |
| 19 mm<br>Straight Frame Profile                                         |                 | 4 mm            | 19 mm | 3000 mm | SA     | 5211089     | Pc   | 4  | 1,177  |
|                                                                         |                 |                 |       |         | SS     | 521110808   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | BL     | 521110809   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | DC     | 521110810   | Pc   | 4  | -      |
| 19 mm<br>Straight Frame Profile with handle                             |                 | 4 mm            | 19 mm | 3000 mm | SA     | 5211090     | Pc   | 4  | 1,444  |
|                                                                         |                 |                 |       |         | SS     | 521110811   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | BL     | 521110812   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | DC     | 521110813   | Pc   | 4  | -      |
| 45 mm (Econ)<br>Straight Frame Profile for small shutters               |                 | 4 mm            | 45 mm | 3000 mm | SA     | 5211117     | Pc   | 4  | 2,010  |
|                                                                         |                 |                 |       |         | SS     | 521110814   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | BL     | 521110815   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | DC     | 521110816   | Pc   | 4  | -      |
| 45 mm (Econ)<br>Straight Frame Profile with L Handle for small shutters |                 | 4 mm            | 45 mm | 3000 mm | SA     | 5211118     | Pc   | 4  | 2,606  |
|                                                                         |                 |                 |       |         | SS     | 521110817   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | BL     | 521110818   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | DC     | 521110819   | Pc   | 4  | -      |
| 45 mm<br>Straight Frame Profile with F Handle                           |                 | 4 mm            | 45 mm | 3000 mm | SA     | 5211082     | Pc   | 4  | 2,462  |
|                                                                         |                 |                 |       |         | SS     | 521110820   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | BL     | 521110821   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | DC     | 521110822   | Pc   | 4  | -      |
| 45 mm<br>Straight Stick-On Frame Profile                                |                 | 4 mm            | 45 mm | 3000 mm | SA     | 5211091     | Pc   | 4  | 1,584  |
|                                                                         |                 |                 |       |         | SS     | 521110823   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | BL     | 521110824   | Pc   | 4  | -      |
|                                                                         |                 |                 |       |         | DC     | 521110825   | Pc   | 4  | -      |
| 45 mm Straight Stick-On Frame Profile with L handle                     |                 | 4 mm            | 45 mm | 3000 mm | SA     | 9283487     | Pc   | 4  | 2,900  |
|                                                                         |                 |                 |       |         | SS     | 9302229     | Pc   | 4  | 4,630  |
|                                                                         |                 |                 |       |         | BL     | 9302230     | Pc   | 4  | 4,630  |
| 45 mm Straight Frameless Stick on Profile                               |                 | 4 mm            | 45 mm | 3000 mm | SA     | 9306110     | Pc   | 4  | 2,170  |
|                                                                         |                 |                 |       |         | SS     | 9306161     | Pc   | 4  | 3,460  |
|                                                                         |                 |                 |       |         | BL     | 9306163     | Pc   | 4  | 3,460  |
| 45 mm Straight Frameless Stick on Handle Profile                        |                 | 4 mm            | 45 mm | 3000 mm | SA     | 9306164     | Pc   | 4  | 2,770  |
|                                                                         |                 |                 |       |         | SS     | 9306165     | Pc   | 4  | 4,420  |
|                                                                         |                 |                 |       |         | BL     | 9306167     | Pc   | 4  | 4,420  |



• SA - Silver finish    • \*SS - Stainless steel finish    • \*BL - Black finish    • \*DC - Dark Champagne finish    \*Available on request

# Aluminium Profiles

## Silver Anodized Aluminium Profiles for Furniture Fronts





| Product                                                                                         | Product Section                                                                     | Glass Thickness | Width | Length  | Finish | Article No. | Unit | PU | MRP/Pc |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------|-------|---------|--------|-------------|------|----|--------|
| 55 mm Aluminium Profiles                                                                        |                                                                                     |                 |       |         |        |             |      |    |        |
| 55 mm Straight Frame Profile                                                                    |    | 4 mm            | 55 mm | 3000 mm | SA     | 9288842     | Pc   | 4  | 2,650  |
|                                                                                                 |                                                                                     |                 |       |         | SS     | 9307853     | Pc   | 4  | 4,240  |
|                                                                                                 |                                                                                     |                 |       |         | BL     | 9307854     | Pc   | 4  | 4,240  |
|                                                                                                 |                                                                                     |                 |       |         | DC     | 9310252     | Pc   | 4  | 4,240  |
| 55 mm Straight Frame Profile with C Handle                                                      |    | 4 mm            | 55 mm | 3000 mm | SA     | 9288844     | Pc   | 4  | 3,270  |
|                                                                                                 |                                                                                     |                 |       |         | SS     | 9307856     | Pc   | 4  | 5,230  |
|                                                                                                 |                                                                                     |                 |       |         | BL     | 9307857     | Pc   | 4  | 5,230  |
|                                                                                                 |                                                                                     |                 |       |         | DC     | 9310253     | Pc   | 4  | 5,230  |
| 55 mm Curved Frame Profile                                                                      |    | 4 / 5 mm        | 55 mm | 3000 mm | SA     | 9288848     | Pc   | 4  | 3,240  |
| 55 mm Curved Frame Profile with Handle                                                          |   | 4 / 5 mm        | 55 mm | 3000 mm | SA     | 9113913     | Pc   | 4  | 2,802  |
| 55 mm Straight Frame Profile                                                                    |  | 8 mm            | 55 mm | 3000 mm | SA     | 9283491     | Pc   | 4  | 2,510  |
| 55 mm Straight Frame Profile with F Handle                                                      |  | 8 mm            | 55 mm | 3000 mm | SA     | 9283495     | Pc   | 4  | 3,100  |
| Angle Connector Set<br>(For all aluminum profiles) 1 Set<br>Consists of 4 connectors & 8 screws |  | -               | -     | -       | -      | 9303247     | Set  | 30 | 142    |


| Product              | Product Section                                                                     | Suitable for          | Width | Length  | Finish | Article No. | Unit | PU | MRP/Pc |
|----------------------|-------------------------------------------------------------------------------------|-----------------------|-------|---------|--------|-------------|------|----|--------|
| Edge Profile         |                                                                                     |                       |       |         |        |             |      |    |        |
| Edge Profile (22 mm) |  | 19 mm board thickness | -     | 3000 mm | SA     | 5211094     | Pc   | 8  | 384    |
|                      |                                                                                     |                       |       |         | SS     | 521110826   | Pc   | 8  | -      |
|                      |                                                                                     |                       |       |         | BL     | 521110827   | Pc   | 8  | -      |
|                      |                                                                                     |                       |       |         | DC     | 521110828   | Pc   | 8  | -      |
| Edge Profile (25 mm) |  | 22 mm board thickness | -     | 3000 mm | SA     | 5211095     | Pc   | 8  | 428    |
|                      |                                                                                     |                       |       |         | SS     | 521110829   | Pc   | 8  | -      |
|                      |                                                                                     |                       |       |         | BL     | 521110830   | Pc   | 8  | -      |
|                      |                                                                                     |                       |       |         | DC     | 521110831   | Pc   | 8  | -      |



• SA - Silver finish    • \*SS - Stainless steel finish    • \*BL - Black finish    • \*DC - Dark Champagne finish    \*Available on request

## Silver Anodized Aluminium Profiles for Furniture Fronts

# hepo

| Product                       | Product Section                                                                   | Suitable for    | Width | Length  | Finish | Article No. | Unit | PU | MRP/Pc |
|-------------------------------|-----------------------------------------------------------------------------------|-----------------|-------|---------|--------|-------------|------|----|--------|
| Edge Profile                  |                                                                                   |                 |       |         |        |             |      |    |        |
| Edge Profile for Wall cabinet |  | 16.8 mm onwards | -     | 3000 mm | SA     | 5211106     | Pc   | 12 | 1,240  |
|                               |                                                                                   |                 |       |         | SS*    | 521110832   | Pc   | 12 | -      |
|                               |                                                                                   |                 |       |         | BL*    | 521110833   | Pc   | 12 | -      |
|                               |                                                                                   |                 |       |         | DC*    | 521110834   | Pc   | 12 | -      |
| Edge Profile for Wall cabinet |  | 18.8 mm board   | -     | 3000 mm | SA     | 5211113     | Pc   | 12 | 1,291  |
|                               |                                                                                   |                 |       |         | SS*    | 521110835   | Pc   | 12 | -      |
|                               |                                                                                   |                 |       |         | BL*    | 521110836   | Pc   | 12 | -      |
|                               |                                                                                   |                 |       |         | DC*    | 521110837   | Pc   | 12 | -      |

| Mid Way Joining Profile                      |                                                                                   |                              |       |         |     |           |    |    |       |
|----------------------------------------------|-----------------------------------------------------------------------------------|------------------------------|-------|---------|-----|-----------|----|----|-------|
| Mid Way<br>Joining profile                   |  | 4/5 mm<br>glass<br>thickness | 16 mm | 3000 mm | SA  | 5211093   | Pc | 8  | 1,070 |
|                                              |                                                                                   |                              |       |         | SS* | 521110838 | Pc | 8  | -     |
|                                              |                                                                                   |                              |       |         | BL* | 521110839 | Pc | 8  | -     |
|                                              |                                                                                   |                              |       |         | DC* | 521110840 | Pc | 8  | -     |
| Connector Set for<br>Mid Way Joining Profile |                                                                                   |                              |       |         |     | 9308603   | Pc | 10 | 106   |

| Product                              | Product Section                                                                     | Length  | Finish | Article No. | Unit | PU | MRP/Pc |
|--------------------------------------|-------------------------------------------------------------------------------------|---------|--------|-------------|------|----|--------|
| Gola Profile & Vertical Gola Profile |                                                                                     |         |        |             |      |    |        |
| Gola profile C Type                  |  | 3000 mm | SA     | 5211104     | Pc   | 10 | 1,432  |
|                                      |                                                                                     |         | SS*    | 521110841   | Pc   | 10 | -      |
|                                      |                                                                                     |         | BL*    | 521110842   | Pc   | 10 | -      |
|                                      |                                                                                     |         | DC*    | 521110843   | Pc   | 10 | -      |
| Gola profile L Type                  |  | 3000 mm | SA     | 5211105     | Pc   | 10 | 1,030  |
|                                      |                                                                                     |         | SS*    | 521110844   | Pc   | 10 | -      |
|                                      |                                                                                     |         | BL*    | 521110845   | Pc   | 10 | -      |
|                                      |                                                                                     |         | DC*    | 521110846   | Pc   | 10 | -      |


| Item Description                            | Product                                                                             | Compatible with | Side  | Article No. | Unit | PU | MRP/Pc |
|---------------------------------------------|-------------------------------------------------------------------------------------|-----------------|-------|-------------|------|----|--------|
| Gola Profile Accessories                    |                                                                                     |                 |       |             |      |    |        |
| Gola Profile End Cap for C Type with screws |  | SA              | Left  | 9212563     | Pc   | 20 | 277    |
|                                             |                                                                                     |                 | Right | 9212564     | Pc   | 20 | 277    |
|                                             |                                                                                     | SS*             | Left  | 521110847   | Pc   | 20 | -      |
|                                             |                                                                                     |                 | Right | 521110848   | Pc   | 20 | -      |
|                                             |                                                                                     | BL*             | Left  | 521110849   | Pc   | 20 | -      |
|                                             |                                                                                     |                 | Right | 521110850   | Pc   | 20 | -      |
|                                             |                                                                                     | DC*             | Left  | 521110851   | Pc   | 20 | -      |
|                                             |                                                                                     |                 | Right | 521110852   | Pc   | 20 | -      |
| Gola Profile End Cap for L Type with screws |  | SA              | Left  | 9212565     | Pc   | 20 | 277    |
|                                             |                                                                                     |                 | Right | 9212566     | Pc   | 20 | 277    |
|                                             |                                                                                     | SS*             | Left  | 521110853   | Pc   | 20 | -      |
|                                             |                                                                                     |                 | Right | 521110854   | Pc   | 20 | -      |
|                                             |                                                                                     | BL*             | Left  | 521110855   | Pc   | 20 | -      |
|                                             |                                                                                     |                 | Right | 521110856   | Pc   | 20 | -      |
|                                             |                                                                                     | DC*             | Left  | 521110857   | Pc   | 20 | -      |
|                                             |                                                                                     |                 | Right | 521110858   | Pc   | 20 | -      |


# Aluminium Profiles

## Silver Anodized Aluminium Profiles for Furniture Fronts



| Item Description                               | Product                                                                           | Compatible with | Article No. | Unit | PU | MRP/Pc |
|------------------------------------------------|-----------------------------------------------------------------------------------|-----------------|-------------|------|----|--------|
| Gola Profile Accessories                       |                                                                                   |                 |             |      |    |        |
| Gola Outer Angle Profile Connector with screws |  | SA              | 9212567     | Pc   | 20 | 312    |
|                                                |                                                                                   | SS              | 521110859   | Pc   | 20 | -      |
|                                                |                                                                                   | BL              | 521110860   | Pc   | 20 | -      |
|                                                |                                                                                   | DC              | 521110861   | Pc   | 20 | -      |
| Gola Inner Angle Profile Connector with screws |  | SA              | 9212568     | Pc   | 20 | 422    |
|                                                |                                                                                   | SS              | 521110862   | Pc   | 20 | -      |
|                                                |                                                                                   | BL              | 521110863   | Pc   | 20 | -      |
|                                                |                                                                                   | DC              | 521110864   | Pc   | 20 | -      |
| Gola L Connector set with screws               |  |                 | 9220600     | Pc   | 20 | 46     |

| Product                                | Product Section                                                                    | Length (mm) | Finish | Article No. | Unit | PU | MRP/Pc |
|----------------------------------------|------------------------------------------------------------------------------------|-------------|--------|-------------|------|----|--------|
| Sink Counter Profile with Connectors   |                                                                                    |             |        |             |      |    |        |
| Sink counter profile                   |  | 3000 mm     | SA     | 5211109     | Pc   | 6  | 1,274  |
| Bracket for sink counter profile left  |                                                                                    | -           | -      | 9293678     | Pc   | 50 | 26     |
| Bracket for sink counter profile right |                                                                                    | -           | -      | 9293699     | Pc   | 50 | 26     |

| Product                    | Product Section                                                                     | Details                                 | Finish | Article No. | Unit | PU | MRP/Pc |
|----------------------------|-------------------------------------------------------------------------------------|-----------------------------------------|--------|-------------|------|----|--------|
| Handle Profiles            |                                                                                     |                                         |        |             |      |    |        |
| Handle Eslinga (G Profile) |  | Profile height 40 mm and Length 3000 mm | SA     | 5211096     | Pc   | 4  | 2,032  |
|                            |                                                                                     |                                         | SS     | 521110865   | Pc   | 4  | -      |
|                            |                                                                                     |                                         | BL     | 521110866   | Pc   | 4  | -      |
|                            |                                                                                     |                                         | DC     | 521110867   | Pc   | 4  | -      |
| Eslinga Econ (G Profile)   |  | Profile height 35 mm and Length 3000 mm | SA     | 5211097     | Pc   | 12 | 1, 291 |
|                            |                                                                                     |                                         | SS     | 521110868   | Pc   | 12 | -      |
|                            |                                                                                     |                                         | BL     | 521110869   | Pc   | 12 | -      |
|                            |                                                                                     |                                         | DC     | 521110870   | Pc   | 12 | -      |



● SA - Silver finish    ● \*SS - Stainless steel finish    ● \*BL - Black finish    ● \*DC - Dark Champagne finish    \*Available on request



Ergonomically comfortable and specially designed handles available in attractive designs for furniture drawers & doors. Available in various sizes, shapes, materials and colours to cater to the need of different customers.



| Sr. No. | Description                                                                         | Finish                  | Article No. | Hole Distance | Unit | PU  | MRP/Pc |
|---------|-------------------------------------------------------------------------------------|-------------------------|-------------|---------------|------|-----|--------|
| 1.      |    | Nickel Matt             | 1180122     | 96            | Pc   | 200 | 78     |
|         |                                                                                     |                         | 1180121     | 128           | Pc   | 150 | 114    |
| 2.      |    | Nickel Matt             | 1180167     | 96            | Pc   | 200 | 90     |
|         |                                                                                     |                         | 1180166     | 128           | Pc   | 125 | 124    |
| 3.      |    | Nickel Matt             | 1161173     | 96            | Pc   | 60  | 104    |
|         |                                                                                     |                         | 1161167     | 128           | Pc   | 50  | 143    |
| 4.      |    | Nickel Matt             | 9220976     | 96            | Pc   | 50  | 81     |
|         |                                                                                     |                         | 9220978     | 128           | Pc   | 50  | 127    |
| 5.      |    | Bright Chrome           | 9220975     | 96            | Pc   | 50  | 72     |
|         |                                                                                     |                         | 9220977     | 128           | Pc   | 50  | 115    |
| 6.      |   | Nickel Matt             | 9220980     | 96            | Pc   | 50  | 76     |
|         |                                                                                     |                         | 9220982     | 128           | Pc   | 50  | 132    |
| 7.      |  | Bright Chrome           | 9220979     | 96            | Pc   | 50  | 69     |
|         |                                                                                     |                         | 9220981     | 128           | Pc   | 50  | 121    |
| 8.      |  | Matt Black              | 9297998     | 128           | Pc   | 1   | 95     |
| 9.      |  | Brushed Nickel          | 9300407     | 96            | Pc   | 1   | 90     |
|         |                                                                                     |                         | 9300394     | 256           | Pc   | 1   | 200    |
| 10.     |  | Brushed Nickel          | 9300395     | 96            | Pc   | 1   | 124    |
| 11.     |  | Brushed Nickel          | 9300396     | 128           | Pc   | 1   | 203    |
|         |                                                                                     |                         | 9300397     | 160           | Pc   | 1   | 230    |
|         |                                                                                     |                         | 9300398     | 192           | Pc   | 1   | 254    |
|         |                                                                                     |                         | 9300399     | 234           | Pc   | 1   | 285    |
| 12.     |  | Brushed Nickel          | 9300400     | 128           | Pc   | 1   | 182    |
|         |                                                                                     |                         | 9300411     | 160           | Pc   | 1   | 197    |
|         |                                                                                     |                         | 9300412     | 256           | Pc   | 1   | 255    |
| 13.     |  | Nickel Matt             | 9300408     | 64            | Pc   | 1   | 103    |
|         |                                                                                     |                         | 9300409     | 96            | Pc   | 1   | 120    |
| 14.     |  | Brushed Silver Anodized | 9310024     | 224           | Pc   | 72  | 235    |


**Note:** For more handles refer to [Handlesfor99.com](http://Handlesfor99.com)

Alpha Handle



- Technical Specification:**
- ▶ Recessed Handle for wooden shutters
  - ▶ Handle Length: 110/ 142/ 174 mm
  - ▶ Material Used: Anodized Aluminum
  - ▶ Finish: Silver

Cut out details



| Description                       | Total Length Including End Caps (A) | Clear Base (B) | Hole to Hole Distance (C) | Profile Length | Unit | Article no | PU  | MRP / Pc |
|-----------------------------------|-------------------------------------|----------------|---------------------------|----------------|------|------------|-----|----------|
| Alpha Handle 96mm incl. end caps  | 110 mm                              | 102 mm         | 96 mm                     | 90 mm          | Pc   | 5211053    | 100 | 188      |
| Alpha Handle 128mm incl. end caps | 142 mm                              | 134 mm         | 128 mm                    | 122 mm         | Pc   | 5211054    | 80  | 207      |
| Alpha Handle 160mm incl. end caps | 174 mm                              | 166 mm         | 160 mm                    | 154 mm         | Pc   | 5211055    | 65  | 226      |

**Note:** For more handles refer to [Handlesfor99.com](http://Handlesfor99.com)



Small hardware that opens up numerous design options for classic as well as lightweight material used to construct modular furniture. It fulfils requirement of frequent assembly & disassembly of furniture.


# Connecting Fittings

## Cam, Steel Dowel & Socket



### Cam


- ▶ Drilling diameter 15 mm
- ▶ Drilling depth: 13 mm for Zinc CAM 15/18  
11.2 mm for Zinc CAM 15/15  
9.6 mm for Zinc CAM 15/12
- ▶ Available for 12/15/18 mm panel thickness
- ▶ Surface material: Nickel Plating



| Description                               | Unit | Article no | PU   | MRP/Pc |
|-------------------------------------------|------|------------|------|--------|
| Zinc Cam 15/18 - Zinc CAM for 18 mm panel | Pc   | 9290887    | 3000 | 7.22   |
| Zinc Cam 15/15 - Zinc CAM for 15 mm panel | Pc   | 9299651    | 3000 | 5.49   |
| Zinc Cam 15/12 - Zinc CAM for 12 mm panel | Pc   | 9308957    | 3000 | 4.9    |


### Steel Dowel

- ▶ M6\*7.5 mm thread
- ▶ Dowel Length: 30 mm
- ▶ Available with unmovable grey plastic part



| Description                             | Unit | Article no | PU   | MRP/Pc |
|-----------------------------------------|------|------------|------|--------|
| M6*34 Dowel, 3 in one, PZ2, Galvanizing | Pc   | 9289656    | 3000 | 2.52   |


- ▶ Steel dowel with direct fixing thread for drilling diameter of 6 mm
- ▶ Dowel length: 30 mm



| Description                    | Unit | Article no | PU   | MRP/Pc |
|--------------------------------|------|------------|------|--------|
| Steel Dowel Euro Thread, 30 mm | Pc   | 9299653    | 3000 | 3.08   |

### Fast Assembly Dowel


- ▶ Available with expanding socket with 8 mm drilling diameter
- ▶ Dowel length: 30 mm



| Description                      | Unit | Article no | PU   | MRP/Pc |
|----------------------------------|------|------------|------|--------|
| Fast Assembly Steel Dowel, 30 mm | Pc   | 9299654    | 3000 | 3.64   |


### Socket

- ▶ Inner thread: M6
- ▶ Drilling diameter 10 mm
- ▶ Drilling depth: 11.5 mm
- ▶ Available for 15/18 mm panel thickness
- ▶ Finish: White



| Description                                         | Unit | Article no      | PU   | MRP/Pc |
|-----------------------------------------------------|------|-----------------|------|--------|
| Nylon Socket, $\phi 10.8 \times 11$ , Inner M6 hole | Pc   | 9304875/9289732 | 3000 | 0.90   |


Wooden Dowel




Wooden Dowel 8x50mm



Wooden Dowel 8x30mm



Wooden Dowel 8x40mm



Wooden Dowel 6x35mm

| Description           | Unit | Article no | PU   | MRP/Pc |
|-----------------------|------|------------|------|--------|
| Wooden Dowel 6.0x35mm | Pc   | 9290708    | 2000 | 0.8    |
| Wooden Dowel 8.0x30mm | Pc   | 9290706    | 2000 | 0.9    |
| Wooden Dowel 8.0x40mm | Pc   | 9102465    | 2000 | 0.9    |
| Wooden Dowel 8.0x50mm | Pc   | 9290707    | 2000 | 1.2    |

L-Bracket

| S.No. | Description        |  | Unit | Article No. | PU   | MRP/Pc |
|-------|--------------------|--|------|-------------|------|--------|
| 1     | L-Bracket 31x31 mm |  | Pc   | 9302837     | 1000 | 15     |
| 2     | L-Bracket 41x41 mm |  | Pc   | 9302840     | 100  | 16     |

# Connecting Fittings

D- Nut (Steel), Hex Metal Socket

T-Nut & Barrel Nut




## D-Nut (Steel)



### Technical Specification:

- ▶ Material used: Steel
- ▶ Available in HEX drive
- ▶ Available in Regular/Metric thread
- ▶ Available Finish: Chrome, Blue zinc (ZP, Cr3+)
- ▶ Available with bulk packing
- ▶ Tested for 48 Hrs Salt Spray against rusting




| Description                 | Dimension | Unit | Article No. | PU   | MRP/Pc |
|-----------------------------|-----------|------|-------------|------|--------|
| D-Nut(Steel) M6x13, ZP Cr3+ | M6x13     | Pc   | 9296712     | 3500 | 2.88   |
| D-Nut(Steel) M6x15, ZP Cr3+ | M6x15     | Pc   | 9296713     | 3000 | 3.16   |
| D-Nut(Steel) M6x18, ZP Cr3+ | M6x18     | Pc   | 9296714     | 2500 | 3.62   |
| D-Nut(Steel) M6x20, ZP Cr3+ | M6x20     | Pc   | 9296715     | 2500 | 3.85   |
| D-Nut(Steel) M6x25, ZP Cr3+ | M6x25     | Pc   | 9296716     | 2000 | 4.77   |
| D-Nut(Steel) M8x13, ZP Cr3+ | M8x13     | Pc   | 9296717     | 3000 | 3.51   |
| D-Nut(Steel) M8x15, ZP Cr3+ | M8x15     | Pc   | 9296718     | 2500 | 3.85   |
| D-Nut(Steel) M8x18, ZP Cr3+ | M8x18     | Pc   | 9296719     | 2000 | 4.20   |
| D-Nut(Steel) M8x20, ZP Cr3+ | M8x20     | Pc   | 9296720     | 2000 | 4.77   |
| D-Nut(Steel) M8x25, ZP Cr3+ | M8x25     | Pc   | 9296721     | 1500 | 5.69   |

## Hex Metal Socket



### Technical Specification:

- ▶ Material used: Zinc Alloy
- ▶ Drive: Hex Socket
- ▶ Finish: Zinc




| Description               | Unit | Article no | PU   | MRP/Pc |
|---------------------------|------|------------|------|--------|
| Hex Metal socket M6x13 ZP | Pc   | 9290695    | 1000 | 5.2    |
| Hex Metal socket M6x15 ZP | Pc   | 9290696    | 6000 | 4.59   |
| Hex Metal socket M6x20 ZP | Pc   | 9290698    | 1000 | 7.11   |
| Hex Metal socket M8x18 ZP | Pc   | 9290702    | 3500 | 6.61   |

## T-Nut



### Technical Specification:

- ▶ Thread: Metric
- ▶ Material: Steel
- ▶ Finish: Zinc chrome plated




| Description | Unit | Article no | PU  | MRP/Pc |
|-------------|------|------------|-----|--------|
| T-Nut M6X10 | Pc   | 9312049    | 500 | 2.9    |
| T-Nut M8X10 | Pc   | 9312111    | 500 | 4.5    |

## Barrel Nut



### Technical Specification:

- ▶ Thread: Metric
- ▶ Material: Steel
- ▶ Finish: Zinc chrome plated



| Description           | Unit | Article no | PU  | MRP/Pc |
|-----------------------|------|------------|-----|--------|
| Barrel Nut M6* φ10*13 | Pc   | 9312112    | 500 | 4.7    |
| Barrel Nut M8* φ12*18 | Pc   | 9312113    | 500 | 9.8    |



Leveller Screws







- Technical Specification:**
- Used for height adjustment of cabinets
  - Material used: Zinc plated aluminium, High quality plastic
  - Finish: Zinc chrome plated, Black plastic

Product Dimension

| Rod Dia. (mm) | Rod Length (mm) | Base Dia. (mm) | Base Height (mm) |
|---------------|-----------------|----------------|------------------|
| M6            | 10/ 24/ 40      | 30             | 7                |
| M8            | 24              | 20             | 8                |
| M10           | 24              | 26             | 6.5              |
| M12           | 24              | 26             | 6.5              |

Dimensional Diagram



| Product description        | Weight capacity | Height adjustment range (mm) | Unit | Article no. | PU   | MRP/Pc |
|----------------------------|-----------------|------------------------------|------|-------------|------|--------|
| Leveller screw M6 x 10 mm  | 60 Kg           | 9                            | Pc   | 9138921     | 1000 | 10.64  |
| Leveller screw M6 x 24 mm  | 60 Kg           | 23                           | Pc   | 9138922     | 1000 | 11.76  |
| Leveller screw M6 x 40 mm  | 60 Kg           | 39                           | Pc   | 9138923     | 1000 | 13.16  |
| Leveller screw M8 x 24 mm  | 70 Kg           | 22                           | Pc   | 9138924     | 1000 | 13.44  |
| Leveller screw M10 x 24 mm | 80 Kg           | 20                           | Pc   | 9138925     | 500  | 18.00  |
| Leveller screw M12 x 24 mm | 90 Kg           | 20                           | Pc   | 9138926     | 500  | 24.64  |

# Connecting Fittings

## JCBC Bolt & Allen Bolt/ Socket Head Bolt

### HEX Bolt



#### Hepo Bolts



- Technical Specification:**
- ▶ Head for JCBC Bolt: Flat Head
  - ▶ Head for Allen Bolt/ Socket Head Bolt: Round Knurled head
  - ▶ Head for HEX Bolt: Hexagonal Head
  - ▶ Drive for JCBC & Allen Bolt/ Socket Head Bolt: HEX drive
  - ▶ Thread: Full thread (Metric)
  - ▶ Head Dia for JCBC Bolt- 12.5 mm for M6 / 15.5 mm for M8
  - ▶ Head Dia for Allen Bolt/ Socket Head Bolt: - 10 mm for M6 / 13 mm for M8
  - ▶ Size of Hex drive in JCBC Bolt: 4 mm for M6 / 5 mm for M8
  - ▶ Size of Hex drive in Allen Bolt/ Socket Head Bolt: 5 mm for M6 / 6 mm for M8
  - ▶ Material used: Steel
  - ▶ Finish: Black Oxide finish
- Note:** 24 hrs salt spray tested Zinc finish bolts available on request.

| JCBC Bolt |               |             |      |        | Allen Bolt/ Socket Head Bolt |      |        | HEX Bolt    |      |        |
|-----------|---------------|-------------|------|--------|------------------------------|------|--------|-------------|------|--------|
| Sr. No.   | Size DxL (mm) | Article No. | PU   | MRP/Pc | Article No.                  | PU   | MRP/Pc | Article No. | PU   | MRP/Pc |
| 1         | M6x10         | 9309958     | 4000 | 1.26   | -                            | -    | -      | -           | -    | -      |
| 2         | M6x15         | 9309961     | 3000 | 1.68   | -                            | -    | -      | -           | -    | -      |
| 3         | M6x20         | 9309962     | 2500 | 2      | 9309985                      | 2500 | 2.42   | -           | -    | -      |
| 4         | M6x25         | 9309963     | 2000 | 2.42   | -                            | -    | -      | -           | -    | -      |
| 5         | M6x30         | 9309964     | 2000 | 2.73   | -                            | -    | -      | -           | -    | -      |
| 6         | M6x35         | 9309965     | 1500 | 3.15   | -                            | -    | -      | -           | -    | -      |
| 7         | M6x40         | 9309966     | 1500 | 3.47   | -                            | -    | -      | -           | -    | -      |
| 8         | M6x45         | 9309967     | 1500 | 3.89   | -                            | -    | -      | -           | -    | -      |
| 9         | M6x50         | 9309968     | 1000 | 4.2    | -                            | -    | -      | -           | -    | -      |
| 10        | M6x55         | 9312758     | 1000 | 4.94   | -                            | -    | -      | -           | -    | -      |
| 11        | M6x60         | 9309969     | 1000 | 4.94   | -                            | -    | -      | -           | -    | -      |
| 12        | M6x65         | 9312759     | 500  | 5.78   | -                            | -    | -      | -           | -    | -      |
| 13        | M6x70         | 9309970     | 1000 | 5.67   | -                            | -    | -      | -           | -    | -      |
| 14        | M8x15         | 9309981     | 1500 | 2.84   | 9309986                      | 1000 | 4.62   | -           | -    | -      |
| 15        | M8x20         | 9309982     | 1500 | 3.47   | -                            | -    | -      | 9309991     | 1000 | 2.84   |
| 16        | M8x25         | 9309983     | 1000 | 4.1    | -                            | -    | -      | 9309992     | 1000 | 3.36   |
| 17        | M8x30         | 9309984     | 1000 | 4.62   | -                            | -    | -      | 9309993     | 1000 | 3.68   |
| 18        | M8x35         | -           | -    | -      | -                            | -    | -      | 9309994     | 1000 | 4.1    |
| 19        | M8x40         | 9312760     | 500  | 6.2    | 9309987                      | 500  | 7.04   | 9309995     | 500  | 4.52   |
| 20        | M8x50         | 9312761     | 500  | 7.46   | 9309988                      | 500  | 8.4    | 9309996     | 500  | 5.36   |
| 21        | M8x60         | -           | -    | -      | 9309989                      | 500  | 10.19  | 9309997     | 500  | 6.09   |
| 22        | M8x70         | 9312762     | 250  | 10.1   | -                            | -    | -      | -           | -    | -      |
| 23        | M8x75         | -           | -    | -      | 9309990                      | 500  | 12.6   | 9309998     | 500  | 7.35   |



Hepo Door Hardware range consists of Door Closer and Butt Hinges, which facilitates seamless controlled movement of the door. These hardware can be used for wooden, steel & aluminium framed doors. The products have been tested for long-lasting performance and carry a warranty, which is an assurance of its quality.

Stainless Steel Welded Type (Railway Hinges)



Technical Specification:

- ▶ Recommended for wooden / aluminium / framed doors of apartment / building
- ▶ Weight capacity: 40 Kg/Pair
- ▶ Leaf Thickness - 2.5 mm
- ▶ Available with Square Edge
- ▶ Pin Dia - 4 & 5.6 mm
- ▶ For DIN Left/Right Usage
- ▶ Available Sizes - 3x12 / 4x12 / 5x12
- ▶ Finish - SS Satin
- ▶ No. of Holes - 6/8



| S.No. | Description Size mm (inch)                          | Unit | Article No. | PU | MRP/ Pair |
|-------|-----------------------------------------------------|------|-------------|----|-----------|
| 1     | Butt Hinge SS (3" X 1.9" X 1.9mm) (3X14)            | Pair | 9278616     | 01 | 151       |
| 2     | Butt Hinge SS (4" X 2.3" X 1.9mm) (4X14)            | Pair | 9278617     | 01 | 241       |
| 3     | Butt Hinge SS (5" X 2.5" X 1.9mm) (5X14)            | Pair | 9278618     | 01 | 314       |
| 4     | Butt Hinge SS 75x50x2.5 mm (3"x2"x2.5 mm) (3x12)    | Pair | 9278619     | 20 | 185       |
| 5     | Butt Hinge SS 100x60x2.5 mm (4"x2.3"x2.5 mm) (4x12) | Pair | 9278620     | 12 | 280       |
| 6     | Butt Hinge SS 125x67x2.5 mm (5"x2.6"x2.5 mm) (5x12) | Pair | 9278621     | 10 | 370       |

Stainless Steel Riveted Type



Features:

- ▶ Loading Capacity up to 40 kg / pair
- ▶ DIN Left / Right Usable
- ▶ Mostly preferred for Steel / wood & Aluminum profile doors
- ▶ Area of application: Light Main and Internal doors
- ▶ Warranty : 2 years

Technical details:

- ▶ Ø Barrel diameter: 12 mm
- ▶ Leaf thickness: 2.5 mm
- ▶ Milling for doors: 2 / 2.5 mm
- ▶ Available Sizes: 3"x2"x2 mm / 4"x3"x2.5 mm / 5"x3"x2.5 mm
- ▶ Base Material: Stainless Steel
- ▶ Edge: Square
- ▶ Finish Available: Stainless Steel Satin

| S.No. | Description Size mm (inch)                        | Unit | Article No. | PU | MRP / Pair |
|-------|---------------------------------------------------|------|-------------|----|------------|
| 1     | SS 76x50x2 mm (3"x2"x2 mm) (Hole Pattern: C)      | Pair | 9268550     | 01 | 349        |
| 2     | SS 102x76x2.5 mm (4"x3"x2.5 mm) (Hole Pattern: Z) | Pair | 9268395     | 01 | 373        |
| 3     | SS 127x76x2.5 mm (5"x3"x2.5 mm) (Hole Pattern: Z) | Pair | 9268396     | 01 | 619        |

Recommended Stainless Steel Screws:



| S.No. | Description Size mm (inch) | Unit | Article No. | PU  | MRP / Pc |
|-------|----------------------------|------|-------------|-----|----------|
| 1     | SS screw CSK PZ2 5.0X30mm  | Pc   | 9277146     | 500 | 3.78     |
| 2     | SS screw CSK PZ2 5.0X40mm  | Pc   | 9277147     | 400 | 4.82     |

Door Closer




- Technical Specification:**
- ▶ Weight of Door: 45-65 Kg
  - ▶ Width of door: 600-1000 mm
  - ▶ Closing Speed: 120°-15°
  - ▶ Latching Speed: 15°-0°
  - ▶ Door Material: Steel, Wooden, Profile Framed
  - ▶ Material: Aluminum Alloy
  - ▶ Finish: Electrostatic paint

**Quality Assurance:**


- ▶ 200,000 functional Cycle tested

| S.No. | Description                   | Unit | Article No. | PU | MRP / Pc |
|-------|-------------------------------|------|-------------|----|----------|
| 1     | Hepo Door Closer EN2<br>45 Kg | Set  | 9322688     | 1  | 1,890    |

Installation Diagram



Closing Speed Adjustment




# Tower Bolts

## Aluminium & Brass Tower Bolts for Doors & Windows

hepo

| Sr. No. |                                                                                     | Description          | Material  | Finish                   | Rod dia. (in mm) | Article No. | Size (in mm) | Unit | PU | MRP/Pc |
|---------|-------------------------------------------------------------------------------------|----------------------|-----------|--------------------------|------------------|-------------|--------------|------|----|--------|
| 1       |    | Towerbolt ALU-D18    | Aluminium | Stainless Steel          | 9.5              | 9291322     | 100          | Pc   | 12 | 243    |
| 2       |                                                                                     | Towerbolt ALU-D18    | Aluminium | Stainless Steel          | 9.5              | 9291323     | 150          | Pc   | 12 | 294    |
| 3       |                                                                                     | Towerbolt ALU-D18    | Aluminium | Stainless Steel          | 9.5              | 9291324     | 200          | Pc   | 12 | 356    |
| 4       |                                                                                     | Towerbolt ALU-D18    | Aluminium | Stainless Steel          | 9.5              | 9291325     | 250          | Pc   | 12 | 419    |
| 5       |                                                                                     | Towerbolt ALU-D18    | Aluminium | Stainless Steel          | 9.5              | 9291326     | 300          | Pc   | 12 | 475    |
| 1       |    | Towerbolt ALU-D18    | Aluminium | Antique Brass            | 9.5              | 9291327     | 100          | Pc   | 12 | 287    |
| 2       |                                                                                     | Towerbolt ALU-D18    | Aluminium | Antique Brass            | 9.5              | 9291328     | 150          | Pc   | 12 | 350    |
| 3       |                                                                                     | Towerbolt ALU-D18    | Aluminium | Antique Brass            | 9.5              | 9291329     | 200          | Pc   | 12 | 415    |
| 4       |                                                                                     | Towerbolt ALU-D18    | Aluminium | Antique Brass            | 9.5              | 9291330     | 250          | Pc   | 12 | 490    |
| 5       |                                                                                     | Towerbolt ALU-D18    | Aluminium | Antique Brass            | 9.5              | 9291331     | 300          | Pc   | 12 | 550    |
| 1       |   | Towerbolt ALU-D25    | Aluminium | Stainless Steel          | 9.5              | 9291332     | 100          | Pc   | 12 | 263    |
| 2       |                                                                                     | Towerbolt ALU-D25    | Aluminium | Stainless Steel          | 9.5              | 9291333     | 150          | Pc   | 12 | 328    |
| 3       |                                                                                     | Towerbolt ALU-D25    | Aluminium | Stainless Steel          | 9.5              | 9291334     | 200          | Pc   | 12 | 395    |
| 4       |                                                                                     | Towerbolt ALU-D25    | Aluminium | Stainless Steel          | 9.5              | 9291335     | 250          | Pc   | 12 | 468    |
| 5       |                                                                                     | Towerbolt ALU-D25    | Aluminium | Stainless Steel          | 9.5              | 9291336     | 300          | Pc   | 12 | 532    |
| 1       |  | Towerbolt ALU-D25    | Aluminium | Antique Brass            | 9.5              | 9291337     | 100          | Pc   | 12 | 310    |
| 2       |                                                                                     | Towerbolt ALU-D25    | Aluminium | Antique Brass            | 9.5              | 9291338     | 150          | Pc   | 12 | 385    |
| 3       |                                                                                     | Towerbolt ALU-D25    | Aluminium | Antique Brass            | 9.5              | 9291339     | 200          | Pc   | 12 | 460    |
| 4       |                                                                                     | Towerbolt ALU-D25    | Aluminium | Antique Brass            | 9.5              | 9291340     | 250          | Pc   | 12 | 545    |
| 5       |                                                                                     | Towerbolt ALU-D25    | Aluminium | Antique Brass            | 9.5              | 9291341     | 300          | Pc   | 12 | 625    |
| 1       |  | Towerbolt ALU-ISI-10 | Aluminium | Aluminium Anodized       | 10               | 9291362     | 100          | Pc   | 12 | 99     |
| 2       |                                                                                     | Towerbolt ALU-ISI-10 | Aluminium | Aluminium Anodized       | 10               | 9291364     | 150          | Pc   | 12 | 131    |
| 3       |                                                                                     | Towerbolt ALU-ISI-10 | Aluminium | Aluminium Anodized       | 10               | 9291365     | 200          | Pc   | 12 | 163    |
| 4       |                                                                                     | Towerbolt ALU-ISI-10 | Aluminium | Aluminium Anodized       | 10               | 9291366     | 250          | Pc   | 12 | 200    |
| 5       |                                                                                     | Towerbolt ALU-ISI-10 | Aluminium | Aluminium Anodized       | 10               | 9291367     | 300          | Pc   | 12 | 235    |
| 1       |  | Towerbolt ALU-ISI-10 | Aluminium | Anodized Stainless Steel | 10               | 9291368     | 100          | Pc   | 12 | 115    |
| 2       |                                                                                     | Towerbolt ALU-ISI-10 | Aluminium | Anodized Stainless Steel | 10               | 9291369     | 150          | Pc   | 12 | 156    |
| 3       |                                                                                     | Towerbolt ALU-ISI-10 | Aluminium | Anodized Stainless Steel | 10               | 9291370     | 200          | Pc   | 12 | 195    |
| 4       |                                                                                     | Towerbolt ALU-ISI-10 | Aluminium | Anodized Stainless Steel | 10               | 9291371     | 250          | Pc   | 12 | 240    |
| 5       |                                                                                     | Towerbolt ALU-ISI-10 | Aluminium | Anodized Stainless Steel | 10               | 9291372     | 300          | Pc   | 12 | 285    |
| 1       |  | Towerbolt BRS-D25    | Brass     | Polished Brass           | 9                | 9291342     | 100          | Pc   | 12 | 750    |
| 2       |                                                                                     | Towerbolt BRS-D25    | Brass     | Polished Brass           | 9                | 9291343     | 150          | Pc   | 12 | 1,015  |
| 3       |                                                                                     | Towerbolt BRS-D25    | Brass     | Polished Brass           | 9                | 9291344     | 200          | Pc   | 12 | 1,350  |
| 4       |                                                                                     | Towerbolt BRS-D25    | Brass     | Polished Brass           | 9                | 9291345     | 250          | Pc   | 12 | 1,710  |
| 5       |                                                                                     | Towerbolt BRS-D25    | Brass     | Polished Brass           | 9                | 9291346     | 300          | Pc   | 12 | 2,025  |





Hepo offers a wide range of safe and secure screws ideally suitable for all type of wood, plastic, masonry and sheet metal. The portfolio includes a complete range of woodworking and building & construction screws i.e. chipboard screws, drywall screws (black phosphate), self-drilling screws, truss head screws, handle fixing screws and roofing screws. Hepo Screws are made from hardened steel and are available in Stainless Steel & Carbon Steel material with Zinc & Black finishes.



Hepo screws are differentiated from the other available screws in the market on the following parameters:



**Saw Thread** - Gives better and faster cutting strength for the screw inside the material. Thus, a carpenter has to use less force and effort during drilling.

**Pozi Drive** - It has eight times better grip than a slotted head and two times better than Philips head, allowing greater torque.

**Sharp Tip** - Optimized tip geometry for better positioning and stacking of the screw, even on hard surface

**High Thread Pitch** - Gives faster drive and better contact with the substrate thereby reducing the time of installation.

**Available Screws** - Zinc Coated, Stainless Steel, Blackodized Screws & Accessories




d : Thread diameter  
d<sub>1</sub> : Core diameter  
d<sub>s</sub> : Shank diameter  
L : Screw length  
d<sub>h</sub> : Head diameter

Naming Convention for Chipboard Screws

Consider 4 x 20

4 is the diameter of the thread in 'mm'(Including the thread)  
20 is the length of the screw in 'mm'




Naming Convention for Machine Screws

Consider M4x26


4 is the diameter in 'mm'  
26 is the length of the screw in 'mm'

Specifying the Screw:  
Panel thickness + 6 mm to pierce into the handle  
e.g: For a 16 mm Panel, 22 mm screw length can be suggested to fix a handle, knob etc




Screws : Nomenclature

As per Screw Heads



As per Screw Head Shape



Indian Market follows imperial system (Gauge & Inch) Which allows suppliers to sell shorter screws against any required size

Conversion Chart- Imperial System to Metric System

| Diameter  |     | Length |     |
|-----------|-----|--------|-----|
| Gauge No. | mm  | Inch   | mm  |
| 2         | 2   | 1/4    | 6   |
| 3         | 2.5 | 3/8    | 10  |
| 4         | 3   | 1/2    | 12  |
| 5         | 3   | 5/8    | 16  |
| 6         | 3.5 | 3/4    | 20  |
| 7         | 4   | 1      | 25  |
| 8         | 4   | 1 1/4  | 30  |
| 9         | 4.5 | 1 1/2  | 40  |
| 10        | 5   | 1 3/4  | 45  |
| 12        | 5.5 | 2      | 50  |
| 12        | 6   | 2 1/4  | 55  |
| 14        | 8   | 2 1/2  | 60  |
|           |     | 2 3/4  | 70  |
|           |     | 3      | 75  |
|           |     | 3 1/2  | 90  |
|           |     | 4      | 100 |
|           |     | 4 1/2  | 110 |
|           |     | 5      | 130 |
|           |     | 6      | 150 |

Note: There is tradition of citing screw diameter in gauge & screw length in inches

# Stainless Steel Screws

CSK Saw Thread Magnetic & Non-Magnetic Screw  
CSK Regular Thread Non-magnetic Screw



## CSK Saw Thread Non-Magnetic Philips Drive Screw



Material : Stainless Steel  
Finish : Stainless Steel  
Head : Countersunk  
Drive : Philips  
Thread : Saw  
Packing : Retail

| S.No. | Dimension | Size   |
|-------|-----------|--------|
| 1     | Ø3.5x12   | 12/6   |
| 2     | Ø3.5x16   | 16/6   |
| 3     | Ø3.5x20   | 20/6   |
| 4     | Ø3.5x25   | 25/6   |
| 5     | Ø3.5x30   | 30/6   |
| 6     | Ø3.5x35   | 35/6   |
| 7     | Ø4.0x16   | 16/8   |
| 8     | Ø4.0x20   | 20/8   |
| 9     | Ø4.0x25   | 25/8   |
| 10    | Ø4.0x30   | 30/8   |
| 11    | Ø4.0x35   | 35/8   |
| 12    | Ø4.0x40   | 40/8   |
| 13    | Ø4.0x50   | 50/8   |
| 14    | Ø5.0x30   | -      |
| 15    | Ø5.0x40   | -      |
| 16    | Ø5.0x50   | 50/10  |
| 17    | Ø5.0x60   | 60/10  |
| 18    | Ø5.0x70   | 70/10  |
| 19    | Ø5.0x80   | 80/10  |
| 20    | Ø5.0x100  | 100/10 |
| 21    | Ø6.0x120  | 100/12 |
| 22    | Ø6.0x140  | 140/12 |

| Article No. | PU   | MRP/100 Pcs |
|-------------|------|-------------|
| 928814100   | 1000 | 111         |
| 928814200   | 1000 | 127         |
| 928814300   | 1000 | 140         |
| 928814400   | 1000 | 170         |
| 928814500   | 1000 | 199         |
| 928814600   | 1000 | 213         |
| 928814700   | 1000 | 147         |
| 928814800   | 1000 | 181         |
| 928814900   | 1000 | 214         |
| 928815000   | 1000 | 249         |
| 928815100   | 500  | 278         |
| 928815200   | 500  | 316         |
| 929129500   | 500  | 395         |
| -           | -    | -           |
| -           | -    | -           |
| 928815300   | 500  | 588         |
| 928815400   | 200  | 690         |
| 928815500   | 200  | 825         |
| 929129600   | 200  | 680         |
| 929129700   | 100  | 855         |
| 929129800   | 100  | 1,665       |
| 929129900   | 100  | 1,935       |

## CSK Saw Thread Magnetic Pozi Drive Screw



Material : Stainless Steel  
Finish : Stainless Steel  
Head : Countersunk  
Drive : Pozi  
Thread : Saw  
Packing : Retail

| Article No. | PU   | MRP/100 Pcs |
|-------------|------|-------------|
| 916238200   | 1000 | 107         |
| 915445200   | 1000 | 121         |
| 916238300   | 1000 | 139         |
| 916238400   | 1000 | 169         |
| 916238500   | 1000 | 183         |
| 916238600   | 1000 | 214         |
| 916238800   | 1000 | 154         |
| 915445300   | 1000 | 176         |
| 915445400   | 1000 | 209         |
| 915445500   | 1000 | 242         |
| 915445600   | 500  | 264         |
| 916238900   | 500  | 315         |
| -           | -    | -           |
| 927714600   | 1000 | 378         |
| 927714700   | 1000 | 482         |
| 915445900   | 200  | 592         |
| 916939400   | 200  | 726         |
| 915446101   | 200  | 760         |
| -           | -    | -           |
| -           | -    | -           |
| -           | -    | -           |
| -           | -    | -           |

## CSK Head Regular Thread Philips Drive Non-magnetic screw



Material : Stainless Steel  
Finish : Zinc Coated  
Head : Countersunk  
Drive : Philips  
Thread : Regular  
Packing : Retail

| S.No. | Dimension | Size |
|-------|-----------|------|
| 1     | Ø3.5 x 16 | 16/6 |
| 2     | Ø3.5 x 19 | 19/6 |
| 3     | Ø3.5 x 25 | 25/6 |
| 4     | Ø4.2 x 32 | 32/8 |

| Article No. | PU   | MRP/100 Pcs |
|-------------|------|-------------|
| 931859600   | 1000 | 110         |
| 931859700   | 1000 | 130         |
| 931859800   | 1000 | 170         |
| 931859900   | 1000 | 280         |



# Chipboard Screws

## CSK Saw Thread & Regular Thread Screw



Zinc CSK Saw Thread Philips Drive Screw



Material : Carbon Steel  
Finish : Zinc Coated  
Head : Countersunk  
Drive : Philips  
Thread : Saw  
Packing : Retail

| S.No. | Dimension | Size   |
|-------|-----------|--------|
| 1     | Ø3 x 10   | 10/5   |
| 2     | Ø3.0x12   | 12/5   |
| 3     | Ø3.0x16   | 16/5   |
| 4     | Ø3.5x12   | 12/6   |
| 5     | Ø3.5x16   | 16/6   |
| 6     | Ø3.5x20   | 20/6   |
| 7     | Ø3.5x25   | 25/6   |
| 8     | Ø3.5x30   | 30/6   |
| 9     | Ø3.5x35   | 35/6   |
| 10    | Ø3.5x40   | 40/6   |
| 11    | Ø4.0x12   | 12/8   |
| 12    | Ø4.0x16   | 16/8   |
| 13    | Ø4.0x20   | 20/8   |
| 14    | Ø4.0x25   | 25/8   |
| 15    | Ø4.0x30   | 30/8   |
| 16    | Ø4.0x35   | 35/8   |
| 17    | Ø4.0x40   | 40/8   |
| 18    | Ø4.0x45   | 45/8   |
| 19    | Ø4.0x50   | 50/8   |
| 20    | Ø5.0x50   | 50/10  |
| 21    | Ø5.0x60   | 60/10  |
| 22    | Ø5.0x70   | 70/10  |
| 23    | Ø5.0x80   | 80/10  |
| 24    | Ø5.0x90   | 90/10  |
| 25    | Ø5.0x100  | 100/10 |

| Article No. | PU   | MRP/100 Pcs |
|-------------|------|-------------|
| -           | -    | -           |
| 928903800   | 1000 | 40          |
| 928908900   | 1000 | 50          |
| 928909400   | 1000 | 55          |
| 928909500   | 1000 | 60          |
| 928909600   | 1000 | 70          |
| 928909800   | 1000 | 75          |
| 928910000   | 1000 | 80          |
| 928910100   | 900  | 95          |
| 928910200   | 800  | 105         |
| 928910300   | 1000 | 60          |
| 928910400   | 800  | 70          |
| 928910600   | 1000 | 80          |
| 928910700   | 900  | 90          |
| 928910800   | 800  | 105         |
| 928911000   | 600  | 120         |
| 928911200   | 600  | 135         |
| 928911400   | 500  | 155         |
| 928911600   | 400  | 165         |
| 928911700   | 300  | 270         |
| 928911800   | 200  | 315         |
| 928911900   | 200  | 365         |
| 928912000   | 200  | 410         |
| 928912100   | 100  | 460         |
| 928912200   | 100  | 510         |

Zinc CSK Saw Thread Pozi Drive Screw



Material : Carbon Steel  
Finish : Zinc Coated  
Head : Countersunk  
Drive : Pozi  
Thread : Saw  
Packing : Retail

| Article No. | PU   | MRP/100 Pcs |
|-------------|------|-------------|
| 916936900   | 1000 | 62          |
| 916237800   | 1000 | 95          |
| 916937000   | 1000 | 98          |
| 914809200   | 1000 | 100         |
| 913798000   | 1000 | 102         |
| 915382000   | 1000 | 108         |
| 916237900   | 1000 | 125         |
| 916238000   | 1000 | 142         |
| 916937100   | 1000 | 155         |
| 916238100   | 500  | 175         |
| 916937200   | 1000 | 110         |
| 913799200   | 1000 | 127         |
| 913799100   | 1000 | 130         |
| 913799300   | 1000 | 150         |
| 914027200   | 1000 | 165         |
| 914027400   | 500  | 200         |
| 914027500   | 500  | 210         |
| 914027600   | 500  | 230         |
| 916937300   | 500  | 240         |
| 914809300   | 200  | 450         |
| 915382100   | 200  | 515         |
| 915382200   | 200  | 595         |
| 916937600   | 100  | 725         |
| 916937800   | 100  | 865         |
| 916938000   | 100  | 1000        |

Zinc CSK Regular Thread Philips Drive Screw




Material : Carbon Steel  
Finish : Zinc Coated  
Head : Countersunk  
Drive : Philips  
Thread : Regular  
Packing : Retail

| S.No. | Dimension | Size  |
|-------|-----------|-------|
| 1     | Ø3 x 16   | 16/5  |
| 2     | Ø3.5 x 12 | 12/6  |
| 3     | Ø3.5 x 16 | 16/6  |
| 4     | Ø3.5 x 20 | 20/6  |
| 5     | Ø3.5 x 25 | 25/6  |
| 6     | Ø3.5 x 30 | 30/6  |
| 7     | Ø3.5 x 35 | 35/6  |
| 8     | Ø4.0 x 16 | 16/8  |
| 9     | Ø4.0 x 20 | 20/8  |
| 10    | Ø4.0 x 25 | 25/8  |
| 11    | Ø4.0 x 30 | 30/8  |
| 12    | Ø4.0 x 35 | 35/8  |
| 13    | Ø4.0 x 40 | 40/8  |
| 14    | Ø4.0 x 45 | 45/8  |
| 15    | Ø4.0 x 50 | 50/8  |
| 16    | Ø5.0 x 50 | 50/10 |
| 17    | Ø5.0 x 60 | 60/10 |
| 18    | Ø5.0 x 70 | 70/10 |

| Article No. | PU   | MRP/100 Pcs |
|-------------|------|-------------|
| -           | -    | -           |
| 541112040   | 1000 | 57          |
| 541112050   | 1000 | 73          |
| 541112060   | 1000 | 77          |
| 541112070   | 1000 | 78          |
| 541112080   | 1000 | 87          |
| 541112090   | 1000 | 97          |
| 541112120   | 1000 | 80          |
| 541112130   | 1000 | 90          |
| 541112140   | 1000 | 97          |
| 541112150   | 1000 | 115         |
| 541112160   | 500  | 130         |
| 541112170   | 500  | 145         |
| 541112180   | 500  | 160         |
| 541112190   | 500  | 170         |
| 541112230   | 200  | 280         |
| 541112240   | 200  | 325         |
| 541112250   | 200  | 385         |

Black CSK Regular Thread Pozi Drive Screw



Material : Steel  
Finish : Blackodised  
Head : Countersunk  
Drive : Pozi  
Thread : Regular  
Packing : Retail

| Article No. | PU   | MRP/100 Pcs |
|-------------|------|-------------|
| 541212030   | 1000 | 50          |
| 541212040   | 1000 | 51          |
| 541212050   | 1000 | 63          |
| 541212060   | 1000 | 66          |
| 541212070   | 1000 | 69          |
| 541212080   | 1000 | 78          |
| 541212090   | 1000 | 86          |
| 541212120   | 1000 | 69          |
| 541212130   | 1000 | 78          |
| 541212140   | 1000 | 86          |
| 541212150   | 1000 | 101         |
| 541212160   | 500  | 114         |
| 541212170   | 500  | 127         |
| 541212180   | 500  | 138         |
| 541212190   | 500  | 153         |
| 541212230   | 200  | 243         |
| 541212240   | 200  | 281         |
| 541212250   | 200  | 329         |

# Chipboard Screws

## Pan head Saw Thread & Regular Thread Screw



### Zinc Pan Head Saw Thread Philips Drive Screw



Material : Carbon Steel  
Finish : Zinc Coated  
Head : Pan Head  
Drive : Philips  
Thread : Saw  
Packing : Retail

| S.No. | Dimension | Size  |
|-------|-----------|-------|
| 1     | Ø3.0 x 12 | 12/5  |
| 2     | Ø3.0 x 16 | 16/5  |
| 3     | Ø3.5 x 12 | 12/6  |
| 4     | Ø3.5 x 16 | 16/6  |
| 5     | Ø3.5 x 20 | 20/6  |
| 6     | Ø4.0 x 16 | 16/8  |
| 7     | Ø4.0 x 20 | 20/8  |
| 8     | Ø4.0 x 25 | 25/8  |
| 9     | Ø4.0 x 30 | 30/8  |
| 10    | Ø4.0 x 35 | 35/8  |
| 11    | Ø4.0 x 40 | 40/8  |
| 12    | Ø4.0 x 45 | 45/8  |
| 13    | Ø4.0 x 50 | 50/8  |
| 14    | Ø4.5 x 16 | 16/9  |
| 15    | Ø4.5 x 20 | 20/9  |
| 16    | Ø5.0 x 50 | 50/10 |
| 17    | Ø6.0 x 35 | 35/12 |
| 18    | Ø6.0 x 50 | 50/12 |

| Article No. | PU    | MRP/100 Pcs |
|-------------|-------|-------------|
| -           | -     | -           |
| -           | -     | -           |
| 928912300   | 20000 | 56          |
| 928912400   | 16000 | 64          |
| -           | -     | -           |
| 928912500   | 11000 | 76          |
| 928912600   | 10000 | 88          |
| -           | -     | -           |
| -           | -     | -           |
| -           | -     | -           |
| -           | -     | -           |
| -           | -     | -           |
| -           | -     | -           |
| -           | -     | -           |
| -           | -     | -           |
| -           | -     | -           |
| -           | -     | -           |
| -           | -     | -           |
| -           | -     | -           |

### Zinc Pan Head Saw Thread Pozi Drive Screw



Material : Carbon Steel  
Finish : Zinc Coated  
Head : Pan Head  
Drive : Pozi  
Thread : Saw  
Packing : Retail

| Article No. | PU   | MRP/100 Pcs |
|-------------|------|-------------|
| 916938100   | 1000 | 69          |
| 916938200   | 1000 | 71          |
| 916938300   | 1000 | 72          |
| 916938400   | 1000 | 75          |
| 916938500   | 1000 | 83          |
| 913799900   | 1000 | 82          |
| -           | -    | -           |
| 914028200   | 1000 | 102         |
| 916938600   | 500  | 131         |
| 916938700   | 500  | 148         |
| 916938800   | 500  | 162         |
| 916938900   | 200  | 178         |
| 916939000   | 200  | 195         |
| 913800000   | 500  | 108         |
| 913802100   | 500  | 118         |
| 916939100   | 200  | 295         |
| 916939200   | 200  | 338         |
| 916939300   | 200  | 437         |

### Zic Pan Head Regular Thread Pozi Drive Screw



Material : Steel  
Finish : Zinc Coated  
Head : Pan Head  
Drive : Pozi Drive  
Thread : Regular  
Packing : Retail

| S.No. | Dimension | Size |
|-------|-----------|------|
| 1     | Ø3.5 x 12 | 12/6 |
| 2     | Ø3.5 x 16 | 16/6 |
| 3     | Ø4 x 16   | 16/8 |
| 4     | Ø4 x 20   | 20/8 |
| 5     | Ø4 x 25   | 25/8 |
| 6     | Ø4 x 30   | 30/8 |

| Article No. | PU   | MRP/100 Pcs |
|-------------|------|-------------|
| -           | -    | -           |
| 541122050   | 1000 | 82          |
| 541122120   | 1000 | 94          |
| -           | -    | -           |
| 541122140   | 1000 | 101         |
| 541122150   | 500  | 140         |

### Black Pan Head Regular Thread Pozi Drive Screw



Material : Steel  
Finish : Blackodised  
Head : Pan Head  
Drive : Pozi  
Thread : Regular  
Packing : Retail

| Article No. | PU   | MRP/100 Pcs |
|-------------|------|-------------|
| 541222040   | 1000 | 62          |
| 541222050   | 1000 | 77          |
| 541222120   | 1000 | 94          |
| 541222130   | 1000 | 102         |
| 541222140   | 1000 | 113         |
| 541222150   | 500  | 127         |



# Self Drilling Screw

With Rib & with Washer



|       |           |        | Self Drilling Screw with Rib                                                                                                                                                                                                                   |      |             | Hexagonal head Self Drilling Screw with Washer                                                                                                                                                                            |     |             |
|-------|-----------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-------------|
|       |           |        | <div>  <div> Material : Steel<br/> Finish : Zinc<br/> Head : Countersunk<br/> Drive : Philips<br/> Thread : Self Drilling<br/> Packing : Retail </div> </div> |      |             | <div>  <div> Material : Steel<br/> Finish : Zinc<br/> Head : Hexagonal<br/> Thread : Self Drilling<br/> Packing : Retail </div> </div> |     |             |
| S.No. | Dimension | Size   | Article No.                                                                                                                                                                                                                                    | PU   | MRP/100 Pcs | Article No.                                                                                                                                                                                                               | PU  | MRP/100 Pcs |
| 1     | Ø3.5 x 13 | 13/6   | 926108200                                                                                                                                                                                                                                      | 1000 | 85          | -                                                                                                                                                                                                                         | -   | -           |
| 2     | Ø3.5 x 16 | 16/6   | 926108300                                                                                                                                                                                                                                      | 1000 | 92          | -                                                                                                                                                                                                                         | -   | -           |
| 3     | Ø3.5 x 19 | 19/6   | 926108400                                                                                                                                                                                                                                      | 1000 | 99          | -                                                                                                                                                                                                                         | -   | -           |
| 4     | Ø3.5 x 25 | 25/6   | 926108600                                                                                                                                                                                                                                      | 1000 | 110         | -                                                                                                                                                                                                                         | -   | -           |
| 5     | Ø3.5 x 32 | 32/6   | 926108700                                                                                                                                                                                                                                      | 1000 | 135         | -                                                                                                                                                                                                                         | -   | -           |
| 6     | Ø4.2 x 13 | 13/8   | 926109100                                                                                                                                                                                                                                      | 1000 | 102         | -                                                                                                                                                                                                                         | -   | -           |
| 7     | Ø4.2 X 16 | 16/8   | 926109200                                                                                                                                                                                                                                      | 1000 | 113         | 927816800                                                                                                                                                                                                                 | 200 | 165         |
| 8     | Ø4.2 X 19 | 19/8   | 926109300                                                                                                                                                                                                                                      | 1000 | 115         | 927816900                                                                                                                                                                                                                 | 200 | 168         |
| 9     | Ø4.2 X 25 | 25/8   | 926109400                                                                                                                                                                                                                                      | 1000 | 137         | 927817000                                                                                                                                                                                                                 | 200 | 187         |
| 10    | Ø4.2 x 32 | 32/8   | 926109500                                                                                                                                                                                                                                      | 500  | 168         | -                                                                                                                                                                                                                         | -   | -           |
| 11    | Ø4.2 x 40 | 40/8   | 926109700                                                                                                                                                                                                                                      | 500  | 208         | -                                                                                                                                                                                                                         | -   | -           |
| 12    | Ø4.2 x 50 | 50/8   | 926120800                                                                                                                                                                                                                                      | 500  | 240         | -                                                                                                                                                                                                                         | -   | -           |
| 13    | Ø4.8 X 19 | 19/10  | -                                                                                                                                                                                                                                              | -    | -           | 927817100                                                                                                                                                                                                                 | 200 | 227         |
| 14    | Ø4.8 X 25 | 25/10  | -                                                                                                                                                                                                                                              | -    | -           | 927817200                                                                                                                                                                                                                 | 200 | 245         |
| 15    | Ø4.8 X 32 | 32/10  | -                                                                                                                                                                                                                                              | -    | -           | 927817300                                                                                                                                                                                                                 | 200 | 282         |
| 16    | Ø4.8 X 38 | 38/10  | -                                                                                                                                                                                                                                              | -    | -           | 927817400                                                                                                                                                                                                                 | 200 | 297         |
| 17    | Ø4.8 x 50 | 50/10  | 926121200                                                                                                                                                                                                                                      | 300  | 350         | -                                                                                                                                                                                                                         | -   | -           |
| 18    | Ø4.8 X 55 | 55/10  | -                                                                                                                                                                                                                                              | -    | -           | 927817700                                                                                                                                                                                                                 | 200 | 385         |
| 19    | Ø4.8 x 70 | 70/10  | 926121400                                                                                                                                                                                                                                      | 350  | 470         | -                                                                                                                                                                                                                         | -   | -           |
| 20    | Ø4.8 X 75 | 75/10  | -                                                                                                                                                                                                                                              | -    | -           | 927817900                                                                                                                                                                                                                 | 100 | 455         |
| 21    | Ø4.8 x100 | 100/10 | 926121500                                                                                                                                                                                                                                      | 200  | 670         | -                                                                                                                                                                                                                         | -   | -           |
| 22    | Ø5.5 X 25 | 25/12  | -                                                                                                                                                                                                                                              | -    | -           | 927818100                                                                                                                                                                                                                 | 200 | 295         |
| 23    | Ø5.5 X 32 | 32/12  | -                                                                                                                                                                                                                                              | -    | -           | 927818200                                                                                                                                                                                                                 | 200 | 335         |
| 24    | Ø5.5 X 40 | 40/12  | -                                                                                                                                                                                                                                              | -    | -           | 927818500                                                                                                                                                                                                                 | 200 | 380         |
| 25    | Ø5.5 X 45 | 45/12  | -                                                                                                                                                                                                                                              | -    | -           | 927818600                                                                                                                                                                                                                 | 200 | 405         |
| 26    | Ø5.5 X 76 | 76/12  | -                                                                                                                                                                                                                                              | -    | -           | 927819100                                                                                                                                                                                                                 | 100 | 600         |

# Handle Fixing Screw

## Drywall & Truss Head Screws



| Handle Fixing Screw                                                               |           |      |             |                  |             |
|-----------------------------------------------------------------------------------|-----------|------|-------------|------------------|-------------|
|  |           |      | Material    | : Carbon Steel   |             |
|                                                                                   |           |      | Finish      | : Zinc           |             |
|                                                                                   |           |      | Head        | : Pan Head       |             |
|                                                                                   |           |      | Drive       | : Cross recessed |             |
|                                                                                   |           |      | Thread      | : M4             |             |
|                                                                                   |           |      | Packing     | : Retail         |             |
| S.No.                                                                             | Dimension | Size | Article No. | PU               | MRP/100 Pcs |
| 1                                                                                 | M4 x 22   | 22/8 | 71549       | 1000             | 205         |
| 2                                                                                 | M4 x 24   | 24/8 | 71555       | 1000             | 210         |
| 3                                                                                 | M4 x 26   | 26/8 | 71556       | 1000             | 225         |
| 4                                                                                 | M4 x 28   | 28/8 | 71557       | 500              | 235         |
| 5                                                                                 | M4 x 30   | 30/8 | 71558       | 500              | 255         |
| 6                                                                                 | M4 x 32   | 32/8 | 71559       | 500              | 265         |
| 7                                                                                 | M4 x 36   | 36/8 | 71561       | 500              | 285         |
| 8                                                                                 | M4 x 38   | 38/8 | 71562       | 500              | 300         |
| 9                                                                                 | M4 x 40   | 40/8 | 71563       | 200              | 320         |
| 10                                                                                | M4 x 50   | 50/8 | 9184222     | 200              | 375         |

| Drywall Screws                                                                      |           |      |             |                  |             |
|-------------------------------------------------------------------------------------|-----------|------|-------------|------------------|-------------|
|  |           |      | Material    | : Steel          |             |
|                                                                                     |           |      | Finish      | : Black          |             |
|                                                                                     |           |      | Head        | : Phillips Drive |             |
|                                                                                     |           |      | Drive       | : Pozi           |             |
|                                                                                     |           |      | Thread      | : Fine Thread    |             |
|                                                                                     |           |      | Packing     | : Retail         |             |
| S.No.                                                                               | Dimension | Size | Article No. | PU               | MRP/100 Pcs |
| 1                                                                                   | 3.5x20    | 20/6 | 926247900   | 1000             | 57          |
| 2                                                                                   | 3.5x25    | 25/6 | 926248000   | 1000             | 65          |
| 3                                                                                   | 3.5x30    | 30/6 | 926251100   | 1000             | 78          |
| 4                                                                                   | 3.5x35    | 35/6 | 926251200   | 1000             | 89          |
| 5                                                                                   | 3.5x40    | 40/6 | 926251300   | 500              | 97          |
| 6                                                                                   | 3.5x45    | 45/6 | 926251400   | 500              | 109         |
| 7                                                                                   | 3.5x50    | 50/6 | 926251500   | 500              | 120         |

| Truss Head screws                                                                   |           |       |             |              |             |
|-------------------------------------------------------------------------------------|-----------|-------|-------------|--------------|-------------|
|  |           |       | Material    | : Steel      |             |
|                                                                                     |           |       | Finish      | : Black      |             |
|                                                                                     |           |       | Head        | : Truss Head |             |
|                                                                                     |           |       | Drive       | : Philips    |             |
|                                                                                     |           |       | Thread      | : Regular    |             |
|                                                                                     |           |       | Packing     | : Retail     |             |
| S.No.                                                                               | Dimension | Size  | Article No. | PU           | MRP/100 Pcs |
| 1                                                                                   | Ø4.0 x 13 | 13/8  | 928060300   | 1000         | 65          |
| 2                                                                                   | Ø4.0 x 16 | 16/8  | 928060400   | 1000         | 67          |
| 3                                                                                   | Ø4.0 x 20 | 20/8  | 928060500   | 1000         | 85          |
| 4                                                                                   | Ø4.0 x 25 | 25/8  | 928060600   | 1000         | 101         |
| 5                                                                                   | Ø4.0 x 30 | 30/8  | 928060700   | 1000         | 117         |
| 6                                                                                   | Ø4.0 x 40 | 40/8  | 928060800   | 500          | 151         |
| 7                                                                                   | Ø4.0 x 50 | 50/8  | 928060900   | 500          | 185         |
| 8                                                                                   | Ø5.0 x 50 | 50/10 | 928061000   | 500          | 292         |

Drive Bit - 65 mm (Both Side) Pozi Drive



Material : Steel hardened  
Finish : Black  
Drive : Pozi Drive

| S.No. | Description                           | Suitable for   | Article No. | Unit | PU | MRP/Pc |
|-------|---------------------------------------|----------------|-------------|------|----|--------|
| 1     | PZD - 1 Screwdrive bits H1/4*65mm PZ1 | ≤ 3 mm dia     | 925467100   | Pc   | 10 | 55     |
| 2     | PZD - 2 Screwdrive bits H1/4*65mm PZ2 | 3.5 - 5 mm dia | 925467200   | Pc   | 10 | 55     |
| 3     | PZD - 3 Screwdrive bits H1/4*65mm PZ3 | ≥ 5 mm dia     | 925467300   | Pc   | 10 | 55     |

Drive Bit - 65mm (Both Side) Phillips Drive



Material : Steel hardened  
Finish : Black  
Drive : Phillips Drive

| S.No. | Description                              | Suitable for   | Article No. | Unit | PU | MRP/Pc |
|-------|------------------------------------------|----------------|-------------|------|----|--------|
| 1     | PHD - 2 Screw Drive Bits H1 / 4*65mm PH2 | 3.5 - 5 mm dia | 927324600   | Pc   | 10 | 55     |

Screw Driver



Material : Steel hardened  
Drive : Pozi Drive

| S.No. | Description   | Suitable for   | Dimension | Article No. | Unit | PU | MRP/Pc |
|-------|---------------|----------------|-----------|-------------|------|----|--------|
| 1     | Screws Driver | 3.5 - 5 mm dia | PZ 2      | 919326000   | Pc   | 1  | 200    |

| Order no. | Page | Order no. | Page | Order no. | Page | Order no. | Page |
|-----------|------|-----------|------|-----------|------|-----------|------|
| 9284697   | 5    | 9322081   | 11   | 9303980   | 17   | 9320017   | 26   |
| 9284698   | 5    | 9322082   | 11   | 9303991   | 17   | 9320018   | 26   |
| 9284809   | 5    | 9322083   | 11   | 9303992   | 17   | 9320019   | 26   |
| 9284810   | 5    | 9322084   | 11   | 9303994   | 17   | 9320020   | 26   |
| 9284811   | 5    | 9322085   | 11   | 9280378   | 18   | 9315515   | 28   |
| 9284812   | 5    | 9322086   | 11   | 9280377   | 18   | 9304139   | 28   |
| 9284813   | 5    | 9322087   | 11   | 9280371   | 18   | 9304140   | 28   |
| 9284814   | 5    | 9322455   | 13   | 9280369   | 18   | 9282630   | 28   |
| 9290745   | 6    | 9322469   | 13   | 9280370   | 18   | 9282631   | 28   |
| 9290746   | 6    | 9322476   | 13   | 9280372   | 18   | 9282633   | 28   |
| 9290747   | 6    | 9280319   | 16   | 9280373   | 19   | 9296534   | 28   |
| 9312221   | 7    | 9280320   | 16   | 9280376   | 19   | 9319824   | 28   |
| 9312222   | 7    | 9280351   | 16   | 9280374   | 19   | 5211089   | 31   |
| 9312223   | 7    | 9280354   | 16   | 9280375   | 19   | 521110808 | 31   |
| 9290750   | 7    | 9280355   | 16   | 9287295   | 21   | 521110809 | 31   |
| 9290751   | 7    | 9280356   | 16   | 9291595   | 21   | 521110810 | 31   |
| 9290752   | 7    | 9280359   | 16   | 9299249   | 22   | 5211090   | 31   |
| 9294814   | 7    | 9280360   | 16   | 9299283   | 22   | 521110811 | 31   |
| 9294815   | 7    | 9280361   | 16   | 9299284   | 22   | 521110812 | 31   |
| 9297879   | 8    | 9280364   | 16   | 9320383   | 24   | 521110813 | 31   |
| 9298666   | 10   | 9280365   | 16   | 9320384   | 24   | 5211117   | 31   |
| 9298668   | 10   | 9280366   | 16   | 9320385   | 24   | 521110814 | 31   |
| 9298669   | 10   | 9280352   | 16   | 9299178   | 24   | 521110815 | 31   |
| 9298670   | 10   | 9280357   | 16   | 9299179   | 24   | 521110816 | 31   |
| 9298701   | 10   | 9280362   | 16   | 9289456   | 25   | 5211118   | 31   |
| 9298702   | 10   | 9280367   | 16   | 9289457   | 25   | 521110817 | 31   |
| 9298703   | 10   | 9280353   | 16   | 9289458   | 25   | 521110818 | 31   |
| 9300364   | 10   | 9303976   | 16   | 9289469   | 25   | 521110819 | 31   |
| 9300365   | 10   | 9280358   | 16   | 9289470   | 25   | 5211082   | 31   |
| 9300366   | 10   | 9303977   | 16   | 9289471   | 25   | 521110820 | 31   |
| 9300367   | 10   | 9280363   | 16   | 9289472   | 25   | 521110821 | 31   |
| 9300368   | 10   | 9303978   | 16   | 9289473   | 25   | 521110822 | 31   |
| 9300369   | 10   | 9280368   | 16   | 9289474   | 25   | 5211091   | 31   |
| 9300370   | 10   | 9303979   | 16   | 9289475   | 25   | 521110823 | 31   |
| 9293951   | 10   | 9292096   | 17   | 9289476   | 25   | 521110824 | 31   |
| 9293903   | 10   | 9292097   | 17   | 9289477   | 25   | 521110825 | 31   |
| 9293904   | 10   | 9292098   | 17   | 9289478   | 25   | 9283487   | 31   |
| 9293905   | 10   | 9292100   | 17   | 9289479   | 25   | 9302229   | 31   |
| 9293906   | 10   | 9292101   | 17   | 9289481   | 25   | 9302230   | 31   |
| 9295964   | 10   | 9292102   | 17   | 9289482   | 25   | 9306110   | 31   |

| Order no. | Page | Order no. | Page | Order no. | Page | Order no. | Page |
|-----------|------|-----------|------|-----------|------|-----------|------|
| 9306161   | 31   | 521110841 | 33   | 521110868 | 34   | 9304875   | 39   |
| 9306163   | 31   | 521110842 | 33   | 521110869 | 34   | 9289732   | 39   |
| 9306164   | 31   | 521110843 | 33   | 521110870 | 34   | 9290708   | 40   |
| 9306165   | 31   | 5211105   | 33   | 1180122   | 36   | 9290706   | 40   |
| 9306167   | 31   | 521110844 | 33   | 1180121   | 36   | 9102465   | 40   |
| 9288842   | 32   | 521110845 | 33   | 1180167   | 36   | 9290707   | 40   |
| 9307853   | 32   | 521110846 | 33   | 1180166   | 36   | 9302837   | 40   |
| 9307854   | 32   | 9212563   | 33   | 1161173   | 36   | 9302840   | 40   |
| 9310252   | 32   | 9212564   | 33   | 1161167   | 36   | 9296712   | 41   |
| 9288844   | 32   | 521110847 | 33   | 9220976   | 36   | 9296713   | 41   |
| 9307856   | 32   | 521110848 | 33   | 9220978   | 36   | 9296714   | 41   |
| 9307857   | 32   | 521110849 | 33   | 9220975   | 36   | 9296715   | 41   |
| 9310253   | 32   | 521110850 | 33   | 9220977   | 36   | 9296716   | 41   |
| 9288848   | 32   | 521110851 | 33   | 9220980   | 36   | 9296717   | 41   |
| 9113913   | 32   | 521110852 | 33   | 9220982   | 36   | 9296718   | 41   |
| 9283491   | 32   | 9212565   | 33   | 9220979   | 36   | 9296719   | 41   |
| 9283495   | 32   | 9212566   | 33   | 9220981   | 36   | 9296720   | 41   |
| 9303247   | 32   | 521110853 | 33   | 9297998   | 36   | 9296721   | 41   |
| 5211094   | 32   | 521110854 | 33   | 9300407   | 36   | 9290695   | 41   |
| 521110826 | 32   | 521110855 | 33   | 9300394   | 36   | 9290696   | 41   |
| 521110827 | 32   | 521110856 | 33   | 9300395   | 36   | 9290698   | 41   |
| 521110828 | 32   | 521110857 | 33   | 9300396   | 36   | 9290702   | 41   |
| 5211095   | 32   | 521110858 | 33   | 9300397   | 36   | 9312049   | 41   |
| 521110829 | 32   | 9212567   | 34   | 9300398   | 36   | 9312111   | 41   |
| 521110830 | 32   | 521110859 | 34   | 9300399   | 36   | 9312112   | 41   |
| 521110831 | 32   | 521110860 | 34   | 9300400   | 36   | 9312113   | 41   |
| 5211106   | 33   | 521110861 | 34   | 9300411   | 36   | 9138921   | 42   |
| 521110832 | 33   | 9212568   | 34   | 9300412   | 36   | 9138922   | 42   |
| 521110833 | 33   | 521110862 | 34   | 9300408   | 36   | 9138923   | 42   |
| 521110834 | 33   | 521110863 | 34   | 9300409   | 36   | 9138924   | 42   |
| 5211113   | 33   | 521110864 | 34   | 9310024   | 36   | 9138925   | 42   |
| 521110835 | 33   | 9220600   | 34   | 5211053   | 37   | 9138926   | 42   |
| 521110836 | 33   | 5211109   | 34   | 5211054   | 37   | 9309958   | 43   |
| 521110837 | 33   | 9293678   | 34   | 5211055   | 37   | 9309961   | 43   |
| 5211093   | 33   | 9293699   | 34   | 9290887   | 39   | 9309962   | 43   |
| 521110838 | 33   | 5211096   | 34   | 9299651   | 39   | 9309963   | 43   |
| 521110839 | 33   | 521110865 | 34   | 9308957   | 39   | 9309964   | 43   |
| 521110840 | 33   | 521110866 | 34   | 9289656   | 39   | 9309965   | 43   |
| 9308603   | 33   | 521110867 | 34   | 9299653   | 39   | 9309966   | 43   |
| 5211104   | 33   | 5211097   | 34   | 9299654   | 39   | 9309967   | 43   |

| Order no. | Page | Order no. | Page | Order no. | Page | Order no. | Page |
|-----------|------|-----------|------|-----------|------|-----------|------|
| 9309968   | 43   | 9291324   | 47   | 928814800 | 51   | 928910000 | 52   |
| 9312758   | 43   | 9291325   | 47   | 928814900 | 51   | 928910100 | 52   |
| 9309969   | 43   | 9291326   | 47   | 928815000 | 51   | 928910200 | 52   |
| 9312759   | 43   | 9291327   | 47   | 928815100 | 51   | 928910300 | 52   |
| 9309970   | 43   | 9291328   | 47   | 928815200 | 51   | 928910400 | 52   |
| 9309981   | 43   | 9291329   | 47   | 929129500 | 51   | 928910600 | 52   |
| 9309982   | 43   | 9291330   | 47   | 928815300 | 51   | 928910700 | 52   |
| 9309983   | 43   | 9291331   | 47   | 928815400 | 51   | 928910800 | 52   |
| 9309984   | 43   | 9291332   | 47   | 928815500 | 51   | 928911000 | 52   |
| 9312760   | 43   | 9291333   | 47   | 929129600 | 51   | 928911200 | 52   |
| 9312761   | 43   | 9291334   | 47   | 929129700 | 51   | 928911400 | 52   |
| 9312762   | 43   | 9291335   | 47   | 929129800 | 51   | 928911600 | 52   |
| 9309985   | 43   | 9291336   | 47   | 929129900 | 51   | 928911700 | 52   |
| 9309986   | 43   | 9291337   | 47   | 916238200 | 51   | 928911800 | 52   |
| 9309987   | 43   | 9291338   | 47   | 915445200 | 51   | 928911900 | 52   |
| 9309988   | 43   | 9291339   | 47   | 916238300 | 51   | 928912000 | 52   |
| 9309989   | 43   | 9291340   | 47   | 916238400 | 51   | 928912100 | 52   |
| 9309990   | 43   | 9291341   | 47   | 916238500 | 51   | 928912200 | 52   |
| 9309991   | 43   | 9291362   | 47   | 916238600 | 51   | 916936900 | 52   |
| 9309992   | 43   | 9291364   | 47   | 916238800 | 51   | 916237800 | 52   |
| 9309993   | 43   | 9291365   | 47   | 915445300 | 51   | 916937000 | 52   |
| 9309994   | 43   | 9291366   | 47   | 915445400 | 51   | 914809200 | 52   |
| 9309995   | 43   | 9291367   | 47   | 915445500 | 51   | 913798000 | 52   |
| 9309996   | 43   | 9291368   | 47   | 915445600 | 51   | 915382000 | 52   |
| 9309997   | 43   | 9291369   | 47   | 916238900 | 51   | 916237900 | 52   |
| 9309998   | 43   | 9291370   | 47   | 927714600 | 51   | 916238000 | 52   |
| 9278616   | 45   | 9291371   | 47   | 927714700 | 51   | 916937100 | 52   |
| 9278617   | 45   | 9291372   | 47   | 915445900 | 51   | 916238100 | 52   |
| 9278618   | 45   | 9291342   | 47   | 916939400 | 51   | 916937200 | 52   |
| 9278619   | 45   | 9291343   | 47   | 915446101 | 51   | 913799200 | 52   |
| 9278620   | 45   | 9291344   | 47   | 931859600 | 51   | 913799100 | 52   |
| 9278621   | 45   | 9291345   | 47   | 931859700 | 51   | 913799300 | 52   |
| 9268550   | 45   | 9291346   | 47   | 931859800 | 51   | 914027200 | 52   |
| 9268395   | 45   | 928814100 | 51   | 931859900 | 51   | 914027400 | 52   |
| 9268396   | 45   | 928814200 | 51   | 928903800 | 52   | 914027500 | 52   |
| 9277146   | 45   | 928814300 | 51   | 928908900 | 52   | 914027600 | 52   |
| 9277147   | 45   | 928814400 | 51   | 928909400 | 52   | 916937300 | 52   |
| 9322688   | 46   | 928814500 | 51   | 928909500 | 52   | 914809300 | 52   |
| 9291322   | 47   | 928814600 | 51   | 928909600 | 52   | 915382100 | 52   |
| 9291323   | 47   | 928814700 | 51   | 928909800 | 52   | 915382200 | 52   |



| Order no. | Page | Order no. | Page | Order no. | Page | Order no. | Page |
|-----------|------|-----------|------|-----------|------|-----------|------|
| 916937600 | 52   | 928912500 | 53   | 926120800 | 54   | 928060800 | 55   |
| 916937800 | 52   | 928912600 | 53   | 926121200 | 54   | 928060900 | 55   |
| 916938000 | 52   | 916938100 | 53   | 926121400 | 54   | 928061000 | 55   |
| 541112040 | 52   | 916938200 | 53   | 926121500 | 54   | 925467100 | 56   |
| 541112050 | 52   | 916938300 | 53   | 927816800 | 54   | 925467200 | 56   |
| 541112060 | 52   | 916938400 | 53   | 927816900 | 54   | 925467300 | 56   |
| 541112070 | 52   | 916938500 | 53   | 927817000 | 54   | 927324600 | 56   |
| 541112080 | 52   | 913799900 | 53   | 927817100 | 54   | 919326000 | 56   |
| 541112090 | 52   | 914028200 | 53   | 927817200 | 54   |           |      |
| 541112120 | 52   | 916938600 | 53   | 927817300 | 54   |           |      |
| 541112130 | 52   | 916938700 | 53   | 927817400 | 54   |           |      |
| 541112140 | 52   | 916938800 | 53   | 927817700 | 54   |           |      |
| 541112150 | 52   | 916938900 | 53   | 927817900 | 54   |           |      |
| 541112160 | 52   | 916939000 | 53   | 927818100 | 54   |           |      |
| 541112170 | 52   | 913800000 | 53   | 927818200 | 54   |           |      |
| 541112190 | 52   | 913802100 | 53   | 927818500 | 54   |           |      |
| 541112180 | 52   | 916939100 | 53   | 927818600 | 54   |           |      |
| 541112230 | 52   | 916939200 | 53   | 927819100 | 54   |           |      |
| 541112240 | 52   | 916939300 | 53   | 71549     | 55   |           |      |
| 541112250 | 52   | 541122050 | 53   | 71555     | 55   |           |      |
| 541212030 | 52   | 541122120 | 53   | 71556     | 55   |           |      |
| 541212040 | 52   | 541122140 | 53   | 71557     | 55   |           |      |
| 541212050 | 52   | 541122150 | 53   | 71558     | 55   |           |      |
| 541212060 | 52   | 541222040 | 53   | 71559     | 55   |           |      |
| 541212070 | 52   | 541222050 | 53   | 71561     | 55   |           |      |
| 541212080 | 52   | 541222120 | 53   | 71562     | 55   |           |      |
| 541212090 | 52   | 541222130 | 53   | 71563     | 55   |           |      |
| 541212120 | 52   | 541222140 | 53   | 9184222   | 55   |           |      |
| 541212130 | 52   | 541222150 | 53   | 926247900 | 55   |           |      |
| 541212140 | 52   | 926108200 | 54   | 926248000 | 55   |           |      |
| 541212150 | 52   | 926108300 | 54   | 926251100 | 55   |           |      |
| 541212160 | 52   | 926108400 | 54   | 926251200 | 55   |           |      |
| 541212170 | 52   | 926108600 | 54   | 926251300 | 55   |           |      |
| 541212180 | 52   | 926108700 | 54   | 926251400 | 55   |           |      |
| 541212190 | 52   | 926109100 | 54   | 926251500 | 55   |           |      |
| 541212230 | 52   | 926109200 | 54   | 928060300 | 55   |           |      |
| 541212240 | 52   | 926109300 | 54   | 928060400 | 55   |           |      |
| 541212250 | 52   | 926109400 | 54   | 928060500 | 55   |           |      |
| 928912300 | 53   | 926109500 | 54   | 928060600 | 55   |           |      |
| 928912400 | 53   | 926109700 | 54   | 928060700 | 55   |           |      |





Assured Quality. Better Price.

Contact Us

|              |            |
|--------------|------------|
| Ahmedabad    | 9664813232 |
| Bangalore    | 7338183871 |
| Bhubaneshwar | 8657421935 |
| Chandigarh   | 7011881821 |
| Chennai      | 7338886881 |
| Cochin       | 9745329938 |
| Ghaziabad    | 9910117185 |
| Gorakhpur    | 9559999198 |
| Guwahati     | 7637917269 |
| Hissar       | 8219836479 |
| Hubli        | 8197188193 |
| Hyderabad    | 8976836871 |
| Indore       | 8765193816 |
| Jaipur       | 8657512894 |
| Kanpur       | 8657514175 |
| Kolkata      | 7986871950 |
| Lucknow      | 9152010586 |
| Ludhiana     | 8284855338 |
| Mumbai       | 7383509737 |
| Nagpur       | 7004804286 |
| New Delhi    | 8287257534 |
| Patiala      | 9136016414 |
| Pune         | 8976836869 |
| Ranchi       | 8097464013 |
| Vijaywada    | 8688558638 |

Registered Office:

Hepo India Private Limited  
A-26/4, 1st floor,  
Mohan Co-operative Industrial Estate,  
New Delhi - 110 044  
Phone: +91 11 4889 4000, 4889 4005

Head Office:

Hepo India Private Limited  
402, 4th floor, Durolite House,  
Opp. SAB TV, New Link Road,  
Andheri (West), Mumbai - 400 053  
Phone: +91 22 2674 3289/3356/4089

Enquiry & Customer Services

Toll Free : 1800 209 2096 (office hours)  
customer\_services@hepoindia.com  
www.hepoindia.com

Follow Hepo India:

