

Assured Quality. Better Price.

hepo

hepo

Catalogue cum Price List
effective April 2022

Index

Furniture Fittings	Page No.
Hinges	
Auto Closing Slide-on Regular Hinges	3
Auto Closing Slide-on Soft Close Hinges	4
Auto Closing Clip-on Soft Close Hinges	5-6
Butt Hinges	7
Drawer Channels	
Telescopic Channel (Regular)	8-9
Telescopic Channel (Silent)	10
Stainless Steel Wire Baskets & Kitchen Accessories	11-12
Furniture Lock	13
Bi-Fold Lift-Up	14
Gas Spring	15
Aluminum Profiles	16-19
Handles	20-21
Tower Bolt	22
Bed Fittings	23-24
Bathroom Accessories	25-28
Connecting Fittings	29-36

Screws	Page No.
Stainless Steel Screws	40
Carbon Steel Screws	41
Black Screws	42
Accessories	43

Furniture Fittings



Reliable Concealed Hinges: **Auto Closing Slide-on Regular, Slide-on Soft Close & Clip-on Soft Close Hinges**. Tested & Certified for 20000 cycles & EN 15570 Level 1 certified.



Heavy Duty Drawer Runners: **Heпо Telescopic Drawer Runners** With Options for Zinc Coated and Black Painted Tested & Certified for 40,000 cycles.



Durable **Gas Spring for Overhead Cabinets**: Suitable for wooden or aluminum framed shutter Flap weight (including handle) carrying capacity of 3.2 kg to 35 kg. Tested & Certified for 50,000 cycles.




Railway (Welded) Butt Hinges: High Weight carrying capacity up to 40 kg (per pair) Tested & Warranted for 2 years of functionality.

Auto Closing Slide-on Regular Hinges



- ▶ Concealed hinge with slide on assembly
- ▶ **Quality classification under EN 15570, Level 1**
- ▶ Tested & Certified for 20,000 Cycles
- ▶ For door thickness 14 - 25 mm
- ▶ Opening angle: 105°
- ▶ Cup diameter 35 mm
- ▶ Cup depth 11.5 mm
- ▶ Integrated overlay adjustment + 0.5 mm / - 2.5 mm
- ▶ Integrated depth adjustment + 2 mm / - 2 mm
- ▶ Height adjustment at mounting plate
- ▶ Hinge arm material: Steel, Nickel plated



Minimum Reveal Per Door

Cup Distance C	Door thickness											
	14	15	16	17	18	19	20	21	22	23	24	25
3	0.04	0.12	0.23	0.38	0.59	0.85	1.18	1.61	2.22	2.96	3.76	4.6
4	0.04	0.11	0.22	0.37	0.56	0.81	1.11	1.49	1.99	2.63	3.36	4.15
4.5	0.04	0.11	0.22	0.36	0.55	0.79	1.08	1.45	1.91	2.5	3.2	3.96
5	0.04	0.11	0.21	0.36	0.54	0.77	1.06	1.41	1.84	2.39	3.04	3.77
6	0.04	0.1	0.2	0.34	0.52	0.74	1.01	1.33	1.73	2.21	2.79	3.46
7	0.04	0.1	0.2	0.33	0.5	0.71	0.97	1.27	1.64	2.07	2.59	3.2

Auto Closing Slide-on Regular Hinges with Mounting Plate (2 hole)

- Please order:
- ▶ 2 Hinges
 - ▶ 2 Mounting Plates (2 Hole)



Description (Retail Packing)	Unit	Article no.	PU	MRP/Pair
Auto Closing Slide-on Regular Hinges - 0 Crank with Mounting Plate (2 hole)	Pc	9284697+9284813	100	97
Auto Closing Slide-on Regular Hinges - 9.5 Crank with Mounting Plate (2 hole)	Pc	9284698+9284813	100	102
Auto Closing Slide-on Regular Hinges - 16 Crank with Mounting Plate (2 hole)	Pc	9284809+9284813	100	107

Auto Closing Slide-on Regular Hinges with Mounting Plate (4 hole)

- Please order:
- ▶ 2 Hinges
 - ▶ 2 Mounting Plates (4 Hole)




Description (Retail Packing)	Unit	Article no.	PU	MRP/Pair
Auto Closing Slide-on Regular Hinges - 0 Crank with Mounting Plate (4 hole)	Pc	9284697+ 9284814	100	99
Auto Closing Slide-on Regular Hinges - 9.5 Crank with Mounting Plate (4 hole)	Pc	9284698+ 9284814	100	104
Auto Closing Slide-on Regular Hinges - 16 Crank with Mounting Plate (4 hole)	Pc	9284809+ 9284814	100	109

Auto Closing Slide-on Soft Close Hinges



- Concealed hinge with slide on assembly
- **Quality classification under EN 15570, Level 1**
- Tested & Certified for 20,000 Cycles
- For door thickness 14 - 25 mm
- Opening angle: 105°
- Cup diameter 35 mm
- Cup depth 11.5 mm
- Integrated overlay adjustment + 0.5 mm / - 2.5 mm
- Integrated depth adjustment + 2 mm / - 2 mm
- Height adjustment at mounting plate
- Hinge arm material: Steel, Nickel plated



Minimum Reveal Per Door

Cup Distance C	Door thickness											
	14	15	16	17	18	19	20	21	22	23	24	25
3	0.04	0.12	0.23	0.38	0.59	0.85	1.18	1.61	2.22	2.96	3.76	4.6
4	0.04	0.11	0.22	0.37	0.56	0.81	1.11	1.49	1.99	2.63	3.36	4.15
4.5	0.04	0.11	0.22	0.36	0.55	0.79	1.08	1.45	1.91	2.5	3.2	3.96
5	0.04	0.11	0.21	0.36	0.54	0.77	1.06	1.41	1.84	2.39	3.04	3.77
6	0.04	0.1	0.2	0.34	0.52	0.74	1.01	1.33	1.73	2.21	2.79	3.46
7	0.04	0.1	0.2	0.33	0.5	0.71	0.97	1.27	1.64	2.07	2.59	3.2

Auto Closing Slide-on Soft Close Hinges with Mounting Plate (2 hole)

- Please order:
- 2 Hinges
 - 2 Mounting Plates (2 Hole)



Description (Retail Packing)	Unit	Article no.	PU	MRP/Pair
Auto Closing Slide-on Soft Close Hinges - 0 Crank with mounting plate (2 hole)	Pc	9284810+9284813	100	175
Auto Closing Slide-on Soft Close Hinges - 9.5 Crank with mounting plate (2 hole)	Pc	9284811+9284813	100	180
Auto Closing Slide-on Soft Close Hinges - 16 Crank with mounting plate (2 hole)	Pc	9284812+9284813	100	185

Auto Closing Slide-on Soft Close Hinges with Mounting Plate (4 hole)

- Please order:
- 2 Hinges
 - 2 Mounting Plates (4 Hole)



Description (Retail Packing)	Unit	Article no.	PU	MRP/Pair
Auto Closing Slide-on Soft Close Hinges - 0 Crank with mounting plate (4 hole)	Pc	9284810+9284814	100	177
Auto Closing Slide-on Soft Close Hinges - 9.5 Crank with mounting plate (4 hole)	Pc	9284811+9284814	100	182
Auto Closing Slide-on Soft Close Hinges - 16 Crank with mounting plate (4 hole)	Pc	9284812+9284814	100	187

Auto Closing Clip-on Soft Close Hinges



- Concealed hinge with Clip on assembly
- Available with integrated soft closing option
- For door thickness: 16- 24 mm
- Opening angle: up to 105 °
- Cup diameter: 35 mm
- Cup depth: 11.5 mm
- Mounting plate available with 2 holes, 4 holes & with Eccentric screw
- **Quality Classification under EN 15570, Level 1**
- Tested for 20,000 functional cycles
- Material: Steel Nickel plated

C- value	Door Thickness									
	B	16	17	18	19	20	21	22	23	24
3		0.4	0.6	0.8	1.2	1.6	2.2	2.9	3.7	4.6
4		0.4	0.6	0.8	1.1	1.5	2.0	2.6	3.3	4.1
5		0.4	0.6	0.8	1.1	1.4	1.8	2.4	3.0	3.8
6		0.4	0.5	0.7	1.0	1.3	1.7	2.2	2.8	3.5
7		0.3	0.5	0.7	1.0	1.3	1.6	2.1	2.6	3.2

Auto Closing Clip-on Soft Close Hinges with Mounting Plate (2 Hole)



Description (Retail Packing)	Unit	Article no.	PU	MRP/ Pair
Clip on Silent Hinges - 0 Crank - with Damper, Mounting Plate	Pc	9290745+9290750	100	231
Clip on Silent Hinges - 9.5 Crank - with Damper, Mounting Plate	Pc	9290746+9290750	100	237
Clip on Silent Hinges - 16 Crank - with Damper, Mounting Plate	Pc	9290747+9290750	100	243

Auto Closing Clip-on Soft Close Hinges with Mounting Plate (4 Hole)




Description (Retail Packing)	Unit	Article no.	PU	MRP/ Pair
Clip on Silent Hinges - 0 Crank - with Damper, Mounting Plate	Pc	9290745+9290751	100	233
Clip on Silent Hinges - 9.5 Crank - with Damper, Mounting Plate	Pc	9290746+9290751	100	239
Clip on Silent Hinges - 16 Crank - with Damper, Mounting Plate	Pc	9290747+9290751	100	245

Auto Closing Clip-on Soft Close Hinges with Mounting Plate (Eccentric)



Description (Retail Packing)	Unit	Article no.	PU	MRP/ Pair
Clip on Hinge - 0 Crank - with Damper, Mounting Plate	Pc	9290745+9290752	100	270
Clip on Hinge - 9.5 Crank - with Damper, Mounting Plate	Pc	9290746+9290752	100	276
Clip on Hinge - 16 Crank - with Damper, Mounting Plate	Pc	9290747+9290752	100	282

Cover Cap



Product Description	Unit	Article no.	PU	MRP/Pc
Arm cover for 0 Crank with hepo logo	Pc	9294814	100	5
Arm cover for 9.5 / 16 Crank with hepo logo	Pc	9294815	100	5

Auto Closing Clip-on Soft Close Hinges

For Thick Doors



Auto Closing Clip-on Soft Close Hinges



- ▶ Concealed hinge with Clip on assembly
- ▶ Available with integrated soft closing option
- ▶ For door thickness: 16- 40 mm
- ▶ Opening angle: up to 95°
- ▶ Cup diameter: 40 mm
- ▶ Cup depth: 12.9 mm
- ▶ Mounting plate available with 2 holes, 4 holes & with Eccentric screw
- ▶ **Quality Classification under EN 15570, Level 1**
- ▶ Tested for 20,000 functional cycles
- ▶ Material: Steel Nickel plated

C- Value	Door Thickness																			
	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
B	0	0.2	0.3	0.4	0.5	0.6	0.8	0.9	1.1	1.3	1.6	1.8	2.5	3.5	4.5	5.4	6.4	7.4	8.3	9.3
3	0	0.1	0.3	0.4	0.5	0.6	0.8	0.9	1.1	1.3	1.5	1.8	2.5	2.9	3.8	4.7	5.7	6.7	7.7	8.6
4	0	0.1	0.2	0.3	0.5	0.6	0.7	0.9	1.1	1.3	1.5	1.7	2	2.3	3.2	4.1	5.1	6.1	7	7.8
5	0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	1	1.2	1.5	1.7	2	2.3	2.7	3.6	4.4	5.3	6.3	7.2
6	0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	1	1.2	1.5	1.7	2	2.3	2.7	3.6	4.4	5.3	6.3	7.2
7	0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	1	1.2	1.4	1.7	2	2.1	2.5	3.1	4	4.9	5.7	6.6

Auto Closing Clip-on Soft Close Hinges for thick door with Mounting Plate (2 Hole)



Description (Retail Packing)	Unit	Article no.	PU	MRP/ Pair
Clip on Silent Hinges - 0 Crank - with Damper, Mounting Plate	Pc	9312221+9290750	100	301
Clip on Silent Hinges - 9.5 Crank - with Damper, Mounting Plate	Pc	9312222+9290750	100	311
Clip on Silent Hinges - 16 Crank - with Damper, Mounting Plate	Pc	9312223+9290750	100	321

Auto Closing Clip-on Soft Close Hinges for thick door with Mounting Plate (4 Hole)




Description (Retail Packing)	Unit	Article no.	PU	MRP/ Pair
Clip on Silent Hinges - 0 Crank - with Damper, Mounting Plate	Pc	9312221+9290751	100	303
Clip on Silent Hinges - 9.5 Crank - with Damper, Mounting Plate	Pc	9312222+9290751	100	313
Clip on Silent Hinges - 16 Crank - with Damper, Mounting Plate	Pc	9312223+9290751	100	323

Auto Closing Clip-on Soft Close Hinges for thick door with Mounting Plate (Eccentric)



Description (Retail Packing)	Unit	Article no.	PU	MRP/ Pair
Clip on Hinge - 0 Crank - with Damper, Mounting Plate	Pc	9312221+9290752	100	340
Clip on Hinge - 9.5 Crank - with Damper, Mounting Plate	Pc	9312222+9290752	100	350
Clip on Hinge - 16 Crank - with Damper, Mounting Plate	Pc	9312223+9290752	100	360

Cover Cap



Product Description	Unit	Article no.	PU	MRP/Pc
Arm cover for 0 Crank with hepo logo	Pc	9294814	100	5
Arm cover for 9.5 / 16 Crank with hepo logo	Pc	9294815	100	5



Hepo Butt Hinges
Welded Type

Stainless Steel Welded Type (Railway Hinges)



- ▶ Recommended for wooden / aluminium / framed doors of apartment / building.
- ▶ Weight capacity: 40 Kg/Pair
- ▶ Leaf Thickness - 2.5 mm
- ▶ Available with Square Edge
- ▶ Pin Dia - 4 & 5.6 mm
- ▶ For DIN Left/Right Usage
- ▶ Available Sizes - 3x12 / 4x12 / 5x12
- ▶ Finish - SS Satin
- ▶ No. of Holes - 6/8



S.No.	Description	Size mm (inch)	Unit	Article No.	PU	MRP/ Pair
1	Butt Hinge SS	75x50x2.5 mm (3"x2"x2.5 mm) (3x12)	Pair	9278619	20	185
2	Butt Hinge SS	100x60x2.5 mm (4"x2.3"x2.5 mm) (4x12)	Pair	9278620	12	280
3	Butt Hinge SS	125x67x2.5 mm (5"x2.6"x2.5 mm) (5x12)	Pair	9278621	10	370

Hepo Telescopic Channel (Regular)

Heavy Duty Drawer Runners



Telescopic Channel (Regular) - Zinc / Black




- ▶ Full extension normal closing ball bearing runner
- ▶ Better designed tracks creates ease of operation & better dynamic load behaviour
- ▶ Installation width required: 12.8 mm
- ▶ Available channel height: 45 mm
- ▶ Available channel length: 250 mm – 550 mm (Zinc)
250 mm – 550 mm (Black)
- ▶ Guaranteed up to 40,000 functional cycles
- ▶ Material used: Steel
- ▶ Finish: Zinc plated / Black

Description		Size	Unit	Article no	PU	MRP / Pair
Hepo Regular Telescopic channel - Zinc		10"- 250 mm	Pair	9298666	10	369
Hepo Regular Telescopic channel - Zinc		12"- 300 mm	Pair	9298668	10	409
Hepo Regular Telescopic channel - Zinc		14"- 350 mm	Pair	9298669	10	449
Hepo Regular Telescopic channel - Zinc		16"- 400 mm	Pair	9298670	10	489
Hepo Regular Telescopic channel - Zinc		18"- 450 mm	Pair	9298701	10	549
Hepo Regular Telescopic channel - Zinc		20"- 500 mm	Pair	9298702	10	599
Hepo Regular Telescopic channel - Zinc		22"- 550 mm	Pair	9298703	10	669

Description		Size	Unit	Article no	PU	MRP / Pair
Hepo Regular Telescopic channel - Black		10"- 250 mm	Pair	9300364	10	369
Hepo Regular Telescopic channel - Black		12"- 300 mm	Pair	9300365	10	409
Hepo Regular Telescopic channel - Black		14"- 350 mm	Pair	9300366	10	449
Hepo Regular Telescopic channel - Black		16"- 400 mm	Pair	9300367	10	489
Hepo Regular Telescopic channel - Black		18"- 450 mm	Pair	9300368	10	549
Hepo Regular Telescopic channel - Black		20"- 500 mm	Pair	9300369	10	599
Hepo Regular Telescopic channel - Black		22"- 550 mm	Pair	9300370	10	669

Drilling Pattern



Length	(Hole Pattern)												
	A	B	C	D	N	E	T	V	F	G	S	R	L
250	250	160					233	169				248	250
300	300	224					283	96	128			298	300
350	350			224	30.4		333	128	128			348	350
400	400		224	288			383	128	192			398	400
450	450	224	352				433	160	192			448	450
500	500	224	352				483	192	224			498	500
550	550	224	352	416			533	224	224			548	550
600	600	224	352	480			583	224	288			598	600

Hepo Telescopic Channel (Silent)

Heavy Duty Drawer Runners with Silent System




Telescopic Channel (Silent)



- ▶ Full extension ball bearing drawer slide with Silent System
- ▶ Installation width required: 12.8 mm
- ▶ Available channel height: 45 mm
- ▶ Available channel length: 300 - 550 mm
- ▶ Finish: Zinc plated
- ▶ Guaranteed up to 40,000 functional cycles

Drilling Pattern



Length	(Hole pattern)							
	A	B	C	D	V	F	G	S
300	300	300			50	96	96	283
350	350	350		160	50	128	96	333
400	400	400		224	50	128	160	383
450	450	450	224		50	160	160	433
500	500	500	224	320	50	160	224	483

Description	Size	Unit	Article no	PU	MRP / Pair
Hepo Telescopic Channel with silent system / Zinc	300 mm	Pair	9293951	10	759
Hepo Telescopic Channel with silent system / Zinc	350 mm	Pair	9293903	10	819
Hepo Telescopic Channel with silent system / Zinc	400 mm	Pair	9293904	10	879
Hepo Telescopic Channel with silent system / Zinc	450 mm	Pair	9293905	10	939
Hepo Telescopic Channel with silent system / Zinc	500 mm	Pair	9293906	10	999
Hepo Telescopic Channel with silent system / Zinc	550 mm	Pair	9295964	10	1,149

Stainless Steel Wire Baskets

Compatible with Telescopic Channel only

hepo



Plain Basket

- Unique sleek elegant design
- 30 kg weight carrying capacity
- Convenient to store different size packs of your kitchen

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
9280319	380x500x100	Pc	6	2,059
9280320	380x500x150	Pc	4	2,496
9280351	380x500x200	Pc	3	2,841
9280354	430x500x100	Pc	6	2,151
9280355	430x500x150	Pc	4	2,542
9280356	430x500x200	Pc	3	3,105
9280359	480x500x100	Pc	6	2,266
9280360	480x500x150	Pc	4	2,737
9280361	480x500x200	Pc	3	3,243
9280364	530x500x100	Pc	6	2,185
9280365	530x500x150	Pc	4	2,622
9280366	530x500x200	Pc	3	3,059



Cup & Saucer Basket

- Recommended shutter height min. 180 mm
- 500 mm depth can hold 18 no. of saucers, 380 mm width can hold 8 no. of cups & 530 mm can hold 16 no. of cups respectively

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
9280352	380x500x100	Pc	6	2,358
9280357	430x500x100	Pc	6	2,519
9280362	480x500x100	Pc	6	3,059
9280367	530x500x100	Pc	6	3,209



Thali Basket

- Recommended shutter height min. 360 mm
- 500 mm depth can hold 11 no. of thalis

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
9280353	380x500x150	Pc	4	2,573
9303976	380x500x200	Pc	4	3,148
9280358	430x500x150	Pc	4	2,789
9303977	430x500x200	Pc	4	3,433
9280363	480x500x150	Pc	4	3,036
9303978	480x500x200	Pc	4	3,692
9280368	530x500x150	Pc	4	3,103
9303979	530x500x200	Pc	4	3,795

*Sizes in mm

Stainless Steel Kitchen Accessories & Basket

Spice Pull-Out, Bottle Pull-Out & Cutlery Basket

hepo



Spice Pull-out

- ▶ Three tier pull-out storage system for spice containers
- ▶ Suitable for cabinet widths 150 mm, 200 mm & 300 mm
- ▶ Available Pull-out dimensions W94xD500xH575 mm, W134xD500xH575 mm, W234xD500xH575 mm
- ▶ Suitable for mounting on left/right side (W94 & W134 only) & diagonally (W134 & W234 only)
- ▶ Weight carrying capacity up to 22.5 Kg (W94), 26.5 Kg (W134) & 30 Kg (W234) with KA telescopic runner
- ▶ Package Contain: 1 Wire Basket, 4 Fascia Clamps, 8 Fascia Screws
- ▶ Material: Stainless Steel
- ▶ Finish: Chrome Plated
- ▶ Available with Food grade certification for wire basket

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
929209600	94x500x575	Pc	6	2,811
929209700	134x500x575	Pc	4	3,146
929209800	234x500x575	Pc	2	4,008



Bottle Pull-out

- ▶ Two tier pull-out storage system for Bottles in kitchen
- ▶ Suitable for cabinet widths 150 mm, 200 mm & 300 mm
- ▶ Available Pull-out dimensions W94xD500xH460mm, W134xD500xH460mm, W234xD500xH460mm
- ▶ Suitable for mounting on the left/right side (W94 & W134 only) & diagonally (W134 & W234 only)
- ▶ Weight carrying capacity up to 22.5 Kg (W94), 26.5 Kg (W134) & 30 Kg (W234) with KA telescopic runner
- ▶ Package Contain: 1 Wire Basket, 4 Fascia Clamps, 8 Fascia Screws
- ▶ Material: Stainless Steel
- ▶ Finish: Chrome Plated
- ▶ Available with Food grade certification for wire basket

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
929210000	94x500x460	Pc	6	1,977
929210100	134x500x460	Pc	4	2,200
929210200	234x500x460	Pc	2	2,761



Cutlery Basket

- ▶ Convenient for storing various cutleries in kitchen
- ▶ Suitable for cabinet widths 450 mm, 500 mm, 550 mm & 600 mm
- ▶ Available basket dimensions W383XD500XH100, W436xD500xH100, W486xD500xH100 mm, W536xD500xH100
- ▶ Compatible with KA telescopic only
- ▶ Available with front panel adjustment
- ▶ Material: Stainless Steel
- ▶ Finish: Chrome Plated
- ▶ Available with Food grade certification for wire basket

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
930398000	383X500X100	Pc	1	2,379
930399100	436X500X100	Pc	1	2,977
930399200	486X500X100	Pc	1	3,196
930399400	536X500X100	Pc	1	3,449

*Sizes in mm

Furniture Locks


Economic Multipurpose Locks



Economic Multipurpose Locks


Multipurpose locks throw a bolt / tongue out allowing the door to be locked when closed. This locks can be used in a number of applications particularly in any cabinet & drawer construction. It can secure the cabinet door and requires a key for the cabinet to be opened. These locks are ideal for office environments as they allow to lock private & confidential papers securely. In addition to this, they are also suitable for homes & can keep valuables, private & confidential papers or snacks locked securely in your cupboard out of reach of young children!

- ▶ Adjustable for left/right-hand operation
- ▶ Available for 22 mm / 32 mm panel thickness
- ▶ Complete with rosette
- ▶ Available with max. 120 Key Combinations
- ▶ Available with 2 iron keys
- ▶ Tested for 30000 functional cycles
- ▶ Material: Zinc & Steel



Set Comprises

Sr No:	Description	Quantity
1	Based Cover	1
2	Front Cover	1
3	Bolt	1
4	Cylinder Cover	1
5	Cylinder	1
6	Cylinder Front Cover	1
7	Ring	1



Description	Unit	Article no	PU	MRP/ PC
Economic MP Lock 120 KC, 22 mm	Pc	9287295	120	142
Economic MP Lock 120 KC, 32 mm	Pc	9291595	120	166

Bi-Fold Lift-up



- ▶ Bi-fold lift-up for overhead cabinets with high performance & smooth operation
- ▶ Recommended for wooden front panel or Aluminium profile with 55 mm width
- ▶ Stops at any opening position
- ▶ Available with silent opening & closing system
- ▶ Available with three dimensional front panel adjustment
- ▶ Recommended to use with concealed furniture hinges with 110° opening angle
- ▶ Recommended cabinet outer to outer height: 700-850 mm
- ▶ Recommended cabinet width: ≤ 900 & ≤ 1200 mm
- ▶ Recommended front panel thickness: 16-18 mm
- ▶ Front panel will sprung open if fingers get caught between two panels
- ▶ No protruding parts
- ▶ Reliable & smooth performance within a wide temperature range of 0°C to 40 °C
- ▶ Materials used: Zinc alloy, Plastic & Iron
- ▶ Finish: Nickel plating & Chrome plating

Set Contains

- Body: 2 pieces
- Body cover (left): 1 piece
- Body cover (right): 1 piece
- Mounting plate: 2 pieces
- Center hinge: 2 pieces
- Center hinge installation screws (3.5*14): 8 pieces
- Mounting plate installation screws (5x18): 4 pieces
- Mounting plate installation columns (5.8x22.3): 2 pieces
- Installation template: 6 pieces
- Installation instructions, English version (this book): 1 piece

Installation Drawing

Technical drawings showing the installation of the Bi-Fold Lift-up system. The drawings include a side view of the cabinet door with dimensions, a top view of the door with dimensions, and a detailed view of the hinge mechanism with dimensions.

Cabinet Height H	Installation Size M	Installation Size B	Alu. Bar length K
700	100	213	300
750	120	208	300
800	200	263	300
850	250	288	300

Description (Retail Packing)	Unit	Article no.	PU	MRP/Set
Hepo Bi-fold Lift-up Version 8, Max 8 KG	Set	9299178	1	7,839
Hepo Bi-fold Lift-up Version 10, Max 10 KG	Set	9299179	1	7,839

Gas Spring


Guaranteed for 50,000 cycles




Gas Spring




- Suitable for wooden or aluminum framed shutter
- Needs auto-closing hinges fitted in the shutter for operation
- Flap weight (including handle) carrying capacity: 3.2 Kg to 35 kg
- Spring force : 80N-350N
- Gas Spring dimension : 9 inch (270 mm) / 12 inch (301 mm)
- Performance temperature range of +45°C to -25°C
- Tested for 50,000 cycles by SGS, Switzerland



Gas Spring dimension : 9 inch (270 mm)



Gas Spring dimension : 12 inch (301 mm)



Maximum Door Weight











(kg) (mm)	75°				90°				100°			
	300	400	500	600	300	400	500	600	300	400	500	600
60N	3.3kg	2.8kg	2kg	1.8kg	3.1kg	2.6kg	1.8kg	1.4kg	2.9kg	2.4kg	1.6kg	1.2kg
80N	4.3kg	3.5kg	2.6kg	2kg	4.1kg	3.3kg	2.4kg	1.8kg	3.9kg	3.1kg	2.2kg	1.6kg
100N	5kg	4.1kg	3.2kg	2.5kg	4.8kg	4kg	3kg	2.3kg	4.6kg	3.8kg	2.8kg	2kg
120N	5.7kg	4.7kg	3.8kg	3kg	5.5kg	4.5kg	3.4kg	2.8kg	5.3kg	4.3kg	3.3kg	2.6kg
150N	6.5kg	5.5kg	4.7kg	3.7kg	6.2kg	5.3kg	4.5kg	3.5kg	6kg	5.1kg	4.3kg	3.3kg
200N	9.3kg	7.5kg	5.5kg	4.8kg	9.1kg	7.3kg	5.3kg	4.6kg	8.9kg	7.1kg	5.1kg	4.4kg
250N		9.7kg	8kg	5.5kg		9.5kg	7.8kg	5.3kg		9.3kg	7.6kg	5.1kg
300N		12.2kg	9.3kg	7.7kg		12kg	9.1kg	7.5kg		11.8kg	8.9kg	7.3kg
350N		15.8kg	10kg	9.2kg		15.6kg	9.8kg	9kg		15.3kg	9.6kg	8.7kg

Gas Springs for Overheads - 9 inch	Unit	Article No.	PU	MRP/ Pair	Gas Springs for Overheads - 12 inch	Unit	Article No.	PU	MRP/ Pair
Gas spring Capacity - 8 KG / 9 inch	Pair	9289456	1	311	Gas spring Capacity - 8 KG / 12 inch	Pair	9289474	1	379
Gas spring Capacity - 10 KG / 9 inch	Pair	9289457	1	311	Gas spring Capacity - 10 KG / 12 inch	Pair	9289475	1	379
Gas spring Capacity - 12 KG / 9 inch	Pair	9289458	1	311	Gas spring Capacity - 12 KG / 12 inch	Pair	9289476	1	379
Gas spring Capacity - 15 KG / 9 inch	Pair	9289469	1	311	Gas spring Capacity - 15 KG / 12 inch	Pair	9289477	1	379
Gas spring Capacity - 20 KG / 9 inch	Pair	9289470	1	311	Gas spring Capacity - 20 KG / 12 inch	Pair	9289478	1	379
Gas spring Capacity - 25 KG / 9 inch	Pair	9289471	1	311	Gas spring Capacity - 25 KG / 12 inch	Pair	9289479	1	379
Gas spring Capacity - 30 KG / 9 inch	Pair	9289472	1	311	Gas spring Capacity - 30 KG / 12 inch	Pair	9289481	1	379
Gas spring Capacity - 35 KG / 9 inch	Pair	9289473	1	311	Gas spring Capacity - 35 KG / 12 inch	Pair	9289482	1	379

Aluminium Profiles

Silver Anodized Aluminium Profiles for Furniture Fronts














Product	Product Section	Glass Thickness	Width	Length	Finish	Article No.	Unit	PU	MRP/Pc
19 mm / 45 mm Aluminium Profiles									
19 mm Straight Frame Profile 3000 mm		4 mm	19 mm	3000 mm	SA	5211089	Pc	4	1,177
19 mm Straight Frame Profile with handle 3000 mm		4 mm	19 mm	3000 mm	SA	5211090	Pc	4	1,444
45 mm (Econ) Straight Frame Profile for small shutters		4 mm	45 mm	3000 mm	SA	5211117	Pc	4	2,010
45 mm (Econ) Straight Frame Profile with L Handle for small shutters		4 mm	45 mm	3000 mm	SA	5211118	Pc	4	2,606
45 mm Straight Frame Profile		4 mm	45 mm	3000 mm	SA	5211080	Pc	4	2,165
45 mm Straight Frame Profile		4 mm	45 mm	3000 mm	SA	5211115	Pc	4	2,000
45 mm Straight Frame Profile with L Handle		4 mm	45 mm	3000 mm	SA	5211081	Pc	4	2,765
45 mm Straight Frame Profile with F Handle		4 mm	45 mm	3000 mm	SA	5211116	Pc	4	2,860
45 mm Straight Frame Profile with F Handle		4 mm	45 mm	3000 mm	SA	5211082	Pc	4	2,462
45 mm Straight Frame Profile with C Handle		4 mm	45 mm	3000 mm	SA	5211083	Pc	4	2,640

Aluminium Profiles

Silver Anodized Aluminium Profiles for Furniture Fronts



Product	Product Section	Glass Thickness	Width	Length	Finish	Article No.	Unit	PU	MRP/Pc
45 mm / 55 mm Aluminium Profiles									
45 mm Straight Frameless Stick on Profile 3000 mm		4 mm	45 mm	3000 mm	SA	5211084	Pc	4	1,604
45 mm Straight Frameless Stick on Handle Profile 3000 mm		4 mm	45 mm	3000 mm	SA	5211085	Pc	4	2,049
45 mm Straight Stick-On Frame Profile 3000 mm		4 mm	45 mm	3000 mm	SA	5211091	Pc	4	1,584
45 mm Straight Stick-On Frame Profile with L handle 3000 mm		4 mm	45 mm	3000 mm	SA	5211092	Pc	4	2,147
55 mm Straight Frame Profile 3000 mm		4 mm	55 mm	3000 mm	SA	5211078	Pc	4	2,165
55 mm Straight Frame Profile with C Handle 3000 mm		4 mm	55 mm	3000 mm	SA	5211079	Pc	4	2,623
55 mm Curved Frame Profile 3000 mm		4 / 5 mm	55 mm	3000 mm	SA	5211086	Pc	4	2,603
Angle Connector Set (For all aluminum profiles) 1 Set Consists of 4 connectors & 8 screws		-	-	-	-	9303247	Set	30	142

Product	Product Section	Suitable for	Width	Length	Finish	Article No.	Unit	PU	MRP/Pc
Edge Profile									
Edge Profile (22 mm)		19 mm board thickness	-	3000 mm	SA	5211094	Pc	8	384
Edge Profile (25 mm)		22 mm board thickness	-	3000 mm	SA	5211095	Pc	8	428
Edge Profile for Wall cabinet		16.8 mm onwards	-	3000 mm	SA	5211106	Pc	12	1,240
Edge Profile for Wall cabinet		18.8 mm board	-	3000 mm	SA	5211113	Pc	12	1,291

Aluminium Profiles

Silver Anodized Aluminium Profiles for Furniture Fronts



Product	Product Section	Suitable for	Width	Length	Finish	Article No.	Unit	PU	MRP/Pc
Mid Way Joining Profile									
Mid Way Joining profile		4/5 mm glass thickness	17 mm	3000 mm	SA	5211093	Pc	8	1,070
Connector Set for Mid Way Joining Profile						9308603	Pc	10	106



Product	Product Section	Length	Finish	Article No.	Unit	PU	MRP/Pc
Gola Profile & Vertical Gola Profile							
Gola profile C Type		3000 mm	SA	5211104	Pc	10	1,432
Gola profile L Type		3000 mm	SA	5211105	Pc	10	1,030
Gola profile (Vertical application)		3000 mm	SA	5211107	Pc	4	1,827
Gola profile (Vertical application)		3000 mm	SA	5211108	Pc	4	2,059

Item Description	Product	Compatible with	Side	Article No.	Unit	PU	MRP/Pc
Gola Profile Accessories							
Gola Profile End Cap for C Type with screws		SA	Left	9212563	Pc	20	277
			Right	9212564	Pc	20	277
Gola Profile End Cap for L Type with screws		SA	Left	9212565	Pc	20	277
			Right	9212566	Pc	20	277
Gola Outer Angle Profile Connector with screws		SA	-	9212567	Pc	20	312
Gola Inner Angle Profile Connector with screws		SA	-	9212568	Pc	20	422
Gola L Connector set with screws		-	-	9220600	Pc	20	46

Aluminium Profiles

Silver Anodized Aluminium Profiles for Furniture Fronts



Product	Product Section	Length (mm)	Finish	Article No.	Unit	PU	MRP/Pc
Sink Counter Profile with Connectors							
Sink counter profile		3000 mm	SA	5211109	Pc	6	1,274
Bracket for sink counter profile left		-	-	9293678	Pc	50	26
Bracket for sink counter profile right		-	-	9293699	Pc	50	26
Product	Product Section	Details	Finish	Article No.	Unit	PU	MRP/Pc
Handle Profiles							
Handle Eslinga (G Profile)		Profile height 40 mm and Length 3000 mm	SA	5211096	Pc	4	2,632
Eslinga Econ (G Profile)		Profile height 35 mm and Length 3000 mm	SA	5211097	Pc	4	2,032
G Handle Profile		Profile height 35 mm and Length 3000 mm	SA	5211114	Pc	8	1,970



Sr. No.	Description	Finish	Article No.	Hole Distance	Unit	PU	MRP/Pc
1.		Nickel Matt	1180122	96	Pc	200	78
		Nickel Matt	1180121	128	Pc	150	114
2.		Nickel Matt	1180167	96	Pc	200	90
		Nickel Matt	1180166	128	Pc	125	124
3.		Nickel Matt	1161173	96	Pc	60	104
		Nickel Matt	1161167	128	Pc	50	143
4.		Nickel Matt	9220976	96	Pc	50	81
		Nickel Matt	9220978	128	Pc	50	127
5.		Bright Chrome	9220975	96	Pc	50	72
		Bright Chrome	9220977	128	Pc	50	115
6.		Nickel Matt	9220980	96	Pc	50	76
		Nickel Matt	9220982	128	Pc	50	132
7.		Bright Chrome	9220979	96	Pc	50	69
		Bright Chrome	9220981	128	Pc	50	121
8.		Matt Black	9297998	128	Pc	1	95


Note: For more handles refer to Handlesfor99.com

Alpha Handle



- ▶ Recessed Handle for wooden shutters
- ▶ Handle Length: 110/ 142/ 174 mm
- ▶ Material Used: Anodized Aluminum
- ▶ Finish: Silver

Cut out details



Description	Total Length Including End Caps (A)	Clear Base (B)	Hole to Hole Distance (C)	Profile Length	Unit	Article no	PU	MRP / Pc
Alpha Handle 96mm incl. end caps	110 mm	102 mm	96 mm	90 mm	Pc	5211053	100	188
Alpha Handle 128mm incl. end caps	142 mm	134 mm	128 mm	122 mm	Pc	5211054	80	207
Alpha Handle 160mm incl. end caps	174 mm	166 mm	160 mm	154 mm	Pc	5211055	65	226

Note: For more handles refer to Handlesfor99.com

Tower Bolts

Aluminium & Brass Tower Bolts for Doors & Windows

hepo

Sr. No.		Description	Material	Finish	Rod dia. (in mm)	Article No.	Size (in mm)	Unit	PU	MRP/Pc
1		Towerbolt ALU-D18	Aluminium	Stainless Steel	9.5	9291322	100	Pc	12	158
2		Towerbolt ALU-D18	Aluminium	Stainless Steel	9.5	9291323	150	Pc	12	198
3		Towerbolt ALU-D18	Aluminium	Stainless Steel	9.5	9291324	200	Pc	12	235
4		Towerbolt ALU-D18	Aluminium	Stainless Steel	9.5	9291325	250	Pc	12	278
5		Towerbolt ALU-D18	Aluminium	Stainless Steel	9.5	9291326	300	Pc	12	322
1		Towerbolt ALU-D18	Aluminium	Antique Brass	9.5	9291327	100	Pc	12	195
2		Towerbolt ALU-D18	Aluminium	Antique Brass	9.5	9291328	150	Pc	12	240
3		Towerbolt ALU-D18	Aluminium	Antique Brass	9.5	9291329	200	Pc	12	285
4		Towerbolt ALU-D18	Aluminium	Antique Brass	9.5	9291330	250	Pc	12	335
5		Towerbolt ALU-D18	Aluminium	Antique Brass	9.5	9291331	300	Pc	12	385
1		Towerbolt ALU-D25	Aluminium	Stainless Steel	9.5	9291332	100	Pc	12	175
2		Towerbolt ALU-D25	Aluminium	Stainless Steel	9.5	9291333	150	Pc	12	220
3		Towerbolt ALU-D25	Aluminium	Stainless Steel	9.5	9291334	200	Pc	12	260
4		Towerbolt ALU-D25	Aluminium	Stainless Steel	9.5	9291335	250	Pc	12	310
5		Towerbolt ALU-D25	Aluminium	Stainless Steel	9.5	9291336	300	Pc	12	355
1		Towerbolt ALU-D25	Aluminium	Antique Brass	9.5	9291337	100	Pc	12	212
2		Towerbolt ALU-D25	Aluminium	Antique Brass	9.5	9291338	150	Pc	12	268
3		Towerbolt ALU-D25	Aluminium	Antique Brass	9.5	9291339	200	Pc	12	312
4		Towerbolt ALU-D25	Aluminium	Antique Brass	9.5	9291340	250	Pc	12	368
5		Towerbolt ALU-D25	Aluminium	Antique Brass	9.5	9291341	300	Pc	12	425
1		Towerbolt ALU-ISI-10	Aluminium	Aluminium Anodized	10	9291362	100	Pc	12	67
2		Towerbolt ALU-ISI-10	Aluminium	Aluminium Anodized	10	9291364	150	Pc	12	90
3		Towerbolt ALU-ISI-10	Aluminium	Aluminium Anodized	10	9291365	200	Pc	12	114
4		Towerbolt ALU-ISI-10	Aluminium	Aluminium Anodized	10	9291366	250	Pc	12	137
5		Towerbolt ALU-ISI-10	Aluminium	Aluminium Anodized	10	9291367	300	Pc	12	162
1		Towerbolt ALU-ISI-10	Aluminium	Anodized Stainless Steel	10	9291368	100	Pc	12	80
2		Towerbolt ALU-ISI-10	Aluminium	Anodized Stainless Steel	10	9291369	150	Pc	12	110
3		Towerbolt ALU-ISI-10	Aluminium	Anodized Stainless Steel	10	9291370	200	Pc	12	138
4		Towerbolt ALU-ISI-10	Aluminium	Anodized Stainless Steel	10	9291371	250	Pc	12	168
5		Towerbolt ALU-ISI-10	Aluminium	Anodized Stainless Steel	10	9291372	300	Pc	12	198
1		Towerbolt BRS-D25	Brass	Polished Brass	9	9291342	100	Pc	12	470
2		Towerbolt BRS-D25	Brass	Polished Brass	9	9291343	150	Pc	12	670
3		Towerbolt BRS-D25	Brass	Polished Brass	9	9291344	200	Pc	12	880
4		Towerbolt BRS-D25	Brass	Polished Brass	9	9291345	250	Pc	12	1,090
5		Towerbolt BRS-D25	Brass	Polished Brass	9	9291346	300	Pc	12	1,310

Bed Fittings

Hepo's range of Bed Storage Systems addresses the need of space-efficiency. It offers a complete and effective solution for accessing the storage spaces below the heavy mattresses with ease. Most Indian households store bed linen, pillows & blankets which are required for seasonal purposes underneath their mattresses in the bed storage.

Hepo's Bed Fittings allow to access the storages with ease and a swift single handed lift movement. The opening angle of the fitting

is also engineered to provide maximum access to the storage space from all sides of the bed.

The Bed Lift Storage System is the answer to all storage needs; it is a smart solution for turning a cluttered master bedroom into a relaxing retreat which allows Complete Opening Function for Ergonomical needs. It is designed specially keeping in mind the current Indian housing scenario and is the perfect way to add more usable living space to your room.



Bed Fittings Fixed to Sides of Storage



Centrally Fixed Fittings for clear sides

Bed Fitting Frame & Gas Spring




- ▶ Perfect Storage & Space saving
- ▶ Large opening for easy access under the bed
- ▶ Opening from the side or foot of the bed is workable
- ▶ Convenience of use
- ▶ Noiseless and effortless operation
- ▶ International quality mechanism
- ▶ Black Powder Coated finish
- ▶ Backed by Hepo assurance
- ▶ Gas Spring: Passed SGS Test Reliable
- ▶ Quality Effortless Operation
- ▶ Frame Material : Q235
- ▶ Frame Thickness: 4 mm
- ▶ Gas Spring Material: Steel
- ▶ Finish: Powder Coated Black color

Set includes:

- ▶ 1 pair of Bed lift mechanism,
- ▶ Mounting screws & nuts pack
- ▶ 1 installation manual

Bed Fitting Frame - 1100 mm



- ▶ Frame Material : Q235
- ▶ Frame Thickness : 4 mm
- ▶ Finish: Powder Coated Black color
- ▶ Compatible with Gas Spring of 340 mm length
- ▶ Weight carrying capacity of compatible Gas Spring: 70kg / 100kg



Description	Article no.	Unit	PU	MRP/Set
Bed Fitting Frame - 1100 mm	9304139	Set	1	3,300
Gas Spring 340 mm / 70Kg	9282630	Set	1	900
Gas Spring 340 mm / 100Kg	9282631	Set	1	900

Bed Fitting Frame - 1500 mm




- ▶ Frame Material : Q235
- ▶ Frame Thickness : 4 mm
- ▶ Finish: Powder Coated Black color
- ▶ Compatible with Gas Spring of 340 mm length
- ▶ Weight carrying capacity of compatible Gas Spring: 120kg/150kg




Description	Article no.	Unit	PU	MRP/Set
Bed Fitting Frame - 1500 mm	9304140	Set	1	3,900
Gas Spring 340 mm / 120Kg	9282633	Set	1	900
Gas Spring 340 mm / 150Kg	9296534	Set	1	1,700

* Gas Spring set to be ordered as per required weight capacity
* Packaging: Each Bed Fitting and gas spring Set in a separate carton box
Note: MRP are subject to change any time without prior notice.

Bathroom Accessories



Corner Shelf



Tooth Brush Holder




Soap & Shampoo Holder



Towel Rack



Tissue Roll Holder



Towel Rail



Clothes Hook



Accessory Shelf



Hand Towel Holder

Hepo takes the definition of a contemporary bathroom a step ahead with its exquisite range of bathroom accessories that impart a sense of style and convenience to bathrooms. The range consists of a set of accessories that provide holistic solutions to every possible storage need in the bathroom.

The accessories not only add on style to your bathroom but also enhance the level of convenience.

Bathroom Accessories

Stainless steel accessories with chrome plating
5 years replacement warranty against rusting

hepo



Towel Rail



Hepo Stainless Steel Towel Rails adds a refined touch to the bathroom. It is a cool practical home addition that keeps your towel dry that keeps the sick humid stink at bay. A must for your bathroom, they add the right glamour touch & keep your bathroom free of damp breeding ground for germs and mold.

- Package contains 1 towel rail, 2 cover caps & 5 wall fixing screws
- Can hold 2 hand towels

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Towel Rail - 350 mm	9280378	350x100x100	Pc	8	852

Towel Rack



Hepo wall mounted Towel Rack adds the right stylish element to your bathroom. It lets you stack your towels neatly on to it which looks good, gives you great comfort & keeps your bathroom hygienic too!

- Package contains 1 towel rack, 2 cover caps & 5 wall fixing screws
- Can hold 3 folded towels on the surface & 3 towels or clothes can be hung

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Towel Rack- 450mm	9280377	450x250x150	Pc	1	2,466

Clothes Hook



Hepo Clothes Hook is a fascinating and convenient clothes holder fashioned to hold the clothes in the bathroom in style. The product puts an end to the unsightly picture of used and unused clothes lying around, in the bathroom by giving a compact place to hang them.

- Package contains 1 cloth hook, 2 cover caps & 5 wall fixing screws
- Can hold 9 nos of clothes or full size towels

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Clothes Hook	9280371	447x55x133	Pc	10	1,138

Bathroom Accessories

Stainless steel accessories with chrome plating
5 years replacement warranty against rusting

hepo



Accessory Shelf



Hepo Accessory Shelf has been modelled to hold daily use assortments. When added to the bathroom ensemble, the linear designed shelf adds a subtle refined touch.

- ▶ Package contains 1 accessory shelf, 1 plastic tray, 2 cover caps & 5 wall fixing screws
- ▶ Can hold a variety in bottles of different sizes

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Accessory Shelf - W300	9280369	300x100x120	Pc	8	1,043
Accessory Shelf - W450	9280370	450x100x120	Pc	6	1,232

Corner Shelf



Hepo Corner Shelf is a sleek corner unit that can hold multiple essential stuff. The product enhances storage space with its L shape component not only in your bathroom but can also be used in other corners of your beautiful house.

- ▶ Package contains 1 corner shelf, 1 plastic tray, 2 cover caps & 5 wall fixing screws
- ▶ Can hold a variety of bottles in different sizes with other articles as well

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Corner Shelf	9280372	300x300x120	Pc	1	1,328

Hand Towel Holder



Hepo Hand Towel Holder is a charming accessory geared to store the towels. The product helps to retain a high level hygiene factor in the bathroom by keeping the towels dry and gives a pleasant contemporary twist to the bathroom landscape.

- ▶ Package contains 1 hand towel holder, 1 cover cap & 3 wall fixing screws
- ▶ Can hold 2 hand towels

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Hand Towel Holder - 220 mm	9280373	220x70x100	Pc	10	568

Bathroom Accessories

Stainless steel accessories with chrome plating
5 years replacement warranty against rusting

hepo



Tooth Brush Holder



Hepo stainless steel Tooth Brush Holder adds the right ambivalent touch to your bathroom, saves the unnecessary utilization of space by toothbrush containers on the basin.

- Package contains 1 tooth brush holder,1 plastic tray, 1 cover cap & 3 wall fixing screws
- Can hold 4-6 toothbrushes, tongue cleaner & 1 toothpaste tube / mouth freshener

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Tooth Brush Holder	9280376	150x100x70	Pc	15	757

Soap & Shampoo Holder



Hepo Soap & Shampoo Holder is another accessory from Hepo that allows you to place your favourite shampoo and soap in a way that is conveniently accessible. The holder prevents the wastage of space on the floor or open spaces that may be taken up in absence of the wall mounted holder.

- Package contains 1 soap holder,1 plastic tray, 1 cover cap & 3 wall fixing screws
- Can hold 1 soap and 1 shampoo bottle or shower gel bottom hook can be hold loofah or bath scrubber

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Soap & Shampoo Holder	9280374	200x115x125	Pc	10	948

Tissue Roll Holder



Hepo Tissue Roll Holder with plastic tray is a suave product that must find a place in all modern bathrooms to maintain that elite factor besides maintaining hygiene within. It rolls the tissues well that comes out with ease while in use.

- Package contains 1 tissue roll holder,1 plastic tray, 1 cover cap & 3 wall fixing screws
- Can hold 1 tissue roll and some other articles on plastic tray

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Tissue Roll Holder	9280375	200x105x110	Pc	12	1,138


Connecting Fittings

Cam, Steel Dowel & Socket



Cam


- ▶ Drilling diameter 15 mm
- ▶ Drilling depth: 13 mm for Zinc CAM 15/18
11.2 mm for Zinc CAM 15/15
9.6 mm for Zinc CAM 15/12
- ▶ Available for 12/15/18 mm panel thickness
- ▶ Surface material: Nickel Plating



Description	Unit	Article no	PU	MRP/Pc
Zinc Cam 15/18 - Zinc CAM for 18 mm panel	Pc	9290887	3000	7.22
Zinc Cam 15/15 - Zinc CAM for 15 mm panel	Pc	9299651	3000	5.49
Zinc Cam 15/12 - Zinc CAM for 12 mm panel	Pc	9308957	3000	5.49


Steel Dowel

- ▶ M6*7.5 mm thread
- ▶ Dowel Length: 30 mm
- ▶ Available with unmovable grey plastic part



Description	Unit	Article no	PU	MRP/Pc
M6*34 Dowel, 3 in one, PZ2, Galvanizing	Pc	9289656	3000	2.52


- ▶ Steel dowel with direct fixing thread for drilling diameter of 6 mm
- ▶ Dowel length: 30 mm



Description	Unit	Article no	PU	MRP/Pc
Steel Dowel Euro Thread, 30 mm	Pc	9299653	3000	3.08

Fast Assembly Dowel


- ▶ Available with expanding socket with 8 mm drilling diameter
- ▶ Dowel length: 30 mm



Description	Unit	Article no	PU	MRP/Pc
Fast Assembly Steel Dowel, 30 mm	Pc	9299654	3000	3.64


Socket

- ▶ Inner thread: M6
- ▶ Drilling diameter 10 mm
- ▶ Drilling depth: 11.5 mm
- ▶ Available for 15/18 mm panel thickness
- ▶ Finish: White




Description	Unit	Article no	PU	MRP/Pc
Nylon Socket, $\phi 10.8 \times 11$, Inner M6 hole	Pc	9304875	3000	0.90


Wooden Dowel



Wooden Dowel 8x50mm



Wooden Dowel 8x30mm



Wooden Dowel 8x40mm



Wooden Dowel 6x35mm

Description	Unit	Article no	PU	MRP/Pc
Wooden Dowel 6.0x35mm	Pc	9290708	2000	0.8
Wooden Dowel 8.0x30mm	Pc	9290706	2000	0.9
Wooden Dowel 8.0x40mm	Pc	9102465	2000	0.9
Wooden Dowel 8.0x50mm	Pc	9290707	2000	1.2

L-Bracket

S.No.	Description		Unit	Article No.	PU	MRP/Pc
1	L-Bracket 31x31 mm		Pc	9302837	1000	15
2	L-Bracket 41x41 mm		Pc	9302840	100	16

Connecting Fittings


D- Nut (Steel)



D-Nut (Steel)



- ▶ Material used: Steel
- ▶ Available in HEX drive
- ▶ Available in Regular/Metric thread
- ▶ Available Finish: Chrome, Blue zinc (ZP, Cr3+)
- ▶ Available with bulk packing
- ▶ Tested for 48 Hrs Salt Spray against rusting



Stell screw nut					
Data	M6*13	M6*15	M6*18	M6*20	M6*25
A(L)	13 ⁺¹ ₋₁	15 ^{+1.5} _{-1.5}	18 ^{+1.5} _{-1.5}	20 ^{+1.5} _{-1.5}	25 ^{+1.5} _{-1.5}
B(D)	11.8 ^{+0.5} _{-0.5}	11.8 ^{+0.5} _{-0.5}	11.8 ^{+0.5} _{-0.5}	11.8 ^{+0.5} _{-0.5}	11.8 ^{+0.5} _{-0.5}
C(D)	10.5 ^{+0.5} _{-0.5}	10.5 ^{+0.5} _{-0.5}	10.5 ^{+0.5} _{-0.5}	10.5 ^{+0.5} _{-0.5}	10.5 ^{+0.5} _{-0.5}
D(inne hex)	6.1 ^{+0.2} _{-0.2}	6.1 ^{+0.2} _{-0.2}	6.1 ^{+0.2} _{-0.2}	6.1 ^{+0.2} _{-0.2}	6.1 ^{+0.2} _{-0.2}

Steel screw nut					
data	M8*13*12.5	M8*15*12.5	M8*18*12.5	M8*20*12.5	M8*25*12.5
A(Length)	13 ⁺¹ ₋₁	15 ^{+1.5} _{-1.5}	18 ^{+1.5} _{-1.5}	20 ^{+1.5} _{-1.5}	25 ^{+1.5} _{-1.5}
B(Diameter)	14 ^{+0.5} _{-0.5}	14 ^{+0.5} _{-0.5}	14 ^{+0.5} _{-0.5}	14 ^{+0.5} _{-0.5}	14 ^{+0.5} _{-0.5}
C(Diameter)	12.5 ^{+0.5} _{-0.5}	12.5 ^{+0.5} _{-0.5}	12.5 ^{+0.5} _{-0.5}	12.5 ^{+0.5} _{-0.5}	12.5 ^{+0.5} _{-0.5}
D(inner hex)	8.08 ^{+0.2} _{-0.2}	8.08 ^{+0.2} _{-0.2}	8.08 ^{+0.2} _{-0.2}	8.08 ^{+0.2} _{-0.2}	8.08 ^{+0.2} _{-0.2}

Description	Dimension	Unit	Article No.	PU	MRP/Pc
D-Nut(Steel) M6x13, ZP Cr3+	M6x13	Pc	9296712	3500	2.88
D-Nut(Steel) M6x15, ZP Cr3+	M6x15	Pc	9296713	3000	3.16
D-Nut(Steel) M6x18, ZP Cr3+	M6x18	Pc	9296714	2500	3.62
D-Nut(Steel) M6x20, ZP Cr3+	M6x20	Pc	9296715	2500	3.85
D-Nut(Steel) M6x25, ZP Cr3+	M6x25	Pc	9296716	2000	4.77
D-Nut(Steel) M8x13, ZP Cr3+	M8x13	Pc	9296717	3000	3.51
D-Nut(Steel) M8x15, ZP Cr3+	M8x15	Pc	9296718	2500	3.85
D-Nut(Steel) M8x18, ZP Cr3+	M8x18	Pc	9296719	2000	4.20
D-Nut(Steel) M8x20, ZP Cr3+	M8x20	Pc	9296720	2000	4.77
D-Nut(Steel) M8x25, ZP Cr3+	M8x25	Pc	9296721	1500	5.69

Connecting Fittings


T-Nut & Barrel Nut



T-Nut



Thread: Metric
Material: Steel
Finish: Zinc chrome plated




Description	Unit	Article no	PU	MRP/Pc
T-Nut M6X10	Pc	9312049	500	2.9
T-Nut M8X10	Pc	9312111	500	4.5

Barrel Nut



Thread: Matric
Material: Steel
Finish: Zinc chrome plated



Description	Unit	Article no	PU	MRP/Pc
Barrel Nut M6* $\phi 10 \times 13$	Pc	9312112	500	4.7
Barrel Nut M8* $\phi 12 \times 18$	Pc	9312113	500	9.8

Leveller Screws







- Used for height adjustment of cabinets
- Material used: Zinc plated aluminium, High quality plastic
- Finish: Zinc chrome plated, Black plastic

Product Dimension

Rod Dia. (mm)	Rod Length (mm)	Base Dia. (mm)	Base Height (mm)
M6	10/ 24/ 40	30	7
M8	24	20	8
M10	24	26	6.5
M12	24	26	6.5

Dimensional Diagram




Product description	Weight capacity	Height adjustment range (mm)	Unit	Article no.	PU	MRP/Pc
Leveller screw M6 x 10 mm	60 Kg	9	Pc	9138921	1000	10.64
Leveller screw M6 x 24 mm	60 Kg	23	Pc	9138922	1000	11.76
Leveller screw M6 x 40 mm	60 Kg	39	Pc	9138923	1000	13.16
Leveller screw M8 x 24 mm	70 Kg	22	Pc	9138924	1000	13.44
Leveller screw M10 x 24 mm	80 Kg	20	Pc	9138925	500	17.92
Leveller screw M12 x 24 mm	90 Kg	20	Pc	9138926	500	24.64


JCBC Bolt



- ▶ Head: Flat Head
 - ▶ Drive: HEX Drive
 - ▶ Thread: Full thread (Metric)
 - ▶ Head Dia - 12.5 mm for M6 / 15.5 mm for M8
 - ▶ Size of Hex drive: 4 mm for M6 / 5 mm for M8
 - ▶ Material used: Steel
 - ▶ Finish: Black Oxide finish
- Application:**
- ▶ Used in assembly/combination with any wood insert or ordinary Nuts, also used in sub assemblies of furnitures
 - ▶ Used along with D-nuts, insert sockets, barrel nuts, T-nuts & ordinary nuts



Thread Dia (D)	Head Dia(H)	Allen Key Hex (K)
M6	12.50	4
M8	15.50	5




Sr. No.		Description	Size DxL (mm)	Unit	Article No.	PU	MRP/Pc
1		JCBC Bolt	M6x10	Pc	9309958	4000	1.26
2			M6x15	Pc	9309961	3000	1.68
3			M6x20	Pc	9309962	2500	2.00
4			M6x25	Pc	9309963	2000	2.42
5			M6x30	Pc	9309964	2000	2.73
6			M6x35	Pc	9309965	1500	3.15
7			M6x40	Pc	9309966	1500	3.47
8			M6x45	Pc	9309967	1500	3.89
9			M6x50	Pc	9309968	1000	4.20
10			M6x55	Pc	9312758	1000	4.70
11			M6x60	Pc	9309969	1000	4.94
12			M6x65	Pc	9312759	500	5.50
13			M6x70	Pc	9309970	1000	5.67
14			M8x15	Pc	9309981	1500	2.84
15			M8x20	Pc	9309982	1500	3.47
16			M8x25	Pc	9309983	1000	4.10
17			M8x30	Pc	9309984	1000	4.62
18			M8x40	Pc	9312760	500	5.78
19			M8x50	Pc	9312761	500	7.04
20			M8x70	Pc	9312762	250	9.45

Allen Bolt/ Socket Head Bolt



- ▶ Head: Round Knurled Head
- ▶ Drive: HEX drive
- ▶ Thread: Full thread (Metric)
- ▶ Size of Hex drive: 5 mm for M6
6 mm for M8
- ▶ Head Dia - 10 mm for M6
13 mm for M8
- ▶ Material used: Steel
- ▶ Finish: Black Oxide finish

- Application:**
- ▶ Used for its installation on surfaces to connect wood to wood/ wood to metal/metal to metal sections
 - ▶ Used as aesthetically pleasing fastener for exposed views with enough tensile strength for better load handling
 - ▶ Used in applications like the construction of plastic injection molds, power plant parts and transmission tools, hydraulic braking system and home furniture
 - ▶ Used along with D-nuts, insert sockets, barrel nuts, T-nuts & ordinary nuts




Thread Dia (D)	Head Dia(d2)	Allen Key Hex (S)	Allen Key Hex (t)
M6	10	5	3
M8	13	6	4

Sr. No.		Description	Size DxL (mm)	Unit	Article No.	PU	MRP/Pc
1		Allen Bolt / Socket Head Bolt	M6x20	Pc	9309985	2500	2.42
2			M8x15	Pc	9309986	1000	4.62
3			M8x40	Pc	9309987	500	7.04
4			M8x50	Pc	9309988	500	8.40
5			M8x60	Pc	9309989	500	10.19
6			M8x75	Pc	9309990	500	12.60

HEX Bolt



- ▶ Head: Hexagonal Head
 - ▶ Thread: Full thread (Metric)
 - ▶ Material used: Steel
 - ▶ Finish: Black Oxide finish
- Application:**
- ▶ Used in tight spaces to secure wood, metal, plastic and other materials.
 - ▶ Commonly used in buildings, bridges, docks and highway structures, all industries and all homes



Thread Dia (D)	Hex A/F (s)	Hex A/C (e) Min.
M8	13	14.38

Sr. No.		Description	Size DxL (mm)	Unit	Article No.	PU	MRP/Pc
1		Hex Bolt	M8x20	Pc	9309991	1000	2.84
2			M8x25	Pc	9309992	1000	3.36
3			M8x30	Pc	9309993	1000	3.68
4			M8x35	Pc	9309994	1000	4.10
5			M8x40	Pc	9309995	500	4.52
6			M8x50	Pc	9309996	500	5.36
7			M8x60	Pc	9309997	500	6.09
8			M8x75	Pc	9309998	500	7.35

Screws

HePo offers wide range of screws in India ideally suitable for all type of wood, plastic, masonry and sheet metal.

HePo provides complete range of woodworking and building and construction screw i.e. Chipboard screw, Drywall screws (black phosphate), Handle Fixing screws, Truss head screws. HePo screws are made from hardened steel.



What differentiates HePo screws from other available in market are:

Saw Thread - Gives better and faster cutting strength for the screw inside the material. Thus, a carpenter has to use less force and effort during drilling.

Sharp Tip - Optimized tip geometry for better positioning and stacking of the screw, even on hard surface.

High Thread Pitch - Gives faster drive and better contact with the substrate thereby reducing the time of installation.

Available Screws - Zinc Coated, Stainless Steel, Blackodized & Accessories




d : Thread diameter
 d_1 : Core diameter
 d_s : Shank diameter
 L : Screw length
 d_h : Head diameter

Naming Convention for Chipboard Screws

Consider 4 x 20

4 is the diameter of the thread in 'mm'(Including the thread)
20 is the length of the screw in 'mm'




Naming Convention for Machine Screws

Consider M4x26


4 is the diameter in 'mm'
26 is the length of the screw in 'mm'

Specifying the Screw:
Panel thickness + 6 mm to pierce into the handle
e.g: For a 16 mm Panel, 22 mm screw length can be suggested to fix a handle, knob etc




Screws : Nomenclature

As per Screw Heads



As per Screw Head Shape



Indian Market follows imperial system (Gauge & Inch) Which allows suppliers to sell shorter screws against any required size

Conversion Chart- Imperial System to Metric System

Diameter		Length	
Gauge No.	mm	Inch	mm
2	2	1/4	6
3	2.5	3/8	10
4	3	1/2	12
5	3	5/8	16
6	3.5	3/4	20
7	4	1	25
8	4	1 1/4	30
9	4.5	1 1/2	40
10	5	1 3/4	45
12	5.5	2	50
12	6	2 1/4	55
14	8	2 1/2	60
		2 3/4	70
		3	75
		3 1/2	90
		4	100
		4 1/2	110
		5	130
		6	150

Note: There is tradition of citing screw diameter in gauge & screw length in inches

Screw Portfolio

Screws	Page No.
Stainless Steel Screws	
CSK Saw Thread Non-magnetic Screw	40
Carbon Steel Screws	
CSK & Pan Head Saw Thread Screw	41
Handle Fixing Screw	41
Black Screws	
Drywall Screw	42
Truss Head Screw	42
Accessories	
Drive Bit & Screw Driver	43

Stainless Steel Screws

CSK Saw Thread Non-Magnetic Screw



CSK Saw Thread Non-Magnetic Philips Drive Screw



Material

: SS

Finish

: Stainless Steel

Head

: Countersunk

Drive


: Philips

Thread

: Saw

Packing

: Retail



S.No.	Dimension	Size	Article No.	Unit	PU	MRP/100
1	Ø3.5x12	12/6	928814100	Pc	1000	111
2	Ø3.5x16	16/6	928814200	Pc	800	127
3	Ø3.5x20	20/6	928814300	Pc	1000	140
4	Ø3.5x25	25/6	928814400	Pc	1000	170
5	Ø3.5x30	30/6	928814500	Pc	1000	199
6	Ø4.0x16	16/8	928814700	Pc	1000	147
7	Ø4.0x20	20/8	928814800	Pc	1000	181
8	Ø4.0x25	25/8	928814900	Pc	1000	214
9	Ø4.0x30	30/8	928815000	Pc	1000	249
10	Ø4.0x35	35/8	928815100	Pc	500	278
11	Ø4.0x40	40/8	928815200	Pc	500	316
12	Ø4.0x50	50/8	929129500	Pc	500	395
13	Ø5.0x50	50/10	928815300	Pc	500	588
14	Ø5.0x60	60/10	928815400	Pc	200	690
15	Ø5.0x70	70/10	928815500	Pc	200	825

Carbon Steel Screw

CSK & Pan Head Saw Thread Screw

Handle Fixing Screw



CSK Saw Thread Philips Drive Screw



Material : Steel


Finish : Zinc Coated

Head : Countersunk

Drive : Philips

Thread : Saw

Packing : Retail



S.No.	Dimension	Size	Article No.	Unit	PU	MRP/100
1	Ø3.5x12	12/6	928909400	Pc	1000	55
2	Ø3.5x16	16/6	928909500	Pc	1000	60
3	Ø3.5x20	20/6	928909600	Pc	1000	70
4	Ø3.5x25	25/6	928909800	Pc	1000	75
5	Ø3.5x30	30/6	928910000	Pc	1000	80
6	Ø3.5x35	35/6	928910100	Pc	900	95
7	Ø4.0x16	16/8	928910400	Pc	800	70
8	Ø4.0x20	20/8	928910600	Pc	1000	80
9	Ø4.0x25	25/8	928910700	Pc	900	90
10	Ø4.0x30	30/8	928910800	Pc	800	105
11	Ø4.0x35	35/8	928911000	Pc	600	120
12	Ø4.0x40	40/8	928911200	Pc	600	135
13	Ø4.0x50	50/8	928911600	Pc	400	165
14	Ø5.0x50	50/10	928911700	Pc	300	270
15	Ø5.0x60	60/10	928911800	Pc	200	315
16	Ø5.0x70	70/10	928911900	Pc	200	365
17	Ø5.0x100	100/10	928912200	Pc	100	510

Pan Head Saw Thread Philips Drive Screw



Material : Steel


Finish : Zinc Coated

Head : Pan Head

Drive : Philips

Thread : Saw

Packing : Retail



S.No.	Dimension	Size	Article No.	Unit	PU	MRP/100
1	Ø3.5 x 12	12/6	928912300	Pc	20000	56
2	Ø3.5 x 16	16/6	928912400	Pc	16000	64
3	Ø4.0 x 16	16/8	928912500	Pc	11000	76
4	Ø4.0 x 20	20/8	928912600	Pc	10000	88

Handle Fixing Screw - Retail Packing



Material : Steel


Finish : Zinc Coated

Head : Pan Head

Drive : Cross recessed

Thread : M4

Packing : Retail



S.No.	Dimension	Size	Article No.	Unit	PU	MRP/100
1	M4 x 22	22/8	71549	Pc	1000	205
2	M4 x 24	24/8	71555	Pc	1000	210
3	M4 x 26	26/8	71556	Pc	1000	225
4	M4 x 28	28/8	71557	Pc	500	235
5	M4 x 30	30/8	71558	Pc	500	255
6	M4 x 32	32/8	71559	Pc	500	265
7	M4 x 36	36/8	71561	Pc	500	285
8	M4 x 38	38/8	71562	Pc	500	300
9	M4 x 50	50/8	9184222	Pc	200	375

Drywall Screw - Retail Packing



Material : Steel


Finish : Blackodised

Head : Countersunk

Drive : Philips Drive

Thread : Fine Thread

Packing : Retail



S.No.	Dimension	Size	Article No.	Unit	PU	MRP/100
1	Ø3.5x20	20/6	926247900	Pc	1000	57
2	Ø3.5x25	25/6	926248000	Pc	1000	65
3	Ø3.5x30	30/6	926251100	Pc	1000	78
4	Ø3.5x35	35/6	926251200	Pc	1000	89
5	Ø3.5x40	40/6	926251300	Pc	500	97
6	Ø3.5x50	50/6	926251500	Pc	500	120

Truss Head screws - Retail Packing



Material : Steel


Finish : Black

Head : Truss Head

Drive : Philips

Thread : Regular

Packing : Retail



S.No.	Dimension	Size	Article No.	Unit	PU	MRP/100
1	Ø4.0 x 13	13/8	928060300	Pc	1000	65
2	Ø4.0 x 16	16/8	928060400	Pc	1000	67
3	Ø4.0 x 20	20/8	928060500	Pc	1000	85
4	Ø4.0 x 25	25/8	928060600	Pc	1000	101
5	Ø4.0 x 30	30/8	928060700	Pc	1000	117
6	Ø4.0 x 50	50/8	928060900	Pc	500	185
7	Ø5.0 x 50	50/10	928061000	Pc	500	292

Drive Bit - 65 mm (Both Side) Pozi Drive



Material : Steel hardened
Finish : Black
Drive : Pozi Drive

S.No.	Description	Suitable for	Article No.	Unit	PU	MRP/Pc
1	PZD - 2 Screwdrive bits H1/4*65mm PZ2	3.5 - 5 mm dia	925467200	Pc	10	55

Drive Bit - 65mm (Both Side) Phillips Drive



Material : Steel hardened
Finish : Black
Drive : Phillips Drive

S.No.	Description	Suitable for	Article No.	Unit	PU	MRP/Pc
1	PHD - 2 Screw Drive Bits H1 / 4*65mm PH2	3.5 - 5 mm dia	927324600	Pc	10	55

Screw Driver



Material : Steel hardened
Drive : Pozi Drive

S.No.	Description	Suitable for	Dimension	Article No.	Unit	PU	MRP/Pc
1	Screws Driver	3.5 - 5 mm dia	PZ 2	919326000	Pc	1	200

Notes



Assured Quality. Better Price.

Contact Us

Ahmedabad	9664813232
Bangalore	8105813582
Bangalore	7338183871
Bhubaneshwar	8657421935
Chennai	7338886881
Delhi	8287257534
Ghaziabad	9910117185
Hubli	8197188193
Indore	7869271060
Jaipur	8657512894
Jodhpur	9724535189
Kanpur	8657514175
Kochi	9745329938
Lucknow	9696578877
Ludhiana	9878073517
Mumbai	9892030929
Patiala	9136016414
Patna	8657505171
Patna	9308670832
Pune	7715808354
Ranchi	8097464013

Registered Office:

Hepo India Private Limited
A-26/4, 1st floor,
Mohan Co-operative Industrial Estate,
New Delhi - 110 044
Phone: +91 11 4889 4000, 4889 4005
Fax: +91 11 4889 4044

Head Office:

Hepo India Private Limited
402, 4th floor, Durolite House,
Opp. SAB TV, New Link Road,
Andheri (West), Mumbai - 400 053
Phone: +91 22 2674 3289/3356/4089
Fax: +91 22 2674 3267

Enquiry & Customer Services

Toll Free : 1800 209 2096 (office hours)
customer_services@hepoindia.com
www.hepoindia.com

Follow Hepo India:

